

E MEI SHAN MEDICATED- camphor, menthol, methyl salicylate plaster
SICHUAN EMEISHAN PHARMACEUTICAL CO., LTD.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients

Camphor 3.1%
Menthol 2.6%
Methyl Salicylate 10.1%

Purpose

External Analgesic

Uses

For the temporary relief of minor aches and pains of muscles and joints due to:

■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains

Warnings

For external use only

Allergy alert: This product contains natural rubber latex which may cause allergic reactions

Do not use

■ on irritated or damaged skin ■ on wounds ■ otherwise than as directed

When using this product

■ avoid contact with the eyes or mucous membranes
■ do not bandage tightly
■ avoid placing on extremely hairy areas of skin to avoid irritation upon removing the plaster

Stop use and ask a doctor if

■ condition worsens
■ symptoms persist for more than 7 days
■ symptoms clear up and occur again within a few days
■ excessive irritation of the skin develops
■ nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs
■ when using for pain of arthritis:
 ■ pain persists for more than 10 days ■ redness is present
 ■ in conditions affecting children under 12 years of age

Keep out of reach of children to avoid accidental poisoning.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ adults and children 3 years of age and older: remove the protective film from the plaster. Apply to affected area not more than 3 to 4 times daily.
■ children under 3 years of age: consult your physician
■ refer to the above warnings; use otherwise than as directed may be dangerous

Other information

■ keep plasters tightly closed in the zip-lock pouch
■ store at 15° to 30° C (59° to 86° F) in a dry place away from sunlight

Inactive ingredients

Dong quai root, fragrant angelica root, ginger, lanolin, mineral oil, natural latex rubber, petrolatum, rosin, zinc oxide, star anise fruit, and antioxidant 1010.

Questions or comments?

(888) 221-3496 M-F 9 am to 5 pm

■ you may also report serious side effects to this phone number

Principal Display Panel

EXTERNAL ANALGESIC

NDC 54494-001-01

E MEI SHAN MEDICATED PLASTER

■ Simple backache ■ Arthritis ■ Strains ■ Bruises ■ Sprains

5 PLASTERS

Each plaster 7 x 10 cm (2.76 x 3.94 Inches)

Drug Facts 藥品資料

Active Ingredients 有效成分 Purpose 用途
 Camphor 樟腦 3.1% External Analgesic 外用止痛
 Menthol 薄荷腦 2.6% External Analgesic 外用止痛
 Methyl salicylate 水楊酸甲酯 10.1% External Analgesic 外用止痛

Uses 作用: For the temporary relief of minor aches and pains of muscles and joints due to: 暫時緩解由以下情況引起的肌肉和關節疼痛:
 ■ simple backache 一般腰背痛 ■ arthritis 關節炎 ■ strains 損傷 ■ bruises 瘀傷 ■ sprains 扭傷

Warnings 告誡: For external use only 本品僅供外用。
Allergy alert 過敏警告: This product contains natural rubber latex which may cause allergic reactions. 此產品含有可能導致過敏反應的天然乳膠成份。
Do not use 不能用於:
 ■ on wounds 創傷 ■ on irritated or damaged skin 受刺激或受損的皮膚 ■ otherwise than as directed 除非另有醫囑

When using this product 在使用本產品時:
 ■ avoid contact with the eyes or mucous membranes 避免接觸眼睛或黏膜
 ■ do not bandage tightly 切勿貼過緊
 ■ avoid placing on extremely hairy areas of skin to avoid irritation upon removing the plaster 避免貼在毛髮濃密處撕掉時而引起皮膚發炎

Stop use and ask a doctor if 如果出现以下症狀應停止使用或謹遵醫囑:
 ■ condition worsens 病情加重
 ■ symptoms persist for more than 7 days 症狀持續七天以上
 ■ symptoms clear up and occur again within a few days 症狀好轉後數天內復發
 ■ excessive irritation of the skin develops 皮膚有嚴重刺激或發炎
 ■ nausea, vomiting, abdominal discomfort, diarrhea or skin rash occurs 噁心、嘔吐、腹部不適、腹瀉或出現皮疹
 ■ when using for pain of arthritis 用於治療關節炎引起的疼痛時:
 ■ pain persists for more than 10 days 疼痛持續超過10天
 ■ redness is present 發紅
 ■ in conditions affecting children under 12 years of age 影響12歲以下兒童的症狀

Keep out of reach of children to avoid accidental poisoning. If swallowed, get medical help or contact a Poison Control Center right away. 或在兒童拿不到的地方以避免意外中毒。如果被兒童意外吞食，請立即送醫或聯絡毒物控制中心。

Drug Facts 藥品資料 (continued) 續


Directions 用法:
 ■ adults and children 3 years of age and older: remove the protective film from the plaster. Apply to affected area not more than 3 to 4 times daily. 成人及3歲以上兒童: 撕開貼膏的保護膜。貼在患處，每天不超過3至4次。
 ■ children under 3 years of age: consult your physician. 3歲以下兒童: 遵醫囑。
 ■ refer to the above warning; use otherwise than as directed may be dangerous. 參看以上警告，不按指示使用可能導致危險。

Other Information 其它注意事項:
 ■ keep plasters tightly closed in the zip-lock pouch. 密封保存。
 ■ store at 15° to 30°C (59° to 86°) in a dry place away from sunlight. 在攝氏 15° 至 30° (華氏 59° 至 86°) 室溫下乾燥處儲藏，避免陽光。

Inactive Ingredients 輔助成分:
 Dong quai root, fragrant angelica root, ginger, lanolin, mineral oil, natural latex rubber, petrolatum, rosin, zinc oxide, star anise fruit, and antioxidant 1010.
 當歸、白芷、生薑、羊毛脂、礦物油、天然乳膠、凡士林、氧化鋅、松香、八角茴香以及抗氧化劑1010。

Questions or Comments 問題或建議? (888) 221-3496
 M-F: 9 am to 5 pm 週一至週五，上午9時至下午5時
 ■ you may also report serious side effects to this phone number. 您還可以使用這個電話號碼報告嚴重的副作用

生產商 Manufacturer By:
 四川峨嵋山藥業有限公司
 SICHUAN EMEISHAN PHARMACEUTICAL CO., LTD
 SICHUAN PROVINCE, CHINA
 美國總代理 U.S. Distributor:
 SOLSTICE MEDICINE COMPANY
 美國蘇氏藥業有限公司
 215 W. Ann Street
 Los Angeles, CA 90012
 Toll Free: 1-888-221-3496
 www.solsticemed.com
 Lot No. _____
 Exp. Date: _____
 Made in China



峨嵋山風濕膏



NDC 54494-001-01



民間秘方 療效顯著
 精工提煉 使用方便

峨嵋山風濕膏

E MEI SHAN
 MEDICATED PLASTER

※新劑型 ※新配方 ※可拉長或伸縮

- ✓ Simple backache 一般腰背痛
- ✓ Arthritis 關節炎
- ✓ Strains 損傷
- ✓ Bruises 瘀傷
- ✓ Sprains 扭傷

5 PLASTER (五貼裝) 每貼 (7厘米 x 10厘米)
 Each Plaster 7 x 10 cm (2.76 x 3.94 in)

E MEI SHAN
 MEDICATED PLASTER



NEW PACKAGING STARTING JULY 2017
 自二零一七年七月改用此新裝

camphor, menthol, methyl salicylate plaster

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54494-001
Route of Administration	TRANSDERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPHOR (SYNTHETIC)	36 mg
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	30 mg
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	119 mg

Inactive Ingredients

Ingredient Name	Strength
ANGELICA SINENSIS ROOT (UNII: B66F4574UG)	
ANGELICA DAHURICA ROOT (UNII: 1V63N2S972)	
GINGER (UNII: C5529G5J PQ)	
LANOLIN (UNII: 7EV65EAW6H)	
MINERAL OIL (UNII: T5L8T28FGP)	
NATURAL LATEX RUBBER (UNII: 2LQ0UUW8IN)	
PETROLATUM (UNII: 4T6H12BN9U)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
ROSIN (UNII: 88S87KL877)	
STAR ANISE FRUIT (UNII: CK15HA8438)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54494-001-01	1 in 1 BOX	02/19/2013	
1		5 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	02/19/2013	

Labeler - SICHUAN EMEISHAN PHARMACEUTICAL CO., LTD. (529114359)

Registrant - SICHUAN EMEISHAN PHARMACEUTICAL CO., LTD. (529114359)

Establishment

Name	Address	ID/FEI	Business Operations
SICHUAN EMEISHAN PHARMACEUTICAL CO., LTD.		529 114359	manufacture(54494-001)

Revised: 8/2017

SICHUAN EMEISHAN PHARMACEUTICAL CO., LTD.