ALLERGY RELIEF- loratadine capsule, liquid filled Rite Aid Corporation

Rite Aid Corporation Allergy Relief Drug Facts

Active ingredient (in each capsule)

Loratadine 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

adults and children 6 years and over	1 capsule daily; not more than 1 capsule in 24
	hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- do not use if blister unit is broken or torn
- store between 20° to 25°C (68° to 77°F)
- protect from freezing

Inactive ingredients

FD&C blue no.1, gelatin, glycerin, hydrolyzed collagen, hypromellose, isopropyl alcohol, mannitol, medium chain mono- & di-glycerides, propylene glycol, purified water, sorbitan, sorbitol, titanium dioxide

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

Compare to the active ingredient in Claritin® Liqui-Gels®

ORIGINAL PRESCRIPTION STRENGTH

ALLERGY RELIEF

LORATADINE CAPSULES, 10 mg

ANTIHISTAMINE

NON-DROWSY*

INDOOR & OUTDOOR ALLERGIES

24 HOUR RELIEF OF

Sneezing - Runny nose - Itchy, watery eyes

Itchy throat or nose

24 Hour

ACTUAL SIZE

*WHEN TAKEN AS DIRECTED.

SEE DRUG FACTS ANEL



ORIGINAL PRESCRIPTION STRENGTH

ALLERGY RELIEF

LORATADINE CAPSULES, 10 mg

ANTIHISTAMINE

NDC 118:22-0446-0

Compare to the active ingredient in Claritin® Liqui- Gels®**

ORIGINAL PRESCRIPTION STRENGTH

ERGY R

LORATADINE CAPSULES, 10 mg

ANTIHISTAMINE

NON-DROWSY* INDOOR & OUTDOOR ALLERGIES

24 HOUR RELIEF OF

Sneezing • Runny nose • Itchy, watery eyes Itchy throat or nose





"WHIEN TAKEN AS IDIRECTED. SEE DRUG FACTS P!ANEL.

LIQUID-FILLED CAPSULES

AID **PHARMACY**

RITE

Drug Facts

Loratadine 10 mg......

Ac tive ingre die rat (in ea ch capsule)

... Antihist am in e

Uses temporarily relieves these symptoms due to hay fever or otherupperre-spiratory allergies:

■ runny mose ■ itchy, watery eyes ■ itching of the nose or throat ■ smeezima

Warnings

Do not use if you have ever had an adlergicre action to this product or any of its ingredients.

Aska doctor before urse if you have liver orkidn∋y disease. Your doctor should determine if you need a: different dose.

When using this product do not take more than die ded. Taking more than directed may caus⊜ drowsiness.

Stop use and ask a doctor if an allergicre action to this product occurs. Seek nnedical help right away.

lf pregnant or breast-feeding, ask a health professional before use.

Keep outto freach of children. Incase of overobse, get medical help or comtact a Poison Control Center right away (1-800-222 -1222).

Drung Facts (continued)

Di rec tions

adults and children 1 cap sule daily; not more 6 years and over than 1 capsule in 2 4 hours children under ask a doctor 6 wears of age

consumers with liver ask a doctor or kickne v dise ase

Other information

- do not use if blister unit is bro Ken or torn ■ store between 210° to 25°C (681° to 77°F)
- protect from freezing

Inactive in gre dients FD&C blue no.1, gelatin, gly cerin, hydrolyze od collagen, hy promellose, iscopropy l alcohol, mannitol, nn edium chain moro - & di-glivcerides, propylene gly col, purified water, sorbitan, sorbittol, titani um dioxide

Questions or comments? 1-800-719-9260

ORATADINE CAPSULES, PRESCRIPTION ANTIMISTAMINE STRENGTH

OPEN OTHER END

14639 83 C1

*Thi sproduct is not manufactured or distributed by Bayer HealthCare LLC or Catalent Pharma Solutions, Inc. Carillin® last trademark of Bayer HealthCareL LC and Liqui-Gals ® is a trademark of Cartelant Pharma



DISTRIBUTED BY: RITE AID, 30 HUNTER LAME, CAMP HILL, PA 17011 w www.riteaid.com

SATISFACTION GUARANTEE

ALLERGY RELIEF

loratadine capsule, liquid filled

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:11822-0446

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ORATADINE (LINII: 7AIO3BO7ON) (LORATADINE - LINII:7AIO3BO7ON)	LORATADINE	10 mg

Inactive Ingredients		
Ingredient Name	Strength	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)		
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)		
GLYCERIN (UNII: PDC6A3C0OX)		
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)		
ISOPROPYL ALCOHOL (UNII: ND2M416302)		
MANNITOL (UNII: 3OWL53L36A)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SORBITAN (UNII: 6092ICV9RU)		
SORBITOL (UNII: 506T60A25R)		
TITANIUM DIOXIDE (UNII: 15FIX9V2 P)		

Product Characteristics			
Color	BLUE (clear)	Score	no score
Shape	OVAL	Size	10mm
Flavor		Imprint Code	446
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822- 0446-0	30 in 1 CARTON	07/17/2020	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA202538	07/17/2020	

Labeler - Rite Aid Corporation (014578892)

Revised: 7/2020 Rite Aid Corporation