

SUN SUBLIME PROTECTIVE FACE CARE SPF 30- homosalate, octisalate, avobenzone cream
Naos USA, Inc.

Sun Sublime Protective Face Care SPF 30

Drug Facts

Active ingredients (w/w)

Homosalate 9%
Octisalate 4.5%
Avobenzone 2.7%

Purpose

Sunscreen

Use

Helps prevent sunburn.

Warnings

For external use only.

Do not use

on broken skin.

When using this product

avoid contact with eyes. If contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, call a poison control centre or get medical help right away.

Directions

Adults 18 years and older:

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.

- Sun protection measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 a.m. - 2 p.m. ; and
- Wear long-sleeve shirts, pants, hats and sunglasses.
- Children under 6 months of age: ask a doctor.

Other information

- Keep the product between 15-30°C (59-86°F). • Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

Aqua/water/eau, Ethylhexyl Methoxycrylene, Glycerin, Glyceryl Stearate, Coco-caprylate/caprates, Propanediol, Silica, Dimethicone, Caprylyl Methicone, Peg-100 Stearate, Butyloctyl Salicylate, Cera alba/beeswax/cire d'abeille, Tocopheryl Acetate, Cetyl Alcohol, Benzotriazolyl Dodecyl P-cresol, Oryzanol, Pentyleneglycol, Vp/eicosene Copolymer, Fragrance (Parfum), Glycyrrhetic Acid, Mannitol, Methylpropanediol, Oryza Sativa (Rice) Bran Oil, Pongamol, Soybean Glycerides, Polysilicone-11, Butylene Glycol, Acetyl Tyrosine, Aspartic Acid, Helianthus Annuus (Sunflower) Seed Oil, Hydrogenated Castor Oil, Polyacrylate Crosspolymer-6, Sodium Citrate, Sodium Dextran Sulfate, Hydrolyzed Soy Protein, Oleoyl Tyrosine, Xanthan Gum, Creatine, Dipropylene Glycol, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Sodium Hydroxide, Hydrolyzed Wheat Protein, Luffa Cylindrica Seed Oil, Oleic Acid, Propylene Glycol, Aminoethanesulfonic Acid, Phenoxyethanol, Carbomer, Sodium Lactate, Caprylyl Glycol, Polysorbate 20, Copper Gluconate, Asiaticoside, Madecassic Acid, Carnosine, Tocopherol, Asiatic Acid, Disodium Adenosine Triphosphate, Artemia Extract, Medicago Sativa (Alfalfa) Extract, Laminaria Digitata Extract, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Acetyl Hexapeptide-1, Dextran, Linalool, Hexyl Cinnamal, Hydroxycitronellal, Limonene, Benzyl Benzoate, Geraniol, Citronellol, Isoeugenol, Coumarin, Citral.

Questions?

Call 1-877-443-3762

Package Labeling:

INSTITUT
ESTHERDERM
PARIS

www.estherderm.ca
www.estherderm.us

E

INSTITUT
ESTHERDERM
PARIS

www.estherderm.ca
www.estherderm.us

**Drug Facts (continued) /
Info-médicament (suite)**

**Inactive ingredients /
Ingrédients inactifs**

Aqua/water/eau, Ethylhexyl Methoxycrylene, Glycerin, Glyceryl Stearate, Coco-caprylate/caprate, Propanediol, Silica, Dimethicone, Caprylyl Methicone, Peg-100 Stearate, Butyloctyl Salicylate, Cera alba/beeswax/cire d'abeille, Tocopheryl Acetate, Cetyl Alcohol, Benzotriazoyl P-cresol, Oryzanol, Pentylen Glycol, Vp/eicosene Copolymer, Fragrance (Parfum), Glycyrrhetic Acid, Mannitol, Methylpropanediol, Oryza Sativa (Rice) Bran Oil, Pongamol, Soybean Glycerides, Polysilicone-11, Butylene Glycol, Acetyl Tyrosine, Aspartic Acid, Helianthus Annuus (Sunflower) Seed Oil, Hydrogenated Castor Oil, Polyacrylate Crosspolymer-6, Sodium Citrate, Sodium Dextran Sulfate, Hydrolyzed Soy Protein, Oleoyl Tyrosine, Xanthan Gum, Creatine, Dipropylene Glycol, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Sodium Hydroxide, Hydrolyzed Wheat Protein, Luffa Cylindrica Seed Oil, Oleic Acid, Propylene Glycol, Aminoethanesulfonic Acid, Phenoxyethanol, Carbomer, Sodium Lactate, Caprylyl Glycol, Polysorbate 20, Copper Gluconate, Asiaticoside, Madecassic Acid, Carnosine, Tocopherol, Asiatic Acid, Disodium Adenosine Triphosphate, Artemia Extract, Medicago Sativa (Alfalfa) Extract, Laminaria Digitata Extract, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Acetyl Hexapeptide-1, Dextran, Linalool, Hexyl Cinnamal, Hydroxycitronellal, Limonene, Benzyl Benzoate, Geraniol, Citronellol, Isoeugenol, Coumarin, Citral.


Questions?

Call / Composez le 1-877-443-3762

INSTITUT ESTHERDERM est une marque fondée sur l'écobiologie qui est au cœur de la démarche NAOS pour respecter l'écosystème de votre peau et préserver sa santé. Durablement. www.naos.com

INSTITUT ESTHERDERM is a brand built on ecobiology which is at the heart of NAOS approach to respect the skin ecosystem and preserve its health. Lastingly. www.naos.com

INSTITUT
ESTHERDERM
PARIS



SUN SUBLIME

PROTECTIVE FACE CARE
SOIN PROTECTEUR VISAGE

SPF 30 / FPS 30



PROTECTION UVA-UVB PROTECTION

Broad Spectrum Sunscreen
Écran solaire à large spectre

Care first. N A O S

1.7 fl.oz.

50 mL

DIN : 02517213

**Drug Facts /
Info-médicament**

**Active ingredients (w/w)/
Ingrédients actifs (p/p)**

Homosalate 9%	} Sunscreen / Écran solaire
Octisalate 4.5%	
Avobenzone 2.7%	

Use / Usage

Helps prevent sunburn. / Aide à prévenir les coups de soleil.

Warnings / Mises en garde

For external use only.

Pour usage externe seulement.

Do not use on broken skin.

Ne pas utiliser sur une peau éraflée.

When using this product avoid contact with eyes. If contact occurs, rinse thoroughly with water.

Lorsque vous utilisez ce produit, éviter tout contact avec les yeux. Le cas échéant, bien rincer avec de l'eau.

Stop use and ask a doctor if rash occurs.

Cessez d'utiliser et consultez un

médecin si une éruption cutanée se

développe.

Keep out of reach of children. If

swallowed, call a poison control centre or get medical help right away.

Garder hors de la portée des enfants. En cas d'ingestion, appeler immédiatement un centre antipoison ou obtenir une assistance médicale.

Réf : 05V450003 CA



Importé et distribué par/
Imported and distributed by :
NAOS CANADA INC.

Montréal (QC) H2W 2R2 Canada
NAOS USA INC.
Wilmington, DE 19808-1609 USA

N A O S

Ecobiology Company - France

NAOS 13290 Aix-en-Provence
Made in France



**Drug Facts (continued) /
Info-médicament (suite)**

Directions / Mode d'emploi

Adults 18 years and older:

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Sun protection measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m.; and
- Wear long-sleeve shirts, pants, hats and sunglasses.
- Children under 6 months of age: ask a doctor. / Adultes 18 ans et plus :
- Appliquer généreusement et uniformément 15 minutes avant l'exposition au soleil.
- Appliquer de nouveau au moins toutes les 2 heures.
- Utiliser un écran solaire résistant à l'eau lors d'une activité aquatique ou s'il y a transpiration.
- Mesures de protection contre le soleil : Passer du temps au soleil augmente le risque de cancer de la peau et du vieillissement prématuré de la peau. Afin de diminuer ce risque, il convient d'utiliser régulièrement un écran solaire avec un FPS à large spectre d'au moins 15 et d'appliquer d'autres mesures de protection contre le soleil telles que :
- Limiter le temps passé au soleil, notamment entre 10h - 14h ; et
- Porter des chemises à manches longues, des pantalons, un chapeau et des lunettes de soleil.
- Pour les enfants de moins de 6 mois : demander l'avis d'un médecin.

Other information / Autres renseignements

- Keep the product between 15-30°C (59-86°F).
- Protect the product in this container from excessive heat and direct sun. / • Garder le produit entre 15-30°C (59-86°F).
- Tenir loin de la chaleur excessive ou des rayons du soleil.

Q1ET4500CAV9

GENCOD
36 x 13 mm
IMPRESION PANT. 432
N° 3461020012270

INSTITUT
ESTHEDERM
PARIS

SUN SUBLIME

PROTECTIVE FACE CARE
SOIN PROTECTEUR VISAGE

SPF 30 / FPS 30



PROTECTION UVA-UVB PROTECTION

Broad Spectrum Sunscreen
Écran solaire à large spectre

Care first.  NAOS

1.7 fl.oz.

50 mL

DIN : 02517213

Drug Facts / Info-médicament

Active ingredients (w/w) / Ingrédients actifs (p/p):
Homosalate 9%, Octisalate 4.5%,
Avobenzone 2.7%

Purpose / Utilité : Sunscreen / Écran solaire.
Use / Usage : Helps prevent sunburn. / Aide à
prévenir les coups de soleil.

Warnings / Mises en garde : For external use
only. Do not use on broken skin. When using
this product, avoid contact with eyes. If contact
occurs, rinse thoroughly with water. See outer
carton. / Pour usage externe seulement. Ne pas
utiliser sur une peau éraflée. Lorsque vous
utilisez ce produit éviter tout contact avec les
yeux. Le cas échéant, bien rincer avec de l'eau.
Consulter l'emballage.

Directions / Mode d'emploi : Adults 18 years
and older: Apply liberally and evenly 15 minutes
before sun exposure. Reapply at least every 2
hours. See outer carton. / Adultes 18 ans et plus :
Appliquer généreusement et uniformément 15
minutes avant l'exposition au soleil. Appliquer
de nouveau au moins toutes les 2 heures.
Consulter l'emballage.

Other information / Autres renseignements :
Keep the product between 15–30°C (59–86°F) /
Garder le produit entre 15–30°C (59–86°F).
Questions? 1 877 443 3762.

Réf : 05V450003 CA Q1TU4500CAV7

Importé et distribué par/
Imported and distributed by :

NAOS CANADA INC.
Montréal (QC) H2W 2R2 Canada
NAOS USA INC.
Wilmington, DE 19808-1609 USA




NAOS

Ecobiology Company – France

NAOS 13290 Aix-en-Provence

Made in France



55 MM

SUN SUBLIME PROTECTIVE FACE CARE SPF 30

homosalate, octisalate, avobenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14324-027
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	45 mg in 1 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	27 mg in 1 mL
Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)		
GLYCERIN (UNII: PDC6A3C0OX)		
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)		
COCO-CAPRYLATE/CAPRATE (UNII: 8D9H4QU99H)		
PROPANEDIOL (UNII: 5965N8W85T)		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
DIMETHICONE (UNII: 92RU3N3Y1O)		
METHICONE (20 CST) (UNII: 6777U11MKT)		
PEG-100 STEARATE (UNII: YD01N1999R)		
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)		
YELLOW WAX (UNII: 2ZA36H0S2V)		
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)		
CETYL ALCOHOL (UNII: 936JST6JCN)		
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)		
ORYZANOL (UNII: SST9XCL51M)		
PENTYLENE GLYCOL (UNII: 50C1307PZG)		
ENOXOLONE (UNII: P540XA09DR)		
MANNITOL (UNII: 3OWL53L36A)		
METHYLPROPANEDIOL (UNII: N8F53B3R4R)		
RICE BRAN OIL (UNII: LZ06K1506A)		
PONGAMOL (UNII: 8Y19QCY6I4)		
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)		
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)		
ACETYL L-TYROSINE (UNII: DA8G610ZO5)		
ASPARTIC ACID (UNII: 30KYC7MIAI)		
SUNFLOWER OIL (UNII: 3W1JG795YI)		
HYDROGENATED CASTOR OIL (UNII: ZF94AP8MEY)		
AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)		
SODIUM CITRATE (UNII: 1Q73Q2JULR)		
OLEOYL TYROSINE (UNII: 131P1BQX1U)		
XANTHAN GUM (UNII: TTV12P4NEE)		
CREATINE (UNII: MU72812GK0)		
DIPROPYLENE GLYCOL (UNII: E107L85C40)		
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)		
SODIUM HYDROXIDE (UNII: 55X04QC32I)		
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)		
OLEIC ACID (UNII: 2UMI9U37CP)		

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
HYPOTAURINE (UNII: 5L08GE4332)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
SODIUM LACTATE (UNII: TU7HW0W0QT)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
COPPER GLUCONATE (UNII: RV823G6G67)	
ASIATICOSIDE (UNII: PKO39VY215)	
MADECASSIC ACID (UNII: M7O1N24J82)	
CARNOSINE (UNII: 8HO6PVN24W)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ASIATIC ACID (UNII: 9PA5A687X5)	
ADENOSINE TRIPHOSPHATE DISODIUM (UNII: 5L51B4DR1G)	
MEDICAGO SATIVA WHOLE (UNII: DJO934BRBD)	
LAMINARIA DIGITATA (UNII: 15E7C67EE8)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
ACETYL HEXAPEPTIDE-1 (UNII: 49ZWR266MZ)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
HYDROXYCITRONELLAL (UNII: 8SQ0VA4YUR)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
BENZYL BENZOATE (UNII: N863NB338G)	
GERANIOL (UNII: L837108USY)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	
ISOEUGENOL (UNII: 5M0MWY797U)	
COUMARIN (UNII: A4VZ22K1WT)	
CITRAL (UNII: T7EU0O9VPP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14324-027-00	1 in 1 CARTON	04/01/2022	09/30/2024
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2022	09/30/2024

Labeler - Naos USA, Inc. (080727572)