CLEARLAX- polyethylene glycol 3350 powder, for solution Publix Super Markets Inc

Publix Super Markets, Inc. ClearLax[®] Drug Facts

Active ingredient (in each dose)

Polyethylene Glycol 3350, 17 g (cap filled to line)

Purpose

Osmotic Laxative

Use

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

Warnings

Allergy alert: Do not use if you are allergic to polyethylene glycol

Do not use

if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

Ask a doctor or pharmacist before use if you are

taking a prescription drug

When using this product

you may have loose, watery, more frequent stools

Stop use and ask a doctor if

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than directed unless advised by your doctor
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
- use once a day
- fill to top of white section in cap which is marked to indicate the correct dose (17 g)
- stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
- do not combine with starch-based thickeners used for difficulty swallowing
- ensure that the powder is fully dissolved before drinking
- do not drink if there are any clumps
- do not use no more than 7 days
- children 16 years of age or under: ask a doctor

Other information

- store at 68°-77°C (20°-25°F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

Inactive ingredients

none

Principal Display Panel

Ρ

clearlax[®]

POLYETHYLENE GLYCOL 3350 POWDER FOR SOLUTION, OSMOTIC LAXATIVE

- relieves occasional constipation / irregularity
- softens stool
- unflavored powder
- grit free
- 30 ONCE-DAILY DOSES

Compare to the active ingredient in MiraLAX®

NET WT 17.9 OZ (510 g)

			NDC 56062-306-03			
	(clearla	AX®			
POLYETHYLENE GLYCOL 3350						
P0	WDEK FUK	SULUTION, O	SMOTIC LAXATIVE			
• sof	tens stool lavored powder	stipation / irregularity				
3	O ONCE-DAIL DOSES	Y	*Compare to the active ingredient in MiraLAX®			
	NET	TWT 17.9 C)Z (510 g)			
		:306D8 63 F	7			

frequency of bowel movements and softens the stool.

Dissolves in any beverage

Drug Facts	Drug Facts (continued)		
Active ingredient (in each dose) Purpose Polyethylene Glycol 3350, 17 g (cap filled to line)Osmotic Laxative	■ adults and children 17 years of age and older: ■ use once a day ■ fill to top of white section in cap which is marked to indicate the correct dose (17 g) ■ stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink ■ do not combine with starch-based thickeners used for difficulty swallowing ■ ensure that the powder is fully dissolved before drinking ■ do not drink if there are any clumps ■ do not use more than 7 days ■ children 16 years of age or under: ask a doctor		
Use ■ relieves occasional constipation (irregularity) ■ generally produces a bowel movement in 1 to 3 days			
Warnings Allergy alert: Do not use if you are allergic to polyethylene glycol			
Do not use if you have kidney disease, except under the advice and supervision of a doctor	Other information ■ store at 68°-77°F (20°-25°C)		
Ask a doctor before use if you have ■ nausea, vomiting or abdominal pain ■ a sudden change in bowel habits that lasts over 2 weeks ■ irritable bowel syndrome	tamper-evident: do not use if printed foil seal under cap is missing, open or broken		
Ask a doctor or pharmacist before use if you are taking a	Inactive ingredients none		

	prescription drug			
	When using this product you may have loose, watery, more frequent stools	• Sugar Free	41	
	Stop use and ask a doctor if ■ you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition. ■ you get diarrhea ■ you need to use a laxative for longer than 1 week	*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark MiraLAX®. DISTRIBUTED BY	3617	
	If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).	PUBLIX SUPER MARKETS, INC., 3300 PUBLIX CORPORATE PARKWAY LAKELAND, FL 33811 1-888-267-3037 publix.com PUBLIX GUARANTEE: COMPLETE SATISFACTION OR YOUR MONEY BACK	3	
	Directions ■ do not take more than directed unless advised by your doctor ■ the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)	Ρυ blix .		
2			: 30608 63 87	

-									
	LEARLAX								
ро	lyethylene glyd	col 3350 pow	der, for solution						
_									
Ρ	roduct Infor	mation							
Pı	roduct Type		HUMAN OTC DRUG	Item	n Code (Sou	Code (Source)		NDC:56062-306	
R	oute of Admini	istration	ORAL						
Α	ctive Ingredi	ient/Active	Moietv						
Ingredient Name Basis of Strength					Strengt				
		JNII: G2M7P15E5P) (POLYETHYLENE GLYCC		NE GLYCOL	POLYETHYLENE GLYCOL 3350		17 g in 17 g		
P	roduct Chara	acteristics							
Co	olor		WHITE	Score					
	nape		Size						
	avor			Imprint C	Code				
Co	ontains								
Pa	ackaging								
#	ltem Code	Pac	kage Description		Marketing Start Date		Marketing End Date		
1	NDC:56062-306- 03	510 g in 1 BOT Product	TLE; Type 0: Not a Combination		12/14/2009				
2	NDC:56062-306- 02	238 g in 1 BOT Product	TLE; Type 0: Not a Combination		12/14/2009				
3	NDC:56062-306- 04	850 g in 1 BOT Product	TLE; Type 0: Not a Combination		03/13/2019				

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
ANDA	ANDA090685	12/14/2009				

Labeler - Publix Super Markets Inc (006922009)

Revised: 2/2023

Publix Super Markets Inc