# CLEARLAX- polyethylene glycol 3350 powder, for solution Publix Super Markets Inc

-----

## Publix Super Markets, Inc. ClearLax® Drug Facts

# Active ingredient (in each dose)

Polyethylene Glycol 3350, 17 g (cap filled to line)

# **Purpose**

Osmotic Laxative

#### Uses

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

## **Warnings**

Allergy alert: Do not use if you are allergic to polyethylene glycol

#### Do not use

if you have kidney disease, except under the advice and supervision of a doctor

# Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

# Ask a doctor or pharmacist before use if you are

taking a prescription drug

# When using this product

you may have loose, watery, more frequent stools

# Stop use and ask a doctor if

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

# If pregnant or breast-feeding,

ask a health professional before use.

# Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

#### **Directions**

- do not take more than directed unless advised by your doctor
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
- fill to top of white section in cap which is marked to indicate the correct dose (17 g)
- stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
- use once a day
- use no more than 7 days
- children 16 years of age or under: ask a doctor

#### Other information

- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

# **Inactive ingredients**

none

# **Principal Display Panel**

ORIGINAL PRESCRIPTION STRENGTH

clearlax®

POLYETHYLENE GLYCOL 3350

POWDER FOR SOLUTION, OSMOTIC LAXATIVE

relieves occasional constipation (irregularity)

softens stool

Compare to the active ingredient in MiraLAX®

# ONCE-DAILY DOSES {Replace "#" with number daily doses}

NDC 56062-306-02



ORIGINAL PRESCRIPTION STRENGTH

# clearlax®

POLYETHYLENE GLYCOL 3350 POWDER FOR SOLUTION, OSMOTIC LAXATIVE

- relieves occasional constipation (irregularity)
- softens stool

Compare to the active ingredient in MiraLAX®\*
14 ONCE-DAILY DOSES

NET WT 8.3 OZ (238 g)

: 306El 63 F3



# Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222)

#### Directions

- do not take more than directed unless advised by your doctor
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line
- (white section in cap)
   adults and children 17 years of age and older:
- fill to top of white section in cap which is marked to indicate the correct dose (17 g)
- stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
- use once a day
- use no more than 7 days
- children 16 years of age or under: ask a doctor

#### Other information

- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

#### Inactive ingredients none

- Sugar Free
   \*This product is not manufactured or distributed by Schering-Plough HealthCare Products, Inc., distributor of MiraLAX⊚. DISTRIBUTED BY PUBLIX SUPER MARKETS, INC. 3300 PUBLIX CORPORATE PARKWAY, LAKELAND, FL 33811 888-267-3037 publix.com
- PUBLIX GUARANTEE: COMPLETE SATISFACTION OR YOUR MONEY BACK

### **CLEARLAX**

polyethylene glycol 3350 powder, for solution

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:56062-306
Route of Administration	ORAL	DEA Schedule	

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
POLYETHYLENE GLYCOL 3350 (POLYETHYLENE GLYCOL 3350)	POLYETHYLENE GLYCOL 3350	17 g in 17 g		

Product Characteristics			
Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:56062-306-03	510 g in 1 BOTTLE		
2 NDC:56062-306-02	238 g in 1 BOTTLE		

# **Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090685	12/14/2009	

# Labeler - Publix Super Markets Inc (006922009)

Revised: 1/2013 Publix Super Markets Inc