# CONSTIPATION CRAMPS- lead pellet Natural Health Supply

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

### **Indications**

**Indications:** To be used for acute self-limiting conditions according to standard homeopathic indications

# **Active Ingredient**

PLUMBUM METALLICUM

#### **Directions**

Take at onset of symptoms. Repeat every 2 hours or as needed until relieved. If condition persists or worsens discontinue use and consult a practitioner.

Adults: dissolve 5-10 pellets in 1 oz. of filtered water or take dry by mouth. Children and infants: 1-5 pellets.

## **Keep Out of Reach of Children**

Keep these and all medications out of the reach of children.

### Warning

If pregnant or nursing, consult a practitioner before using.

## **Inactive Ingredients**

Inactive Ingredients - Lactose, Sucrose

### **Purpose**

Purpose: Constipation Cramps

## **Package Label**

Est. No. 1724217

Natural Health Supply

505-474-9175

Homeopathic Medicated Pellets

Do not use if clear bottle seal is broken

PLUMBUM METALLICUM 30C

Lot#

# Est. No. 1724217 Natural Health Supply

# Homeopathic Medicated Pellets

Indications: to be used for acute, self-limiting conditions according to standard homeopathic indications. Directions: Take at onset of symptoms. Repeat every 2 hours or as needed until relieved. If condition persists or worsens discontinue use and consult a practitioner. Adults: dissolve 5-10 pellets in 1 oz. of filtered water or take dry by mouth; Children and Infants: 1-5 pellets.

Warning: Keep these and all medicines out of the reach of children; if pregnant or nursing, consult a practitioner before using.

7.5ML(1/40Z)LOT #

Est. No. 1724217

#### Natural Health Supply 505-474-9175

#### Homeograpic Medicated Pellets

Indications: to be used for

acute, self-limiting conditions according to standard homeopathic indications.

Directions: Take at onset of symptoms. Repeat every 2 hours or as needed until relieved. If condition persists or worsens discontinue use and consult a practitioner. Adults: dissolve 5-10 pellets in 1 oz. of filtered water or take dry by mouth;
Children and Infants: 1-5 pellets.
Warning: Keep these and
all medicines out of the reach
of children; if pregnant or
nursing, consult a practitioner before using.

1.875 ml (1/16 oz.)

not use if perforated cap 1 0 broken.

LOT #

# CONSTIPATION CRAMPS

lead pellet

Droduct	Information
Promici	imormanon

Product Type HUMAN OTC DRUG Item Code (Source) NDC:64117-581

**Route of Administration** ORAL

# Active Ingredient/Active Moiety

**Ingredient Name Basis of Strength** Strength LEAD (UNII: 2P299 V784P) (LEAD - UNII:2P299 V784P) 30 [hp\_C] in 1 mL

### **Inactive Ingredients**

**Ingredient Name** Strength LACTOSE (UNII: J2B2A4N98G) **SUCROSE** (UNII: C151H8M554)

### **Packaging**

# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:64117-581- 01	1.875 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/04/1998	
NDC:64117-581- 02	7.5 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/04/1998	

Marketing Information							
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				
unapproved homeopathic		06/04/1998					

# Labeler - Natural Health Supply (018504618)

# Registrant - Natural Health Supply (018504618)

Establishment								
Name	Address	ID/FEI	Business Operations					
Natural Health Supply		0 18 50 46 18	manufacture(64117-581)					

Revised: 12/2020 Natural Health Supply