

**HEADACHE FORMULA EXTRA STRENGTH- acetaminophen, aspirin,  
caffeine tablet, film coated  
ARMY AND AIR FORCE EXCHANGE SERVICE**

-----  
**Exchange Select 44-334B**

***Active ingredients (in each caplet)***

Acetaminophen 250 mg

Aspirin 250 mg (NSAID)\*

Caffeine 65 mg

\*nonsteroidal anti-inflammatory drug

***Purpose***

Pain reliever

Pain reliever

Pain reliever aid

***Uses***

- temporarily relieves minor aches and pains due to:
  - headache
  - arthritis
  - a cold
  - muscular aches
  - toothache
  - premenstrual and menstrual cramps

***Warnings***

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert:** Aspirin may cause a severe allergic reaction, which may include:

- shock
- facial swelling
- hives
- asthma (wheezing)

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- 3 or more alcoholic drinks every day while using this product
- with other drugs containing acetaminophen

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- take other drugs containing prescription or nonprescription NSAIDs [aspirin, ibuprofen, naproxen, or others]
- have 3 or more alcoholic drinks every day while using this product
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take more or for a longer time than directed

**Caffeine warning:** The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heart beat.

### **Do not use**

- if you have ever had an allergic reaction to acetaminophen, aspirin, or any other pain reliever/fever reducer
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

### **Ask a doctor before use if**

- you have liver disease
- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you have asthma
- you are taking a diuretic

### **Ask a doctor or pharmacist before use if you are**

- taking a prescription drug for diabetes, gout, or arthritis
- taking any other drug or are under a doctor's care for any serious condition

### **Stop use and ask a doctor if**

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
  - feel faint
  - have bloody or black stools
  - vomit blood

- have stomach pain that does not get better
- ringing in the ears or a loss of hearing occurs
- redness or swelling is present
- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days
- new symptoms occur

These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

### **Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### ***Directions***

- **do not take more than directed**
- drink a full glass of water with each dose
- adults and children 12 years and over: take 2 caplets every 6 hours. Do not take more than 8 caplets in 24 hours.
- children under 12 years: ask a doctor

### ***Other information***

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

### ***Inactive ingredients***

corn starch, crospovidone, hypromellose, microcrystalline cellulose, povidone, propylene glycol, sodium lauryl sulfate, sodium starch glycolate, stearic acid, titanium dioxide

### ***Questions or comments?***

**1-800-426-9391**

### ***Principal display panel***

**exchange ✓ select™**

**Compare To The Active Ingredients of  
Excedrin® Extra Strength†**

**EXTRA STRENGTH  
HEADACHE FORMULA**

**Acetaminophen**, Aspirin (**NSAID**) and Caffeine  
Pain Reliever / Pain Reliever Aid

Actual Size

**100 CAPLETS**

quality  
value

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY  
SEAL UNDER CAP IS BROKEN OR MISSING**

50844 REV1121C33412


†This product is not manufactured or distributed by GSK Consumer Healthcare SARL, owner of the registered trademark Excedrin® Extra Strength.

**“SATISFACTION GUARANTEED OR YOUR MONEY BACK”**

Manufactured For Your Military Exchanges

Distributed by: LNK International, Inc., Hauppauge, NY 11788

1-800-426-9391



Exchange Select 44-334B

## HEADACHE FORMULA EXTRA STRENGTH

acetaminophen, aspirin, caffeine tablet, film coated

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:55301-334 |
| Route of Administration | ORAL           |                    |               |

| Active Ingredient/Active Moiety                                    |                  |                                                    |                      |                    |
|--------------------------------------------------------------------|------------------|----------------------------------------------------|----------------------|--------------------|
| Ingredient Name                                                    |                  |                                                    | Basis of Strength    | Strength           |
| ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D) |                  |                                                    | ACETAMINOPHEN        | 250 mg             |
| ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)             |                  |                                                    | ASPIRIN              | 250 mg             |
| CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)           |                  |                                                    | CAFFEINE             | 65 mg              |
|                                                                    |                  |                                                    |                      |                    |
| Inactive Ingredients                                               |                  |                                                    |                      |                    |
| Ingredient Name                                                    |                  |                                                    |                      | Strength           |
| STARCH, CORN (UNII: O8232NY3SJ)                                    |                  |                                                    |                      |                    |
| CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)                        |                  |                                                    |                      |                    |
| HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)                       |                  |                                                    |                      |                    |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)                      |                  |                                                    |                      |                    |
| POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)                           |                  |                                                    |                      |                    |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3)                                |                  |                                                    |                      |                    |
| SODIUM LAURYL SULFATE (UNII: 368GB5141J)                           |                  |                                                    |                      |                    |
| SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)           |                  |                                                    |                      |                    |
| STEARIC ACID (UNII: 4ELV7Z65AP)                                    |                  |                                                    |                      |                    |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)                                |                  |                                                    |                      |                    |
|                                                                    |                  |                                                    |                      |                    |
| Product Characteristics                                            |                  |                                                    |                      |                    |
| Color                                                              | white            | Score                                              | no score             |                    |
| Shape                                                              | OVAL             | Size                                               | 17mm                 |                    |
| Flavor                                                             |                  | Imprint Code                                       | 44;334               |                    |
| Contains                                                           |                  |                                                    |                      |                    |
|                                                                    |                  |                                                    |                      |                    |
| Packaging                                                          |                  |                                                    |                      |                    |
| #                                                                  | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
| 1                                                                  | NDC:55301-334-12 | 1 in 1 CARTON                                      | 03/13/2008           |                    |
| 1                                                                  |                  | 100 in 1 BOTTLE; Type 0: Not a Combination Product |                      |                    |
|                                                                    |                  |                                                    |                      |                    |
| Marketing Information                                              |                  |                                                    |                      |                    |
| Marketing Category                                                 |                  | Application Number or Monograph Citation           | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug                                                 |                  | M013                                               | 03/13/2008           |                    |

**Labeler** - ARMY AND AIR FORCE EXCHANGE SERVICE (001695568)

| Establishment           |         |           |                     |
|-------------------------|---------|-----------|---------------------|
| Name                    | Address | ID/FEI    | Business Operations |
| LNK International, Inc. |         | 038154464 | pack(55301-334)     |

## Establishment

| Name                    | Address | ID/FEI    | Business Operations    |
|-------------------------|---------|-----------|------------------------|
| LNK International, Inc. |         | 832867837 | manufacture(55301-334) |

## Establishment

| Name                    | Address | ID/FEI    | Business Operations    |
|-------------------------|---------|-----------|------------------------|
| LNK International, Inc. |         | 832867894 | manufacture(55301-334) |

## Establishment

| Name                    | Address | ID/FEI    | Business Operations |
|-------------------------|---------|-----------|---------------------|
| LNK International, Inc. |         | 967626305 | pack(55301-334)     |

## Establishment

| Name                    | Address | ID/FEI    | Business Operations    |
|-------------------------|---------|-----------|------------------------|
| LNK International, Inc. |         | 117025878 | manufacture(55301-334) |

Revised: 6/2023

ARMY AND AIR FORCE EXCHANGE SERVICE