

CLE DE PEAU BEAUTE CONCEALER IVORY- titanium dioxide stick
CLE DE PEAU BEAUTE CONCEALER OCHER- titanium dioxide stick
CLE DE PEAU BEAUTE CONCEALER BEIGE- titanium dioxide stick
CLE DE PEAU BEAUTE CONCEALER HONEY- titanium dioxide stick
CLE DE PEAU BEAUTE CONCEALER ALMOND- titanium dioxide stick
CLE DE PEAU BEAUTE CONCEALER MOCHA- titanium dioxide stick
SHISEIDO AMERICAS CORPORATION

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

CLÉ DE PEAU BEAUTÉ CONCEALER

Drug Facts

Active ingredients

TITANIUM DIOXIDE 1.6%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

HYDROGENATED POLYDECENE·CYCLOPENTASILOXANE·KAOLIN·DIPHENYLSILOXY
PHENYL TRIMETHICONE·PARAFFIN·SODIUM MAGNESIUM SILICATE·DIISOSTEARYL
MALATE·POLYETHYLENE·SORBITAN SESQUIISOSTEARATE·GLYCERIN·COPERNICIA
CERIFERA (CARNAUBA) WAX·BARIUM SULFATE·PHYTOSTERYL
MACADAMATE·TOCOPHERYL ACETATE·SODIUM ACETYLATED HYALURONATE·ROSA
ROXBURGHII FRUIT EXTRACT·CAMELLIA SINENSIS LEAF EXTRACT·PRUNUS SPECIOSA
LEAF EXTRACT·MICROCRYSTALLINE WAX·DIPROPYLENE GLYCOL·PEG-10
DIMETHICONE·ALUMINA·WATER·ALUMINUM HYDROXIDE·STEARIC ACID·SYNTHETIC
FLUORPHLOGOPITE·BUTYLENE
GLYCOL·TOCOPHEROL·ALCOHOL·SIMETHICONE·TRIETHOXYSILYLETHYL
POLYDIMETHYLSILOXYETHYL
DIMETHICONE·DIMETHICONE·BHT·FRAGRANCE·TITANIUM DIOXIDE·IRON OXIDES·MICA·

Other information

- protect this product in this container from excessive heat and direct sun.

Questions or comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 5 g Tube Carton - IVORY

clé de peau
BEAUTÉ

concealer

BROAD SPECTRUM

SPF 25

SUNSCREEN

5g NET WT. .17 OZ.

clé de peau BEAUTÉ
CONCEALER
BROAD SPECTRUM SPF 25
SUNSCREEN
IVORY

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 1.6% ... Sunscreen

Uses ■ helps prevent sunburn
■ if used as directed with other sun
protection measures (see **Directions**),
decreases the risk of skin cancer and
early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of
eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product
is swallowed, get medical help or contact
a Poison Control Center right away.

Directions

For sunscreen use: ■ apply liberally 15
minutes before sun exposure ▶

READ INSERTION.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.

GLO. 14155

www.cledepeau-beaute.com

Drug Facts (continued)

Directions ■ use a
water resistant sunscreen if
swimming or sweating
■ reapply at least every
2 hours ■ **Sun
Protection
Measures.**
Spending time in
the sun increases
your risk of skin
cancer and early skin
aging. To decrease this
risk, regularly use a
sunscreen with a broad
spectrum SPF of 15 or higher
and other sun protection
measures including: • limit
time in the sun, especially
from 10 a.m. – 2 p.m. • wear
long-sleeve shirts, pants, hats,
and sunglasses ■ children
under 6 months: Ask a doctor

Inactive ingredients

HYDROGENATED POLYDECENE •
CYCLOPENTASILOXANE • KAOLIN •
DIPHENYLSILOXY PHENYL TRIMETHICONE •
PARAFFIN • SODIUM MAGNESIUM SILICATE •
DISOSTEARYL MALATE • POLYMETHYLENE •
SORBITAN SESQUISOSEARATE • GLYCERIN •
COPERNICIA CERIFERA (CARNAUBA) WAX •
BARIUM SULFATE •
PHYTOSTERYL MACADAMIATE •
PHYTOSTERYL MACADAMIATE •
TOCOPHERYL ACETATE •
SODIUM ACETYLATED HYALURONATE • ▶

concealer

IVORY

This package is
made using
bagasse paper
(a non-wood paper).

Drug Facts (continued)

Inactive ingredients

ROSA ROXBURGHII FRUIT EXTRACT •
CAMELLIA SINEENSIS LEAF EXTRACT •
PRUNUS SPECIOSA LEAF EXTRACT •
MICROCRYSTALLINE WAX •
DIPROPYLENE GLYCOL •
PEG-10 DIMETHICONE • ALUMINA • WATER •
ALUMINUM HYDROXIDE • STEARIC ACID •
SYNTHETIC FLUOROPHLOGOPITE •
BUTYLENE GLYCOL • TOCOPHEROL •
ALCOHOL • SIMETHICONE •
TRIETHOXYSILYLETHYL
POLYDIMETHYLSILOXYETHYL
DIMETHICONE • BHT • FRAGRANCE •
TITANIUM DIOXIDE • IRON OXIDES • NCA • ▶

concealer

BROAD SPECTRUM
SPF 25
SUNSCREEN

5g NET WT. .17 OZ.

Drug Facts(continued)
Other Information
protect this product in this container from
excessive heat and direct sun.
Questions or Comments?
Call toll free 1-800-906-7503

14155-41-5040
AAA

縮小サイズ0.85倍 6mm/バー
12mmX33mm+Lo7mmX18mm

7 30852 14155 1

PRINCIPAL DISPLAY PANEL - 5 g Tube Carton - OCHER

clé de peau

BEAUTÉ

concealer

BROAD SPECTRUM

SPF 25

SUNSCREEN

5g NET WT. .17 OZ.

clé de peau BEAUTÉ
CONCEALER
BROAD SPECTRUM SPF 25
SUNSCREEN
IVORY

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 1.6% ... Sunscreen

Uses ■ helps prevent sunburn
■ if used as directed with other sun
protection measures (see **Directions**),
decreases the risk of skin cancer and
early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of
eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product
is swallowed, get medical help or contact
a Poison Control Center right away.

Directions

For sunscreen use: ■ apply liberally 15
minutes before sun exposure ▶

READ INSERTION.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.

GLO. 14155

www.cledepeau-beaute.com

Drug Facts (continued)

Directions ■ use a
water resistant sunscreen if
swimming or sweating
■ reapply at least every
2 hours ■ **Sun
Protection
Measures.**
Spending time in
the sun increases
your risk of skin
cancer and early skin
aging. To decrease this
risk, regularly use a
sunscreen with a broad
spectrum SPF of 15 or higher
and other sun protection
measures including: • limit
time in the sun, especially
from 10 a.m. – 2 p.m. • wear
long-sleeve shirts, pants, hats,
and sunglasses ■ children
under 6 months: Ask a doctor

Inactive ingredients

HYDROGENATED POLYDECENE •
CYCLOPENTASILOXANE • KAOLIN •
DIPHENYLSILOXY PHENYL TRIMETHICONE •
PARAFFIN • SODIUM MAGNESIUM SILICATE •
DISOSTEARYL MALATE • POLYMETHYLENE •
SORBITAN SESQUISOSEARATE • GLYCERIN •
COPERNICIA CERIFERA (CARNAUBA) WAX •
BARIUM SULFATE •
PHYTOSTERYL MACADAMIATE •
PHYTOSTERYL MACADAMIATE •
TOCOPHERYL ACETATE •
SODIUM ACETYLATED HYALURONATE ▶

concealer

IVORY

This package is
made using
bagasse paper
(a non-wood paper).

Drug Facts (continued)

Inactive ingredients

ROSA ROXBURGHII FRUIT EXTRACT •
CAMELLIA SINEENSIS LEAF EXTRACT •
PRUNUS SPECIOSA LEAF EXTRACT •
MICROCRYSTALLINE WAX •
DIPROPYLENE GLYCOL •
PEG-10 DIMETHICONE • ALUMINA • WATER •
ALUMINUM HYDROXIDE • STEARIC ACID •
SYNTHETIC FLUOROPHLOGOPITE •
BUTYLENE GLYCOL • TOCOPHEROL •
ALCOHOL • SIMETHICONE •
TRIETHOXYSILYLETHYL
POLYDIMETHYLSILOXYETHYL
DIMETHICONE • BHT • FRAGRANCE •
TITANIUM DIOXIDE • IRON OXIDES • MICA ▶

concealer

BROAD SPECTRUM
SPF 25
SUNSCREEN

5g NET WT. .17 OZ.

Drug Facts(continued)
Other Information
protect this product in this container from
excessive heat and direct sun.
Questions or Comments?
Call toll free 1-800-906-7503

14155-41-5040
AAA

縮小サイズ0.85倍 6mm/バー
12mmX33mm+Lot7mmX18mm

7 30852 14155 1

PRINCIPAL DISPLAY PANEL - 5 g Tube Carton - BEIGE

clé de peau

BEAUTÉ

concealer

BROAD SPECTRUM

SPF 25

SUNSCREEN

5g NET WT. .17 OZ.

clé de peau BEAUTÉ
CONCEALER
BROAD SPECTRUM SPF 25
SUNSCREEN
IVORY

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 1.6% ... Sunscreen

Uses ■ helps prevent sunburn
■ if used as directed with other sun
protection measures (see **Directions**),
decreases the risk of skin cancer and
early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of
eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product
is swallowed, get medical help or contact
a Poison Control Center right away.

Directions

For sunscreen use: ■ apply liberally 15
minutes before sun exposure ▶

READ INSERTION.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.

GLO. 14155

www.cledepeau-beaute.com

Drug Facts (continued)

Directions ■ use a
water resistant sunscreen if
swimming or sweating
■ reapply at least every
2 hours ■ **Sun
Protection
Measures.**
Spending time in
the sun increases
your risk of skin
cancer and early skin
aging. To decrease this
risk, regularly use a
sunscreen with a broad
spectrum SPF of 15 or higher
and other sun protection
measures including: • limit
time in the sun, especially
from 10 a.m. – 2 p.m. • wear
long-sleeve shirts, pants, hats,
and sunglasses ■ children
under 6 months: Ask a doctor

Inactive ingredients

HYDROGENATED POLYDECENE •
CYCLOPENTASILOXANE • KAOLIN •
DIPHENYLSILOXY PHENYL TRIMETHICONE •
PARAFFIN • SODIUM MAGNESIUM SILICATE •
DISOSTEARYL MALATE • POLYMETHYLENE •
SORBITAN SESQUISOSEARATE • GLYCERIN •
COPERNICIA CERIFERA (CARNAUBA) WAX •
BARIUM SULFATE •
PHYTOSTERYL MACADAMIATE •
PHYTOSTERYL MACADAMIATE •
TOCOPHERYL ACETATE •
SODIUM ACETYLATED HYALURONATE • ▶

concealer

IVORY

This package is
made using
bagasse paper
(a non-wood paper).

Drug Facts (continued)

Inactive ingredients

ROSA ROXBURGHII FRUIT EXTRACT •
CAMELLIA SINEENSIS LEAF EXTRACT •
PRUNUS SPECIOSA LEAF EXTRACT •
MICROCRYSTALLINE WAX •
DIPROPYLENE GLYCOL •
PEG-10 DIMETHICONE • ALUMINA • WATER •
ALUMINUM HYDROXIDE • STEARIC ACID •
SYNTHETIC FLUOROPHLOGOPITE •
BUTYLENE GLYCOL • TOCOPHEROL •
ALCOHOL • SIMETHICONE •
TRIETHOXYSILYLETHYL
POLYDIMETHYLSILOXYETHYL
DIMETHICONE • BHT • FRAGRANCE •
TITANIUM DIOXIDE • IRON OXIDES • NCA • ▶

concealer

BROAD SPECTRUM
SPF 25
SUNSCREEN

5g NET WT. .17 OZ.

Questions or Comments?
Call toll free 1-800-906-7503

Other Information
protect this product in this container from
excessive heat and direct sun.

Drug Facts(continued)

14155-41-5040
AAA

縮小サイズ0.85倍 6mm/バー
12mmX33mm+Lo7mmX18mm

7 30852 14155 1

PRINCIPAL DISPLAY PANEL - 5 g Tube Carton - HONEY

clé de peau

BEAUTÉ

concealer

BROAD SPECTRUM

SPF 25

SUNSCREEN

5g NET WT. .17 OZ.

clé de peau BEAUTÉ
CONCEALER
BROAD SPECTRUM SPF 25
SUNSCREEN
IVORY

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 1.6% ... Sunscreen

Uses ■ helps prevent sunburn
■ if used as directed with other sun
protection measures (see **Directions**),
decreases the risk of skin cancer and
early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of
eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product
is swallowed, get medical help or contact
a Poison Control Center right away.

Directions

For sunscreen use: ■ apply liberally 15
minutes before sun exposure ▶

READ INSERTION.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.

GLO. 14155

www.cledepeau-beaute.com

Drug Facts (continued)

Directions ■ use a
water resistant sunscreen if
swimming or sweating
■ reapply at least every
2 hours ■ **Sun
Protection
Measures.**
Spending time in
the sun increases
your risk of skin
cancer and early skin
aging. To decrease this
risk, regularly use a
sunscreen with a broad
spectrum SPF of 15 or higher
and other sun protection
measures including: • limit
time in the sun, especially
from 10 a.m. – 2 p.m. • wear
long-sleeve shirts, pants, hats,
and sunglasses ■ children
under 6 months: Ask a doctor

Inactive ingredients

HYDROGENATED POLYDECENE •
CYCLOPENTASILOXANE • KAOLIN •
DIPHENYLSILOXY PHENYL TRIMETHICONE •
PARAFFIN • SODIUM MAGNESIUM SILICATE •
DISOSTEARYL MALATE • POLYMETHYLENE •
SORBITAN SESQUISOSEARATE • GLYCERIN •
COPERNICIA CERIFERA (CARNAUBA) WAX •
BARIUM SULFATE •
PHYTOSTERYL MACADAMATE •
PHYTOSTERYL MACADAMATE •
TOCOPHERYL ACETATE •
SODIUM ACETYLATED HYALURONATE • ▶

concealer

IVORY

This package is
made using
bagasse paper
(a non-wood paper).

Drug Facts (continued)

Inactive ingredients

ROSA ROXBURGHII FRUIT EXTRACT •
CAMELLIA SINEENSIS LEAF EXTRACT •
PRUNUS SPECIOSA LEAF EXTRACT •
MICROCRYSTALLINE WAX •
DIPROPYLENE GLYCOL •
PEG-10 DIMETHICONE • ALUMINA • WATER •
ALUMINUM HYDROXIDE • STEARIC ACID •
SYNTHETIC FLUOROPHLOGOPITE •
BUTYLENE GLYCOL • TOCOPHEROL •
ALCOHOL • SIMETHICONE •
TRIETHOXYSILOXYETHYL
POLYDIMETHYLSILOXYETHYL
DIMETHICONE • BHT • FRAGRANCE •
TITANIUM DIOXIDE • IRON OXIDES • NCA • ▶

concealer

BROAD SPECTRUM
SPF 25
SUNSCREEN

5g NET WT. .17 OZ.

Drug Facts(continued)
Other Information
protect this product in this container from
excessive heat and direct sun.
Questions or Comments?
Call toll free 1-800-906-7503

14155-41-5040
AAA

縮小サイズ0.85倍 6mm/バー
12mmX33mm+Lo7mmX18mm

7 30852 14155 1

PRINCIPAL DISPLAY PANEL - 5 g Tube Carton - ALMOND

clé de peau

BEAUTÉ

concealer

BROAD SPECTRUM

SPF 25

SUNSCREEN

5g NET WT. .17 OZ.

clé de peau BEAUTÉ
CONCEALER
BROAD SPECTRUM SPF 25
SUNSCREEN
IVORY

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 1.6% ... Sunscreen

Uses ■ helps prevent sunburn
■ if used as directed with other sun
protection measures (see **Directions**),
decreases the risk of skin cancer and
early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of
eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product
is swallowed, get medical help or contact
a Poison Control Center right away.

Directions

For sunscreen use: ■ apply liberally 15
minutes before sun exposure ▶

READ INSERTION.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.

GLO. 14155

www.cledepeau-beaute.com

Drug Facts (continued)

Directions ■ use a
water resistant sunscreen if
swimming or sweating
■ reapply at least every
2 hours ■ **Sun
Protection
Measures.**
Spending time in
the sun increases
your risk of skin
cancer and early skin
aging. To decrease this
risk, regularly use a
sunscreen with a broad
spectrum SPF of 15 or higher
and other sun protection
measures including: • limit
time in the sun, especially
from 10 a.m. – 2 p.m. • wear
long-sleeve shirts, pants, hats,
and sunglasses ■ children
under 6 months: Ask a doctor

Inactive ingredients

HYDROGENATED POLYDECENE •
CYCLOPENTASILOXANE • KAOLIN •
DIPHENYLSILOXY PHENYL TRIMETHICONE •
PARAFFIN • SODIUM MAGNESIUM SILICATE •
DISOSTEARYL MALATE • POLYMETHYLENE •
SORBITAN SESQUISOSEARATE • GLYCERIN •
COPERNICIA CERIFERA (CARNAUBA) WAX •
BARIUM SULFATE •
PHYTOSTERYL MACADAMIATE •
PHYTOSTERYL MACADAMIATE •
TOCOPHERYL ACETATE •
SODIUM ACETYLATED HYALURONATE • ▶

concealer

IVORY

This package is
made using
bagasse paper
(a non-wood paper).

Drug Facts (continued)

Inactive ingredients

ROSA ROXBURGHII FRUIT EXTRACT •
CAMELLIA SINEENSIS LEAF EXTRACT •
PRUNUS SPECIOSA LEAF EXTRACT •
MICROCRYSTALLINE WAX •
DIPROPYLENE GLYCOL •
PEG-10 DIMETHICONE • ALUMINA • WATER •
ALUMINUM HYDROXIDE • STEARIC ACID •
SYNTHETIC FLUOROPHLOGOPITE •
BUTYLENE GLYCOL • TOCOPHEROL •
ALCOHOL • SIMETHICONE •
TRIETHOXYSILOXYETHYL
POLYDIMETHYLSILOXYETHYL
DIMETHICONE • BHT • FRAGRANCE •
TITANIUM DIOXIDE • IRON OXIDES • NCA • ▶

concealer

BROAD SPECTRUM
SPF 25
SUNSCREEN

5g NET WT. .17 OZ.

Drug Facts(continued)
Other Information
protect this product in this container from
excessive heat and direct sun.
Questions or Comments?
Call toll free 1-800-906-7503

14155-41-5040
AAA

縮小サイズ0.85倍 6mm/バー
12mmX33mm+Lo7mmX18mm

7 30852 14155 1

PRINCIPAL DISPLAY PANEL - 5 g Tube Carton - MOCHA

clé de peau

BEAUTÉ

concealer

BROAD SPECTRUM

SPF 25

SUNSCREEN

5g NET WT. .17 OZ.

clé de peau BEAUTÉ
CONCEALER
BROAD SPECTRUM SPF 25
SUNSCREEN
IVORY

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 1.6% ... Sunscreen

Uses ■ helps prevent sunburn
■ if used as directed with other sun
protection measures (see **Directions**),
decreases the risk of skin cancer and
early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of
eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product
is swallowed, get medical help or contact
a Poison Control Center right away.

Directions

For sunscreen use: ■ apply liberally 15
minutes before sun exposure ▶

READ INSERTION.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.

GLO. 14155

www.cledepeau-beaute.com

Drug Facts (continued)

Directions ■ use a
water resistant sunscreen if
swimming or sweating
■ reapply at least every
2 hours ■ **Sun
Protection
Measures.**
Spending time in
the sun increases
your risk of skin
cancer and early skin
aging. To decrease this
risk, regularly use a
sunscreen with a broad
spectrum SPF of 15 or higher
and other sun protection
measures including: • limit
time in the sun, especially
from 10 a.m. – 2 p.m. • wear
long-sleeve shirts, pants, hats,
and sunglasses ■ children
under 6 months: Ask a doctor

Inactive ingredients

HYDROGENATED POLYDECENE •
CYCLOPENTASILOXANE • KAOLIN •
DIPHENYLSILOXY PHENYL TRIMETHICONE •
PARAFFIN • SODIUM MAGNESIUM SILICATE •
DISOSTEARYL MALATE • POLYMETHYLENE •
SORBITAN SESQUISOSEARATE • GLYCERIN •
COPERNICIA CERIFERA (CARNAUBA) WAX •
BARIUM SULFATE •
PHYTOSTERYL MACADAMIATE •
PHYTOSTERYL MACADAMIATE •
TOCOPHERYL ACETATE •
SODIUM ACETYLATED HYALURONATE • ▶

concealer

IVORY

This package is
made using
bagasse paper
(a non-wood paper).

Drug Facts (continued)

Inactive ingredients

ROSA ROXBURGHII FRUIT EXTRACT •
CAMELLIA SINEENSIS LEAF EXTRACT •
PRUNUS SPECIOSA LEAF EXTRACT •
MICROCRYSTALLINE WAX •
DIPROPYLENE GLYCOL •
PEG-10 DIMETHICONE • ALUMINA • WATER •
ALUMINUM HYDROXIDE • STEARIC ACID •
SYNTHETIC FLUOROPHLOGOPITE •
BUTYLENE GLYCOL • TOCOPHEROL •
ALCOHOL • SIMETHICONE •
TRIETHOXYSILYLETHYL
POLYDIMETHYLSILOXYETHYL
DIMETHICONE • BHT • FRAGRANCE •
TITANIUM DIOXIDE • IRON OXIDES • NCA • ▶

concealer

BROAD SPECTRUM
SPF 25
SUNSCREEN

5g NET WT. .17 OZ.

Drug Facts(continued)
Other Information
protect this product in this container from
excessive heat and direct sun.
Questions or Comments?
Call toll free 1-800-906-7503

14155-41-5040
AAA

縮小サイズ0.85倍 6mm/バー
12mmX33mm+Lo7mmX18mm

7 30852 14155 1

CLE DE PEAU BEAUTE CONCEALER IVORY			
titanium dioxide stick			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-353
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)		TITANIUM DIOXIDE	80 mg in 5 g
Inactive Ingredients			
Ingredient Name			Strength
HYDROGENATED POLYDECENE (550 MW) (UNII: U333RI6EB7)			
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)			
KAOLIN (UNII: 24H4NWX5CO)			
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)			
PARAFFIN (UNII: I9O0E3H2ZE)			
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)			
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)			
SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)			
GLYCERIN (UNII: PDC6A3C0OX)			
CARNAUBA WAX (UNII: R12CBM0EIZ)			
BARIUM SULFATE (UNII: 25BB7EKE2E)			
PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)			
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)			
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)			
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)			
GREEN TEA LEAF (UNII: W2ZU1RY8B0)			
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)			
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)			
DIPROPYLENE GLYCOL (UNII: E107L85C40)			
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)			
ALUMINUM OXIDE (UNII: LM26O6933)			
WATER (UNII: 059QF0KO0R)			
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
TOCOPHEROL (UNII: R0ZB2556P8)			
ALCOHOL (UNII: 3K9958V90M)			
DIMETHICONE (UNII: 92RU3N3Y1O)			
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)			
FERRIC OXIDE RED (UNII: 1K09F3G675)			
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)			
FERROSO FERRIC OXIDE (UNII: XM0M87F357)			

MICA (UNII: V8A1AW0880)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-353-40	1 in 1 CARTON	02/01/2018	
1		5 g in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part352	02/01/2018		

CLE DE PEAU BEAUTE CONCEALER OCHER			
titanium dioxide stick			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-354
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)		TITANIUM DIOXIDE	80 mg in 5 g
Inactive Ingredients			
Ingredient Name			Strength
HYDROGENATED POLYDECENE (550 MW) (UNII: U333RI6EB7)			
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)			
KAOLIN (UNII: 24H4NWX5CO)			
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)			
PARAFFIN (UNII: I9O0E3H2ZE)			
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)			
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)			
SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)			
GLYCERIN (UNII: PDC6A3C0OX)			
CARNAUBA WAX (UNII: R12CBM0EIZ)			
BARIUM SULFATE (UNII: 25BB7EKE2E)			
PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)			
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)			
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)			
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)			
GREEN TEA LEAF (UNII: W2ZU1RY8B0)			
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)			
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)			

DIPROPYLENE GLYCOL (UNII: E107L85C40)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM OXIDE (UNII: LM26O6933)	
WATER (UNII: 059QF0KO0R)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ALCOHOL (UNII: 3K9958V90M)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-354-40	1 in 1 CARTON	02/01/2018	
1		5 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	02/01/2018	

CLE DE PEAU BEAUTE CONCEALER BEIGE

titanium dioxide stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-355
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	80 mg in 5 g

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED POLYDECENE (550 MW) (UNII: U333RI6EB7)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
KAOLIN (UNII: 24H4NWX5CO)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	

PARAFFIN (UNII: I9O0E3H2ZE)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)	
GLYCERIN (UNII: PDC6A3C0OX)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
WATER (UNII: 059QF0KO0R)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ALCOHOL (UNII: 3K9958V90M)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-355-40	1 in 1 CARTON	02/01/2018	
1		5 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	02/01/2018	

CLE DE PEAU BEAUTE CONCEALER HONEY			
titanium dioxide stick			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-356

Route of Administration		TOPICAL		
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP) (TITANIUM DIO XIDE - UNII:15FIX9 V2JP)		TITANIUM DIO XIDE	80 mg in 5 g	
Inactive Ingredients				
Ingredient Name			Strength	
HYDROGENATED POLYDECENE (550 MW) (UNII: U333RI6EB7)				
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)				
KAOLIN (UNII: 24H4NWX5CO)				
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)				
PARAFFIN (UNII: I9O0E3H2ZE)				
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)				
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)				
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)				
GLYCERIN (UNII: PDC6A3C0OX)				
CARNAUBA WAX (UNII: R12CBM0EIZ)				
BARIUM SULFATE (UNII: 25BB7EKE2E)				
PHYTOSTERYL MACADAMATE (UNII: 233VSF903M)				
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)				
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)				
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)				
GREEN TEA LEAF (UNII: W2ZU1RY8B0)				
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)				
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)				
DIPROPYLENE GLYCOL (UNII: E107L85C40)				
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)				
ALUMINUM OXIDE (UNII: LM26O6933)				
WATER (UNII: 059QF0KO0R)				
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)				
TOCOPHEROL (UNII: R0ZB2556P8)				
ALCOHOL (UNII: 3K9958V90M)				
DIMETHICONE (UNII: 92RU3N3Y1O)				
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)				
FERRIC OXIDE RED (UNII: 1K09F3G675)				
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)				
FERROSO FERRIC OXIDE (UNII: XM0M87F357)				
MICA (UNII: V8A1AW0880)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-356-40	1 in 1 CARTON	02/01/2018	
1		5 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	02/01/2018	

CLE DE PEAU BEAUTE CONCEALER ALMOND

titanium dioxide stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-357
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	80 mg in 5 g

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED POLYDECENE (550 MW) (UNII: U333RI6EB7)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
KAOLIN (UNII: 24H4NWX5CO)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
PARAFFIN (UNII: I9O0E3H2ZE)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)	
GLYCERIN (UNII: PDC6A3C0OX)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM OXIDE (UNII: LM26O6933)	
WATER (UNII: 059QF0KO0R)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	

TOCOPHEROL (UNII: R0ZB2556P8)	
ALCOHOL (UNII: 3K9958V90M)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-357-40	1 in 1 CARTON	02/01/2018	
1		5 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	02/01/2018	

CLE DE PEAU BEAUTE CONCEALER MOCHA

titanium dioxide stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-358
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	80 mg in 5 g

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED POLYDECENE (550 MW) (UNII: U333RI6EB7)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
KAOLIN (UNII: 24H4NWX5CO)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
PARAFFIN (UNII: I9O0E3H2ZE)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)	
GLYCERIN (UNII: PDC6A3C0OX)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	

PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM OXIDE (UNII: LM26O6933)	
WATER (UNII: 059QF0KO0R)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ALCOHOL (UNII: 3K9958V90M)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-358-40	1 in 1 CARTON	02/01/2018	
1		5 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	02/01/2018	

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)

Establishment

Name	Address	ID/FEI	Business Operations
SHISEIDO AMERICA INC.		782677132	manufacture(58411-353, 58411-354, 58411-355, 58411-356, 58411-357, 58411-358) , analysis(58411-353, 58411-354, 58411-355, 58411-356, 58411-357, 58411-358)

Revised: 12/2018

SHISEIDO AMERICAS CORPORATION