

ALLERGY RELIEF- chlorpheniramine maleate tablet
Amerisource Bergen

Good Neighbor Pharmacy 44-194

Active ingredient (in each tablet)

Chlorpheniramine maleate 4 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use

to make a child sleepy.

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take every 4 to 6 hours, or as directed by a doctor

adults and children 12 years and over	1 tablet. Do not exceed 6 tablets in 24 hours.
children 6 to under 12 years	1/2 tablet (break tablet in half). Do not exceed 3 whole tablets in 24 hours.
children under 6 years	do not use

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- protect from excessive moisture
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, D&C yellow #10 aluminum lake, lactose anhydrous, magnesium stearate, microcrystalline cellulose

Questions or comments?

1-800-426-9391

Principal Display Panel

**Good
Neighbor
Pharmacy®**

NDC 46122-618-62

Allergy Relief

chlorpheniramine maleate 4 mg

Antihistamine

4 Hour

Relief of:

- Sneezing
- Runny Nose
- Itchy Throat

- Itchy, Watery Eyes

24 Tablets | 4 mg Each

Actual Size

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS
OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR
SHOWS ANY SIGNS OF TAMPERING**

50844 REV0419A19408

Distributed By
AmerisourceBergen
1 West First Avenue
Conshohocken, PA 19428
Questions or Concerns?
www.mygnp.com



4 Hour
Allergy Relief
chlorpheniramine maleate 4 mg



NDC 46122-618-62

4 Hour
Allergy Relief
chlorpheniramine maleate 4 mg

Antihistamine

- Relief of:**
- Sneezing
 - Runny Nose
 - Itchy Throat
 - Itchy, Watery Eyes

24 Tablets | 4 mg Each

Actual Size



4 Hour
Allergy Relief
chlorpheniramine maleate 4 mg



Do not print Area
Lot & Exp Date ONLY



ABC#: 10225422

3



Distributed By
AmensourceBergen
1 West First Avenue
Conshohocken, PA 19428
www.mygnp.com
Questions or Concerns?

TAMPER EVIDENT: DO NOT USE IF
PACKAGE IS OPENED OR IF BLISTER
UNIT IS TORN, BROKEN OR SHOWS
ANY SIGNS OF TAMPERING

50844 REV0419A19408

B-0045-194-08
REV0419A19408

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Drug Facts

Active ingredient (in each tablet) Chlorpheniramine maleate 4 mg. Antihistamine

Purpose temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ runny nose
 ■ itchy, watery eyes
 ■ itching of the nose or throat
 ■ sneezing

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ runny nose
 ■ itchy, watery eyes
 ■ itching of the nose or throat
 ■ sneezing

Warnings
 Do not use to make a child sleepy.
 Ask a doctor before use if you have
 ■ a breathing problem such as emphysema or chronic bronchitis
 ■ difficulty in urination due to enlargement of the prostate gland
 ■ glaucoma

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product
 ■ avoid alcoholic beverages
 ■ drowsiness may occur
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness

Use caution when driving a motor vehicle or operating machinery ■ excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Other information
 ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
 ■ protect from excessive moisture
 ■ see end flap for expiration date and lot number

Inactive ingredients com starch, D&C yellow #10 aluminum lake, lactose anhydrous, magnesium stearate, microcrystalline cellulose

Directions
 ■ take every 4 to 6 hours, or as directed by a doctor
 adults and children 12 years and over 6 tablets in 24 hours.
 children 6 to under 12 years 1/2 tablet (break tablet in half). Do not exceed 3 whole tablets in 24 hours.
 children under 6 do not use

Drug Facts (continued)

Questions or comments? 1-800-426-9391

ALLERGY RELIEF

chlorpheniramine maleate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-618
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

Product Characteristics

Color	yellow	Score	2 pieces
Shape	ROUND	Size	8mm
Flavor		Imprint Code	44;194
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-618-62	2 in 1 CARTON	07/29/2019	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:46122-618-78	1 in 1 CARTON	07/29/2019	01/25/2023
2		100 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/29/2019	

Labeler - Amerisource Bergen (007914906)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(46122-618)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(46122-618) , pack(46122-618)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(46122-618)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(46122-618)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(46122-618)

Revised: 2/2024

Amerisource Bergen