ASPIRIN EXTRA STRENGTH- aspirin tablet, coated Time-Cap Labs, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Do not use

• if you are allergic to aspirin or any other pain reliever/fever reducer

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma
- you have lost a lot of fluid due to vomiting or diarrhea
- you have not been drinking fluids

Ask a doctor or pharmacist before use if you are

- taking a prescription drug for diabetes, gout, or arthritis
- taking any other drug
- under a doctor's care for any serious condition

Stop use and ask a doctor if

- you experience any of the following signs of stomach bleeding
- o feel faint
 - have bloody or black stools
 - vomit blood
 - have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present in the painful area
- any new symptoms appear
- ringing in the ears or a loss of hearing occurs

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- drink a full glass of water with each dose
- adults and children 12 years and over: take 1 to 2 tablets every 4 hours while symptoms last. Do not take more than 12 tablets in 24 hours unless directed by a doctor
- children under 12 years: consult a doctor

Other information

- store at 25° C (77° F) excursions permitted between 15°-30° C (59°-86° F)
- use by expiration date on package

corn starch, croscarmellose, hypromellose, microcrystalline cellulose, mineral oil, titanium dioxide Use for the temporary relief of minor aches and pains due to:

headache, colds, muscle pain, menstrual pain, toothache, minor pain of arthritis or as directed by your doctor

Pain Reliever/fever reducer


Warnings:

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction, which may include: hives, facial swelling, shock, asthmaaa9wheezing)

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you are age 60 or older, have had stomach ulcers or bleeding problems, take a blood thinning (anticoagulant) or steroid drug, take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen or others), have 3 or more alcoholic drinks every day while using this product, take more or for a longer time than directed.

In each Tablet Asprin 500 mg (NSAID*) *non-steroidal anti-inflammatory drug





ASPIRIN EXTRA STRENGTH

aspirin tablet, coated

Product Information				
Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:49483-382	
Route of Administration	ORAL	DEA Sche dule		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ASPIRIN (ASPIRIN)	ASPIRIN	500 mg in 500	

Inactive Ingredients	
Ingredient Name	Strength

	J
MODIFIED CORN STARCH (1-OCTENYL SUCCINIC ANHYDRIDE)	
CROSCARMELLOSE SODIUM	
HYPROMELLOSES	
CELLULOSE, MICRO CRYSTALLINE	
MINERAL OIL	
TITANIUM DIO XIDE	

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	TCL382
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49483-382-01	100 in 1 BOTTLE, PLASTIC		
2	NDC:49483-382-00	100000 in 1 CARTON		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part343	0 2/11/20 13	

Labeler - Time-Cap Labs, Inc (037052099)

Establishment				
Name	Address	ID/FEI	Business Operations	
Time-Cap Labs, Inc		037052099	manufacture(49483-382)	

Revised: 2/2013 Time-Cap Labs, Inc