WAL-ZYR- cetirizine hcl tablet Walgreens

Drug Facts

Active ingredient (in each tablet)

Cetirizine HCl 10 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are

taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

adults and children 6 years and over	one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other Information

- store between 20^o to 25^oC (68^o to 77^oF)
- contains no ingredient made from a gluten-containing grain(wheat, barley or rye)

Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredient in Zyrtec®^{††}

Allergy Relief

24 HOUR ALLERGY

CETIRIZINE HYDROCHLORIDE TABLETS 10 mg /

ANTIHISTAMINE

24 Hour

Indoor & Outdoor Allergies

• Relief of sneezing; runny nose; itchy, watery eyes & itchy throat or nose

TABLETS

<code>††This product</code> is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Zyrtec $\ensuremath{\mathbb{R}}$.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

DISTRIBUTED BY: WALGREEN CO.

200 WILMOT RD., DEERFIELD, IL 60015

walgreens.com

Package Labeling

Allergy Relief

DHAR HICOST RECORD Walgreens Compare to the active ingredient in Zyrtec^{wn}

DISTRIBUTED BY: WALGREEN CO.

walgreens.com

PLD-C539A

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

©2021 Walgreen Co.

FC008217

200 WILMOT RD., DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED

NDC 0363-0606-14





ur pharmacists recommend the Walgreens and. We invite you to compare to stional brands. stributed by McNeil Consumer stributed by McNeil Consumer stributed by McNeil Consumer	 If pregrame sake a health professional before use If pregrame sake a health professional before use Meep out of reach of children. In case of overdose, get medical The professional professional before use If The professional professional before use 		
stinence or commercial T23 M92-MA8 ysbin3-ysbnom 3696-637-178-	Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.		
armellose sodium, hypromellose, lactose monohydrate, resium stearate, microcrystalline cellulose, polyethylene II, titanium dioxide	When using this product a drowsiness may occur avoid alcoholic drinks alcohol, sedatives, and tranquilizers may increase drowsiness pe careful when driving a motor vehicle or operating machinery be careful when driving a motor vehicle or operating machinery		
ctive ingredients colloidal silicon dioxide,			
ve between 20° to 25°C (68° to 77°F) ntains no ingredient made from a gluten-containing sin (wheat, barley or nye)	Your doctor should determine if you need a different dose.		
er information	product or any of its ingredients or to an antihistamine containing		
umers with liver ask a doctor prey disease			
ren under 6 ask a doctor 5 of age	conic the nose or throat to grind the price of the price		
s 65 years and ask a doctor	upper respiratory allergies: 0ver		
A 5 mg product may be appropriate for less severe symptoms.	รอรกิ		
s and children one 10 mg tablet once daily; do not take urs and over more than one 10 mg tablet in 24 hours.			
suoitos			
(continued) Facts	nıa stəsi gura		

ITEM 329218 W10024-0522-L

9

1

7

PRODUCT OF INDIA

ï

3

16

321

1 5

REV-0522

W3ORG0921-F

Exp. Date Lot No.:



WAL-ZYR						
cetirizine hcl tablet						
Product Information						
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:036	IDC:0363-0606	
Route of Administration	ORAL					
Active Ingredient/Active	e Moiety					
Ingi	edient Name		Basis of St	rength	Strength	
CETIRIZINE HYDROCHLORIDE (UNII:YO7261ME24)	UNII: 640047KTOA) (CETIRIZ	INE -	CETIRIZ INE HYDROCHLORIDE	E	10 mg	
Inactive Ingredients						
	Ingredient Name			S	trength	
LACTOSE MONOHYDRATE (UNI	: EWQ57Q8I5X)					
MAGNESIUM STEARATE (UNII: 7	•					
POLYETHYLENE GLYCOL, UNS		A)				
SILICON DIOXIDE (UNII: ETJ7Z6)						
CROSCARMELLOSE SODIUM (U HYPROMELLOSE, UNSPECIFIEI						
HYPROMELLOSE, UNSPECIFIEL) (UNII: 3NXW29V3WO)					
TITANIUM DIOXIDE (UNII: 15FIX9	VV2JP)					
	VV2JP)					
TITANIUM DIOXIDE (UNII: 15FIX9	VV2JP)					
TITANIUM DIOXIDE (UNII: 15FIX9	VV2JP) SE (UNII: OP1R32D61U)					
TITANIUM DIOXIDE (UNII: 15FIX9 MICROCRYSTALLINE CELLULO Product Characteristics	VV2JP) SE (UNII: OP1R32D61U)		2	pieces		
TITANIUM DIOXIDE (UNII: 15FIX9 MICROCRYSTALLINE CELLULO Product Characteristics Color	VZJP) SE (UNII: OP1R32D61U)			pieces mm		
TITANIUM DIOXIDE (UNII: 15FIX9 MICROCRYSTALLINE CELLULO Product Characteristics Color	V2JP) SE (UNII: OP1R32D61U) white Score	ode	91			

Packaging								
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date				
1	NDC:0363- 0606-14	14 in 1 CARTON	08/31/2018					
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product						
2	NDC:0363- 0606-05	5 in 1 CARTON	08/31/2018					
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product						
3	NDC:0363- 0606-30	1 in 1 BOX	08/31/2018					
3		300 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product						
4	NDC:0363- 0606-45	1 in 1 BOX	08/31/2018					
4		45 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product						
5	NDC:0363- 0606-03	1 in 1 BOX	08/31/2018					
5		30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product						
Marketing Information								
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				
AN	IDA	ANDA209274	08/31/2018					

Labeler - Walgreens (008965063)

Revised: 5/2022

Walgreens