

HELIOX - heliox gas
Acetylene Oxygen Company

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

COMPRESSED GAS N.O.S. (HELIUM, OXYGEN 20) LABEL

COMPRESSED GAS, N.O.S. (HELIUM, OXYGEN) NON-FLAMMABLE GAS 2 UN 1956

MEDICAL GAS MIXTURE BALANCE HELIUM, USP CAS: 7440-59-7 20.0%OXYGEN, USP CAS: 7782-44-7

CAUTION: FEDERAL LAW PROHIBITS DISPENSING WITHOUT A PRESCRIPTION. RX ONLY.

WARNING: HIGH PRESSURE GAS. MAY ACCELERATE COMBUSTION.

KEEP OIL AND GREASE AWAY. USE ONLY USE WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE AND RATED FOR CYLINDER PRESSURE. USE EQUIPMENT RATED FOR CYLINDER PRESSURE. STORE AND USE WITH ADEQUATE VENTILATION. CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. OPEN VALVE SLOWLY. ADMINISTRATION OF THIS GAS MIXTURE MAY BE HAZARDOUS OR CONTRAINDICATED. FOR USE ONLY BY OR UNDER THE SUPERVISION OF A LICENSED PRACTITIONER WHO IS EXPERIENCED IN THE USE AND ADMINISTRATION OF GAS MIXTURES AND IS FAMILIAR WITH THE INDICATIONS, EFFECTS, DOSAGES, METHODS, AND FREQUENCY AND DURATION OF ADMINISTRATION, AND WITH THE HAZARDS, CONTRAINDICATIONS AND SIDE EFFECTS AND THE PRECAUTIONS TO BE TAKEN. USE IN ACCORDANCE WITH THE APPROPRIATE MSDS FOR EACH MIXTURE COMPONENT. SECURE CYLINDER WHILE IN TRANSPORTATION, STORAGE AND IN USE.

FIRST AID: IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. CALL A PHYSICIAN.

SERIAL NUMBER: 0000000 LOT NO: 0000000 - VOLUME: 204.1 - EXP. DATE: 1/1/2015 VER. 3.11

FOR MEDICAL USE ONLY DO NOT REMOVE THIS PRODUCT LABEL



Compressed gas, n.o.s.
(Helium, Oxygen)

UN1956

Medical Gas Mixture

Balance Helium, USP
20.0% Oxygen, USP

CAS: 7440-59-7
CAS: 7782-44-7

CAUTION: Federal law prohibits dispensing without a prescription. Rx only.

WARNING: HIGH PRESSURE GAS. MAY ACCELERATE COMBUSTION.

Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Use equipment rated for cylinder pressure. Store and use with adequate ventilation. Close valve after each use and when empty. Open valve slowly. Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken. Use in accordance with the appropriate MSDS for each mixture component. Secure cylinder while in transportation, storage and in use.

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

Serial Number: 0000000

Lot No.: 0000000 - Volume: 204.1 - Exp. Date:
1/1/2015

For Medical Use Only.

Ver. 3.11

Acetylene Oxygen Company, Rosenberg, TX

DO NOT REMOVE THIS PRODUCT LABEL

COMPRESSED GAS N.O.S. (HELIUM, OXYGEN 25) LABEL

COMPRESSED GAS, OXIDIZING, N.O.S. (OXYGEN, HELIUM) NON-FLAMMABLE GAS 2
OXIDIZER 5.1 UN 3156

MEDICAL GAS MIXTURE 25.0% OXYGEN USP CAS: 7782-44-7 BALANCE HELIUM, USP
CAS: 7440-59-7

CAUTION: FEDERAL LAW PROHIBITS DISPENSING WITHOUT A PRESCRIPTION. RX ONLY.

WARNING: OXIDIZING HIGH PRESSURE GAS. VIGOROUSLY ACCELERATES COMBUSTION. KEEP OIL AND GREASE AWAY. USE ONLY USE WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE AND RATED FOR CYLINDER PRESSURE. USE EQUIPMENT RATED FOR CYLINDER PRESSURE. STORE AND USE WITH ADEQUATE VENTILATION. CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. OPEN VALVE SLOWLY. ADMINISTRATION OF THIS GAS MIXTURE MAY BE HAZARDOUS OR CONTRAINDICATED. FOR USE ONLY BY OR UNDER THE SUPERVISION OF A LICENSED PRACTITIONER WHO IS EXPERIENCED IN THE USE AND ADMINISTRATION OF GAS MIXTURES AND IS FAMILIAR WITH THE INDICATIONS, EFFECTS, DOSAGES, METHODS, AND FREQUENCY AND DURATION OF ADMINISTRATION, AND WITH THE HAZARDS, CONTRAINDICATIONS AND SIDE EFFECTS AND THE PRECAUTIONS TO BE TAKEN. USE IN ACCORDANCE WITH THE APPROPRIATE MSDS FOR EACH MIXTURE COMPONENT. SECURE CYLINDER WHILE IN TRANSPORTATION, STORAGE AND IN USE.

FIRST AID: IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. CALL A PHYSICIAN.

SERIAL NUMBER: 0000000 LOT NO:0000000 - VOLUME: 200 - EXP. DATE: 1/1/2015 VER.
3.11

FOR MEDICAL USE ONLY. DO NOT REMOVE THIS PRODUCT LABEL.



Compressed gas, oxidizing, n.o.s.
(Oxygen, Helium)

UN3156

Medical Gas Mixture

25.0% Oxygen, USP
Balance Helium, USP

CAS: 7782-44-7
CAS: 7440-59-7

CAUTION: Federal law prohibits dispensing without a prescription. Rx only.

WARNING: OXIDIZING HIGH PRESSURE GAS. VIGOROUSLY ACCELERATES COMBUSTION.

Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Use equipment rated for cylinder pressure. Store and use with adequate ventilation. Close valve after each use and when empty. Open valve slowly. Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken. Use in accordance with the appropriate MSDS for each mixture component. Secure cylinder while in transportation, storage and in use.

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

Serial Number: 0000000

For Medical Use Only.

Acetylene Oxygen Company, Rosenberg, TX

Lot No.: 0000000 - Volume: 200 - Exp. Date: 1/1/2015

Ver. 3.11

DO NOT REMOVE THIS PRODUCT LABEL

COMPRESSED GAS N.O.S. (HELIUM, OXYGEN 30) LABEL

COMPRESSED GAS, OXIDIZING, N.O.S. (HELIUM, OXYGEN) NON-FLAMMABLE GAS 2

OXIDIZER 5.1 UN 3156

MEDICAL GAS MIXTURE BALANCE HELIUM, USP CAS: 7440-59-7 30.0% OXYGEN, USP CAS: 7782-44-7

CAUTION: FEDERAL LAW PROHIBITS DISPENSING WITHOUT A PRESCRIPTION. RX ONLY.

WARNING: OXIDIZING HIGH PRESSURE GAS. VIGOROUSLY ACCELERATES COMBUSTION. KEEP OIL AND GREASE AWAY. USE ONLY USE WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE AND RATED FOR CYLINDER PRESSURE. USE EQUIPMENT RATED FOR CYLINDER PRESSURE. STORE AND USE WITH ADEQUATE VENTILATION. CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. OPEN VALVE SLOWLY. ADMINISTRATION OF THIS GAS MIXTURE MAY BE HAZARDOUS OR CONTRAINDICATED. FOR USE ONLY BY OR UNDER THE SUPERVISION OF A LICENSED PRACTITIONER WHO IS EXPERIENCED IN THE USE AND ADMINISTRATION OF GAS MIXTURES AND IS FAMILIAR WITH THE INDICATIONS, EFFECTS, DOSAGES, METHODS, AND FREQUENCY AND DURATION OF ADMINISTRATION, AND WITH THE HAZARDS, CONTRAINDICATIONS AND SIDE EFFECTS AND THE PRECAUTIONS TO BE TAKEN. USE IN ACCORDANCE WITH THE APPROPRIATE MSDS FOR EACH MIXTURE COMPONENT. SECURE CYLINDER WHILE IN TRANSPORTATION, STORAGE AND IN USE.

FIRST AID: IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. CALL A PHYSICIAN.

SERIAL NUMBER: 00000000 LOT NO.:0000000 - VOLUME: 204.1 - EXP. DATE: 1/1/2013
VER. 3.11

FOR MEDICAL USE ONLY. DO NOT REMOVE THIS PRODUCT LABEL.



Compressed gas, oxidizing, n.o.s.
(Helium, Oxygen)

UN3156

Medical Gas Mixture

Balance Helium, USP
30.0% Oxygen, USP

CAS: 7440-59-7
CAS: 7782-44-7

CAUTION: Federal law prohibits dispensing without a prescription. Rx only.

WARNING: OXIDIZING HIGH PRESSURE GAS. VIGOROUSLY ACCELERATES COMBUSTION.

Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Use equipment rated for cylinder pressure. Store and use with adequate ventilation. Close valve after each use and when empty. Open valve slowly. Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken. Use in accordance with the appropriate MSDS for each mixture component. Secure cylinder while in transportation, storage and in use.

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

Serial Number: 00000000

Lot No.: 0000000 - Volume: 204.1 - Exp. Date:
1/1/2013

For Medical Use Only.

Ver. 3.11

Acetylene Oxygen Company, Rosenberg, TX

DO NOT REMOVE THIS PRODUCT LABEL

HELIOX

heliox gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:10006-009
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	20 L in 100 L

Inactive Ingredients

Ingredient Name	Strength
HELIUM (UNII: 206GF3GB41)	80 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10006-009-01	6032 L in 1 CYLINDER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1936	

HELIOX

heliox gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:10006-010
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	25 L in 100 L

Inactive Ingredients

Ingredient Name	Strength
HELIUM (UNII: 206GF3GB41)	75 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10006-010-01	6032 L in 1 CYLINDER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1936	

HELIOX

heliox gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:10006-011
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	30 L in 100 L

Inactive Ingredients

Ingredient Name	Strength
HELIUM (UNII: 206GF3GB41)	70 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10006-011-01	6032 L in 1 CYLINDER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1936	

Labeler - Acetylene Oxygen Company (008110181)**Registrant** - Acetylene Oxygen Company (008110181)

Establishment			
Name	Address	ID/FEI	Business Operations
Acetylene Oxygen Company		809889033	manufacture

Revised: 4/2011

Acetylene Oxygen Company