

PAIN RELIEF GEL-PATCH- lidocaine and menthol patch
Shanghai Chuangshi Medical Technology (Group) Co., Ltd.

Zeey, LIDOCAINE&MENTHOL PAIN RELIEF GEL-PATCH, N 5, N 10, N 15

Active Ingredient

Lidocaine 4% w/w Purpose: Topical anesthetic

Menthol 1% w/w Purpose: Topical analgesic

Purposes

Topical anesthetic (Lidocaine)

Topical analgesic (Menthol)

Uses

For temporary relief of pain

Warnings

For external use only

When using this product:

- Use only as directed
- Avoid contact with the eyes, mucous membranes or rashes
- Do not bandage tightly

Do not use:

- More than 1 patch at a time
- On wounds or damaged skin
- For more than one week without consulting a doctor
- If you are allergic to any ingredients of this product

Stop use and ask a doctor if:

- Localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- Condition worsen
- Symptoms persist for more than 7 days
- Symptoms clear up and occur again within a few days

If pregnant or breast-feeding,

Ask a health professional before use

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

Directions

Adult and Children 12 years of age and over:

- Clean and dry affected area
- Remove film from patch and apply to the skin (see illustration)
- Apply 1 patch at a time to affected area, not more than 3 to 4 times daily
- Remove patch from the skin after at most 8-hour application

Children under 12 years of age: Consult a doctor

Inactive Ingredients

Water, Glycerin, Polyacrylic Acid, Propylene Glycol, Sodium Polyacrylate, Polysorbate 80, Mineral oil, Polyvinylpyrrolidone K90, Hydroxyacetophenone, L(+)-Tartaric Acid, Dihydroxyaluminium Aminoacetate, Edetate Disodium, Kaolin, Titanium Dioxide

Questions or Comments

1 646-223-0128 · Lu.FDAmanage@gmail.com

Other information

- Store at 68-77°F (20-25°C)
- Store in a cool dry place away from direct sunlight

Package label. Principal display panel

Zeeey®

NDC#73557-172-01
FAST ACTING
PAIN RELIEF

PAIN RELIEF GEL-PATCH

LIDOCAINE.....4%
MENTHOL.....1%

Desensitize
aggravated nerves
for temporary
relief of pain

- Back
- Neck
- Shoulders
- Knees & Elbows

1 PATCH
1 PATCH-5.5" x 3.94" (14cm x10cm)



5mm

5mm



PAIN RELIEF GEL-PATCH

LIDOCAINE.....4%
MENTHOL.....1%

Drug Facts

Active Ingredients	Purposes
Lidocaine 4%	Topical anesthetic
Menthol 1%	Topical analgesic

Uses: For temporary relief of pain

Warnings

For external use only

Do not use: • More than 1 patch at a time • On wounds or damaged skin
• For more than one week without consulting a doctor
• If you are allergic to any ingredients of this product

When using this product: • Use only as directed
• Avoid contact with the eyes, mucous membranes or rashes
• Do not bandage tightly

Stop use and ask a doctor if:

- Localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- Conditions worsen
- Symptoms persist for more than 7 days
- Symptoms clear up and occur again within a few days

If pregnant or breast-feeding: Ask a health professional before use.

Keep out of reach of children: If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adult and Children 12 years of age and over:

- Clean and dry affected area
- Remove film from patch and apply to the skin (see illustration)
- Apply 1 patch at a time to affected area, not more than 3 to 4 times daily
- Remove patch from the skin after at most 8-hour application

Children under 12 years of age:

Consult a doctor

Other information

• Store at 68 -77 F (20 -25 C)

• Store in a cool dry place away from direct sunlight

Inactive Ingredients

Dihydroxyaluminum Ammoniaacetate, Edetate Disodium, Glycerin, Hydroxyacetophenone, Kaolin, L (+)-Tartaric Acid, Mineral oil, Polyacrylate 80, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polyacrylate, Titanium Dioxide, Water

Questions or Comments:

1 646-223-0128 • Lu.FDAmanager@gmail.com



LOT



Produced by:
SHANGHAI CHUANGSHI MEDICAL TECHNOLOGY (GROUP) CO.,LTD
No.388, Zhang Jiangtang Rd, Qingpu District, Shanghai, China, 201716
Tel: 86-21-31166566
Fax: 86-21-31166568
E-mail: webmaster@csiigroup.com.cn
www.csiigroup.com.cn

Made in China



6 924239 705854

Child-Resistant Packaging

LIDOCAINE 4%
MENTHOL 1%

PAIN RELIEF
GEL-PATCH

Zeeey®

NDC#73557-172-05
FAST ACTING
PAIN RELIEF

PAIN RELIEF GEL-PATCH

LIDOCAINE 4%
MENTHOL 1%

Desensitize
aggravated nerves
for temporary
relief of pain

- Back
- Neck
- Shoulders
- Knees & Elbows



HOW TO APPLY

5 PATCHES
CONTAINS FIVE 5.5" x 3.94" INDIVIDUALLY PACKAGED PATCHES



PAIN RELIEF GEL-PATCH

LIDOCAINE 4%
MENTHOL 1%

Drug Facts

Active Ingredients	Purposes
Lidocaine 4%	Topical anesthetic
Menthol 1%	Topical analgesic

Uses: For temporary relief of pain

Warnings

For external use only

Do not use: • More than 1 patch at a time • On wounds or damaged skin • For more than one week without consulting a doctor
• If you are allergic to any ingredients of this product

When using this product: • Use only as directed
• Avoid contact with the eyes, mucous membranes or rashes
• Do not bandage tightly

Stop use and ask a doctor if:

- Localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- Conditions worsen
- Symptoms persist for more than 7 days
- Symptoms clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adult and Children 12 years of age and over:

- Clean and dry affected area
- Remove film from patch and apply to the skin (see illustration)
- Apply 1 patch at time to affected area, not more than 3 to 4 times daily
- Remove patch from the skin after at most 8-hour application

Children under 12 years of age: Consult a doctor

Other information

Store at 68°-77° F (20°-25° C)

• Store in a cool dry place away from direct sunlight

Inactive Ingredients

Dimethylsiloxane, Ammonioacetate, Glycerol, Dexamethasone, Quercetin, Hydroxyacetophenone, Kollin LE (+)-L-Aspartic Acid, Mineral Oil, Polyacrylate, Polyacrylic Acid, Polyvinylpyrrolidone K30, Propylene Glycol, Sodium Polycrylate, Titanium Dioxide, Water

Questions or Comments:

1-606-222-5033 • info@zeeey.com

Produced by:

SHANGHAI CHUANGSHI MEDICAL TECHNOLOGY (GROUP) CO., LTD
No. 388, Zhang Jiang Road, Qingshi District, Shanghai, China, 201716
Tel: 86-21-31166566
Fax: 86-21-31166568
E-mail: sales@zeeey.com
www.zeeey.com.cn

Made in China



PAIN RELIEF
GEL-PATCH

LIDOCAINE 4%
MENTHOL 1%

LIDOCAINE 4%
MENTHOL 1%

PAIN RELIEF
GEL-PATCH

ZeeY®

FAST ACTING
PAIN RELIEF

PAIN RELIEF GEL-PATCH

LIDOCAINE 4%
MENTHOL 1%

Desensitize
aggravated nerves
for temporary
relief of pain

- Back
- Neck
- Shoulders
- Knees & Elbows

10 PATCHES

CONTAINS TEN 5.5" x 3.94" INDIVIDUALLY PACKAGED PATCHES



APPLY FOR
8
HOURS



PAIN RELIEF GEL-PATCH

LIDOCAINE 4%
MENTHOL 1%

Drug Facts

Active Ingredients
Lidocaine 4%.....Topical anesthetic
Menthol 1%.....Topical analgesic

Uses: For temporary relief of pain

Warnings

For external use only

Do not use: • More than 1 patch at a time • On wounds or damaged skin • For more than one week without consulting a doctor
If you are allergic to any ingredients of this product:

When using this product: • Use only as directed
• Avoid contact with the eyes, mucous membranes or rashes
• Do not bandage tightly

Stop use and ask a doctor if:

• Local skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
• Conditions worsen
• Symptoms persist for more than 7 days
• Symptoms clear up and occur again within a few days

If pregnant or breast-feeding: Ask a health professional before use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adult and Children 12 years of age and over:

• Pain and dry affected area
• Remove film from patch and apply to the skin (see illustration)
• Apply 1 patch at a time to affected area, not more than 3 to 4 times daily
• Remove patch from the skin after at most 8-hour application

Children under 12 years of age: Consult a doctor

Other information

• Store at 68 - 77° F (20 - 25° C)

• Store in a cool dry place away from direct sunlight

Inactive Ingredients

Dihydroxyaluminum Aminoacetate, Ethylate Disodium, Glycine, Hydroxyacetophenone, Kalsol, L (+)-Tartaric Acid, Mineral Oil, Polyacrylate GEL, Polyacrylate, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polycarboxylate, Titanium Dioxide, Water

Questions or Comments:

1-646-223-0128 • Lu.FD@munage.com.cn

Produced by:

SHANGHAI CHUANGSHI MEDICAL TECHNOLOGY (GROUP) CO., LTD
No.388, Zhangliang Rd, Omega District, Shanghai, China, 201716
Tel: 86-21-31166566
Fax: 86-21-31166568
E-mail: www.zee@csjgroup.com.cn
www.csjgroup.com.cn

Made in China



LOT



6 924239 705953



PAIN RELIEF GEL-PATCH

lidocaine and menthol patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73557-172
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.01 g in 1 g
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
KAOLIN (UNII: 24H4NWX5CO)	
TARTARIC ACID (UNII: W4888119H)	
WATER (UNII: 059QF0KO0R)	

DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JNI2J)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
MINERAL OIL (UNII: T5L8T28FGP)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
GLYCERIN (UNII: PDC6A3C0OX)
EDETATE DISODIUM (UNII: 7FLD91C86K)
POVIDONE K90 (UNII: RDH86HJV5Z)
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73557-172-05	5 in 1 BOX	12/30/2022	
1	NDC:73557-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:73557-172-10	10 in 1 BOX	01/09/2024	
2	NDC:73557-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
3	NDC:73557-172-15	15 in 1 BOX	01/09/2024	
3	NDC:73557-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	12/30/2022	

Labeler - Shanghai Chuangshi Medical Technology (Group) Co., Ltd. (546872672)

Registrant - Shanghai Chuangshi Medical Technology (Group) Co., Ltd. (546872672)

Establishment

Name	Address	ID/FEI	Business Operations
Shanghai Chuangshi Medical Technology (Group) Co.,		546872672	manufacture(73557-172) , label(73557-

Revised: 4/2024

Shanghai Chuangshi Medical Technology (Group) Co., Ltd.