

SHAO LIN PAIN RELIEF PLASTER- menthol, methyl salicylate plaster
Zhejiang Dingtai Pharmaceutical Co.; Ltd

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Zhejiang Dingtai Pharmaceutical Co.; Ltd

Active Ingredients

Menthol 0.5%

Methyl Salicylate 0.5%

Purpose

Menthol External Analgesic

Methyl Salicylate External Analgesic

Uses

For the temporary relief of minor aches and pains of muscles and joints due to:

simple backache

arthritis

strains

bruises

sprains

Warning

For External Use Only.

Do Not Use

on wounds

on irritated or damaged skin

if the appearance of this product has changed

in excess of 12 hours

if you have known hypersensitive to this product

otherwise than as directed

Ask a Doctor or Pharmacist Before Use If You Are

pregnant

taking other medications

When Using This Product

avoid contact with the eye or mucous membranes

do not bandage tightly

supervise use by children

use caution if prone to allergic reactions

Stop Use and Ask a Doctor If

condition worsens

symptoms persist for more than 7 days

symptoms clear up and occur again within a few days

excessive irritation of the skin develops

when using for pain of arthritis

pain persists for more than 10 days

redness is present

in conditions affecting children under 12 years of age

Keep Out of Reach of Children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and older: Apply one or two plasters to affected area once a day. Remove after 12 hours.

Children 2 to 12 years of age and adults with compromised health: Use only under the guidance of a doctor.

Children under 2 years of age: Do not use, consult a doctor.

Refer to the above warnings: use otherwise than as directed may be dangerous.

Other Information

Keep container tightly closed.

Store below 20 °C (68 °F) in a dry area.

Inactive Ingredients

PEPPERS, LINDERA AGGREGATA ROOT, BLETILLA STRIATA BULB, ANGELICA DAHURICA ROOT, AMPELOPSIS JAPONICA ROOT, PAWPAW, SPARGANIUM STOLONIFERUM WHOLE, CURCUMA ZEDOARIA LEAF, ANGELICA SINENSIS ROOT, PAEONIA VEITCHII ROOT, CINNAMON, RHEUM PALMATUM WHOLE, FORSYTHIA SUSPENSА WHOLE, DRAGON'S BLOOD, FRANKINCENSE, MYRRH, PANAX NOTOGINSENG ROOT, ACACIA CATECHU WHOLE, BORNEOL

Questions or Comments?

Call (626)350-5000 or

E-mail: upc168@sbcglobal.net

Manufacturerd by

Zhejiang Dingtai Pharmaceutical Co.; Ltd

No. 1392, Huancheng South Road, Economy Development Zone,
Tongxiang, Zhejiang 314500, China

Distributed by

UPC Medical Supplies, Inc.

11030 Weaver Avenue

South El Monte, CA 91733 USA

Drug Facts

NDC 69070-001-05

SHAO LIN PAIN RELIEF PLASTER
少林鎮痛跌打膏

5 plasters (貼)
Each Plaster 2.75in x3.94in
(7 cm x 10cm)

鼎泰药业
DINGTAI PHARMACEUTICAL

SHAO LIN PAIN RELIEF PLASTER

SHAO LIN PAIN RELIEF PLASTER

SHAO LIN PAIN RELIEF PLASTER

Drug Facts 藥品資料

Active Ingredients 有效成份 Purposes 用途
Menthhol 0.5% 薄荷醇 External Analgesic 外部止痛
Methyl Salicylate 0.5% 水楊酸甲酯 External Analgesic 外部止痛

Uses 作用
For the temporary relief of minor aches and pains of muscles and joints due to: 暫時緩解由以下情況引起的肌肉和關節疼痛: ■ Simple backache 一般腰背疼痛
■ Arthritis 關節炎 ■ Strains 扭傷 ■ Bruises 瘀傷 ■ Sprains 扭傷

Warning 警告
For External Use Only. 只供外部使用

Do Not Use 不能用于
■ on wounds 傷口
■ on irritated or damaged skin 受刺激或受傷的皮膚
■ if the appearance of this product has changed 如果產品的外觀有改變
■ in excess of 12 hours 超過12小時
■ if you have known hypersensitive to this product 如果對本產品有已知的超敏反應
■ otherwise than as directed 與指示以外的情況

Ask a Doctor or Pharmacist Before Use If You Are
在使用前諮詢醫生或藥劑師, 如果您:
■ pregnant 已經懷孕
■ taking other medications 正在服用其他藥物

When Using This Product 在使用本產品時
■ avoid contact with the eye or mucous membranes 避免接觸眼睛或黏膜
■ do not bandage tightly 避免包紮過緊
■ supervise use by children 指導兒童使用
■ use caution if prone to allergic reactions 過敏反應體質慎用

Stop Use and Ask a Doctor If
出現以下症狀應停止使用或向醫生諮詢:
■ condition worsens 病情加重
■ symptoms persist for more than 7 days 症狀持續超過7天
■ symptoms clear up and occur again within a few days 症狀消失但幾天後復發
■ excessive irritation of the skin develops 皮膚出現過度刺激

Drug Facts (cont.) 藥品資料(續)

■ when using for pain of arthritis: 用於治療關節炎引起的疼痛時
■ pain persists for more than 10 days 疼痛持續超過10天
■ redness is present 發紅
■ in conditions affecting children under 12 years of age 影響12歲以下兒童的症狀

Keep Out of Reach of Children 放置在兒童拿不到的地方. If swallowed, get medical help or contact a Poison Control Center right away. 如果被兒童意外吞食, 請立即送醫或聯絡毒品控制中心。

Directions 使用說明
Adults and children 12 years of age and older: 成人及12歲以上兒童:
Apply one or two plasters to affected area once a day. Remove after 12 hours. 每天貼一至兩貼于患處, 12小時後取下。
Children 2 to 12 years of age and adults with compromised health: 2至12歲兒童及有健康問題的成人:
Use only under the guidance of a doctor. 在醫生指導下使用。
Children under 2 years of age: 2歲以下兒童:
Do not use, consult a doctor. 不可使用, 或向醫生諮詢。
Refer to the above warnings: use otherwise than as directed may be dangerous. 參考以上警告, 不按說明使用會導致危險。

Other Information 其他資訊
■ Keep container tightly closed 將容器密封
■ Store below 20°C (68°F) in a dry area 在乾燥處于攝氏20度(華氏68度)下儲存

Inactive Ingredients 輔助成份
PEPPERS, LINDERA AGGREGATA ROOT, BLETTILLA STRIATA BULB, ANGELICA DAHLURICA ROOT, AMPELOPIS JAPONICA ROOT, PANAX SPARGANUM STOLONIFERUM WHOLE, CURCUMA ZEDARIA LEAF, ANGELICA SINENSIS ROOT, PAEONIA VEITCHII ROOT, CINNAMON, RHEUM PALMATUM WHOLE, FORSYTHIA SUSPENSIVA WHOLE, DRAGON'S BLOOD, FRANKINCENSE MYRRH, PANAX NOTOGINSENG ROOT, ACHOGA CATCHU WHOLE, BORNEOL, 辣椒, 烏藥, 白芷, 白芷, 白芷, 木瓜, 三棱, 莖節, 香薷, 香薷, 肉桂, 天黃, 透骨, 血竭, 乳香, 沒藥, 三七, 兒茶, 冰片。

Questions or Comments? 問題或意見?
Call (626)350-5000
E-mail: upc168@sbglobai.net

Manufacturer by: Zhejiang Dingtai Pharmaceutical Co., Ltd
No. 1392, Huancheng South Road, Economy Development Zone, Tongxiang, Zhejiang 314500, China

Distributed by: UPC Medical Supplies, Inc.
11030 Weaver Avenue
South El Monte, CA 91733 USA

Lot No.:
Mfg. Date:
Exp. Date:

SHAO LIN PAIN RELIEF PLASTER

menthol, methyl salicylate plaster

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69070-001
Route of Administration	TRANSDERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.5 g in 100 g
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	0.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
PEPPERS (UNII: T5KDM4J239)	

LINDERA AGGREGATA ROOT (UNII: 517Q7XRT2T)
BLETILLA STRIATA BULB (UNII: 00T5SH6SEJ)
ANGELICA DAHURICA ROOT (UNII: 1V63N2S972)
AMPELOPSIS JAPONICA ROOT (UNII: O2672197TF)
PAWPAW (UNII: 8P95FP65YO)
SPARGANIUM STOLONIFERUM WHOLE (UNII: 873IV8AW3C)
CURCUMA ZEDOARIA LEAF (UNII: M9E9LQH7N4)
ANGELICA SINENSIS ROOT (UNII: B66F4574UG)
PAEONIA VEITCHII ROOT (UNII: VX6GD6M93V)
CINNAMON (UNII: 5S29HWU6QB)
RHEUM PALMATUM WHOLE (UNII: 75P857ARCY)
FORSYTHIA SUSPENSIA WHOLE (UNII: RO2K2K561Z)
DRAGON'S BLOOD (UNII: M3YJ2C28IC)
FRANKINCENSE (UNII: R9XLF1R1WM)
MYRRH (UNII: JC71GJ1F3L)
PANAX NOTOGINSENG ROOT (UNII: GQX1C1175U)
ACACIA CATECHU WHOLE (UNII: TJ6XA84OQF)
BORNEOL (UNII: M89NIB437X)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69070-001-05	5 in 1 BOX	05/01/2010	
1		1 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	05/01/2010	

Labeler - Zhejiang Dingtai Pharmaceutical Co.; Ltd (420598724)

Registrant - Zhejiang Dingtai Pharmaceutical Co.; Ltd (420598724)

Establishment

Name	Address	ID/FEI	Business Operations
Zhejiang Dingtai Pharmaceutical Co.; Ltd		420598724	manufacture(69070-001)