# NASAL DECONGESTANT- pseudoephedrine hcl tablet, film coated L.N.K. International, Inc.

-----

Quality Plus 44-112

### Active ingredient (in each tablet)

Pseudoephedrine HCl 30 mg

### **Purpose**

Nasal decongestant

#### Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

#### Warnings

#### Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

# Ask a doctor before use if you have

- diabetes
- heart disease
- high blood pressure
- thyroid disease
- difficulty in urination due to enlargement of the prostate gland

# When using this product

do not exceed recommended dosage.

# Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with fever

# If pregnant or breast-feeding,

ask a health professional before use.

# Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

#### **Directions**

take 2
tablets
every
4 to 6
hours;
do
not
take
more
than 8
tablets
in 24
hours
take 1
tablet
every
4 to 6
hours;
do not
take
more
than 4
tablets
in 24
hours
do not
use
450

#### Other information

- each tablet contains: calcium 15 mg
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

# Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, silicon dioxide, titanium dioxide, triacetin

#### Questions or comments?

1-800-426-9391

### Principal Display Panel

**QUALITY PLUS** 

NDC 50844-112-46

\*Compare to active ingredient in Sudafed® Sinus Congestion

MAXIMUM STRENGTH NASAL DECONGESTANT

Pseudoephedrine HCl 30 mg • NASAL DECONGESTANT

- NASAL & SINUS CONGESTION
- SINUS PRESSURE

#### 96 Tablets

**NON-DROWSY** 

**ACTUAL SIZE** 

# TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Sudafed  $^{\otimes}$  Sinus Congestion. 50844 REV0619A11246

Distributed by **LNK INTERNATIONAL, INC.** 60 Arkay Drive, Hauppauge, NY 11788 USA

#### Unestions or comments? 1-800-426-9391

dioxide, titanium dioxide, triacetin microcrystalline cellulose, polydextrose, polyethylene glycol, silicon yellow #6 aluminum lake, hypromellose, magnesium stearate, Inactive ingredients croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, FD&C red #40 aluminum lake, TD&C red #40 aluminum sake, PD&C red #40 aluminum sake, PD&C

- see end flap for expiration date and lot number (4.98-69)
- store at 25°C (77°F); excursions permitted between 15°-30°C
  - OPENED OR BLISTER IS TORN OR BROKEN ■ tech tablet contains: calcium 15 mg

    TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS

Other information

children under 6 years	esu fon ob
children ages 6 to 1 1 years	take 1 tablet every 4 to 6 hours; do not take more than 4 tablets in 24 hours
adults and children 12 years and over	take 2 tablets every 4 to 6 hours; do not take more than 8 tablets in 24 hours

Nasal decongestant

help or contact a Poison Control Center (1-800-222-1222) right Keep out of reach of children. In case of overdose, get medical **Drug Facts** (continued)

If pregnant or breast-feeding, ask a health professional before

- symptoms do not improve within 7 days or occur with fever
  - nervousness, dizziness, or sleeplessness occur Stop use and ask a doctor if

#### When using this product do not exceed recommended dosage.

- difficulty in urination due to enlargement of the prostate gland
  - thyroid disease high blood pressure a diabetes ■ ■ heart disease
    - Ask a doctor before use if you have

etore taking this product.

prescription drug contains an MAOI, ask a doctor or pharmacist after stopping the MAOI drug. If you do not know if your or emotional conditions, or Parkinson's disease), or for 2 weeks oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric Do not use if you are now taking a prescription monoamine Warnings

- temporarily relieves sinus congestion and pressure
- femborarily relieves nasal congestion due to the common cold SƏSN

Purpose

Pseudo ephedrine HCI 30 mg. Active ingredient (in each tablet)

**KEEP OUTER PACKAGE FOR** 

Drug Facts



# MAXIMUM STRENGTH ASAL DECONGESTANT

B-1603-112-46-R REV0619A11246



NDC 50844-112-46

\*Compare to active ingredient in Sudafed® Sinus Congestion

# MAXIMUM STRENGTH ASAL DECONGESTANT

Pseudoephedrine HCl 30 mg • NASAL DECONGESTANT

NASAL & SINUS CONGESTION

SINUS PRESSURE



96 Tablets

**NON-DROWSY** 

**ACTUAL SIZE** 

977111778051110

Hauppauge, VV 11788 ASU 60 Arkay Drive Distributed by LNK INTERNATIONAL, INC.

REV0619A11246

Corporation, owner of the registered trademark Sudafed® Sinus Congestion. \*This product is not manufactured or distributed by Johnson & Johnson

**Quality Plus 44-112** 

#### NASAL DECONGESTANT

QUALITY

PLUS

MAXIMUM STRENGTH NA

DECONGEST

pseudoephedrine hcl tablet, film coated

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

No Print Area

Lot no & Expiration Date

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50844-112
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	<b>Basis of Strength</b>	Strength
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	30 mg

Inactive Ingredients	
Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics				
Color	red	Score	no score	
Shape	ROUND	Size	7mm	
Flavor		Imprint Code	44;112	
Contains				

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:50844- 112-08	2 in 1 CARTON	08/25/1981				
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product					
2	NDC:50844- 112-22	4 in 1 CARTON	08/25/1981				
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product					
3	NDC:50844- 112-46	8 in 1 CARTON	08/25/1981				
3		12 in 1 BLISTER PACK; Type 0: Not a Combination Product					

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M012	08/25/1981			

# Labeler - L.N.K. International, Inc. (038154464)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
LNK International, Inc.		038154464	pack(50844-112)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(50844-112) , pack(50844-112)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
LNK International, Inc.		832867894	manufacture(50844-112)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
LNK International, Inc.		868734088	manufacture(50844-112)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
LNK International, Inc.		967626305	pack(50844-112)

Establishment					
Name	Address	ID/FEI	Business Operations		
LNK International, Inc.		117025878	manufacture(50844-112)		

Revised: 8/2023 L.N.K. International, Inc.