

POVIDONE-IODINE SWABSTICKS SINGLES- povidone-iodine swab
POVIDONE-IODINE SWABSTICKS TRIPLES- povidone-iodine swab
POVIDONE-IODINE PREP PADS MEDIUM- povidone-iodine swab
POVIDONE-IODINE PREP PADS MEDIUM BULK- povidone-iodine swab
POVIDONE-IODINE TOPICAL ANTISEPTIC- povidone-iodine solution
PREP SOLUTION TOPICAL ANTISEPTIC- povidone-iodine solution
PREP SOLUTION WITH SPRAY BOTTLE- povidone-iodine solution
Medline Industries, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient

Povidone Iodine 10% (equivalent to 1% available iodine)

Purpose

First Aid Antiseptic

Uses

- Healthcare antiseptic for preparation of the skin prior to surgery
- First aid antiseptic to help prevent infection in minor cuts, scrapes and burns

Warnings

For external use only.

Do not use

- in the eyes
- longer than 1 week unless directed by a doctor
- on individuals who are allergic or sensitive to iodine
- or apply over large areas of the body

Stop use and ask a doctor

- if irritation and redness develop
- if condition persists for more than 72 hours
- in case of deep or puncture wounds, animal bites or serious burns

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Clean the affected area.

- For preparation of the skin prior to surgery: apply product to the operative site prior to surgery
- For first aid antiseptic: apply a small amount of this product on the area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.

Other information

Protect from freezing. Avoid excessive heat.


Inactive ingredients

Citric Acid, Disodium Phosphate, Nonoxynol-9, Sodium Hydroxide, Water.

Questions

1-800-MEDLINE

Principal Display Panel - Swabstick Singles pouch



NDC53329-945-09

Medline

Antiseptic

Povidone-Iodine, USP

Swabsticks, Singles

MDS093901

latex free

For professional and hospital use.

Contents: 1 Swabstick

Principal Display Panel - Swabstick Singles box



Povidone-Iodine, USP Swabsticks, Singles

REF MDS093901

Protect from freezing. Avoid excessive heat. For external use only.

latexfree 

Contents: 50 Each



 LOT



 (01)30080196166415

www.medline.com
©2008 Medline Industries, Inc. All rights reserved.
Medline is a registered trademark of Medline Industries, Inc.
Manufactured for: Medline Industries, Inc.,
Mundelein, IL 60060 USA
Made in China 1-800-MEDLINE
RE10LPD



Povidone-Iodine, USP Swabsticks, Singles


REF MDS093901

Protect from freezing. Avoid excessive heat.
For external use only.

latexfree

Contents: 50 Each

Drug Facts Panel - Swabstick Singles box



Principal Display Panel - Swabstick Triples box

NDC 53329-946-75



Antiseptic
**Povidone-Iodine, USP
Swabsticks, Triples**

REF MDS093902

Discard appropriately after single use.
Protect from freezing. Avoid excessive heat.
For external use only.



Contents: 25 Pouches



Antiseptic
**Povidone-Iodine, USP
Swabsticks, Triples**

REF MDS093902

Discard appropriately after single use.
Protect from freezing. Avoid excessive heat.
For external use only.



Contents: 25 Pouches



www.medline.com ©2008 Medline Industries, Inc. All rights reserved.
Medline is a registered trademark of Medline Industries, Inc.
Manufactured for: Medline Industries, Inc., Mundelein, IL 60060 USA
Made in China 1-800-MEDLINE RET11UPD

NDC 53329-946-75

Medline

Antiseptic

Povidone-Iodine, USP

Swabsticks, Triples

MDS093902


Discard appropriately after single use.

Protect from freezing. Avoid excessive heat. For external use only.


latex free

Contents: 25 Pouches

Drug Facts Panel - Swabstick Triples box



Principal Display Panel - Prep Pads, Medium box



Medline

Antiseptic

Povidone Iodine Prep Pads, Medium

MDS093917

For hospital and professional use.

Contents: 100 Pads

Drug Facts Panel - Prep Pads, Medium box

Antiseptic Povidone Iodine Prep Pads, Medium REF MDS093917 For hospital and professional use. Contents: 100 Pads	<table border="1"> <tr> <th data-bbox="922 138 1008 163">Drug Facts</th> <th data-bbox="1414 163 1474 189">Purpose</th> </tr> <tr> <td data-bbox="922 163 1039 189">Active Ingredient</td> <td data-bbox="1414 184 1474 205">Antiseptic</td> </tr> <tr> <td colspan="2" data-bbox="922 189 1474 214">PVP-Iodine, 0.43% w/w</td> </tr> <tr> <td colspan="2" data-bbox="922 214 1474 235">Uses ■ For preparation of the skin prior to surgery ■ first aid antiseptic to help prevent infection in minor cuts, scrapes and burns</td> </tr> <tr> <td colspan="2" data-bbox="922 235 1474 256">Warnings</td> </tr> <tr> <td colspan="2" data-bbox="922 256 1474 277">For external use only</td> </tr> <tr> <td colspan="2" data-bbox="922 277 1474 310">Do not use ■ in the eye ■ longer than one week unless directed by a doctor ■ on individuals who are allergic or sensitive to iodine ■ or apply over large areas of the body</td> </tr> <tr> <td colspan="2" data-bbox="922 310 1474 344">Stop use and ask a doctor if ■ irritation and redness develop ■ condition persists for more than 72 hours. In case of deep or puncture wounds, animal bites or serious burns, consult a doctor.</td> </tr> <tr> <td colspan="2" data-bbox="922 344 1474 365">Keep out of reach of children If swallowed, get medical help or contact a Poison Control Center right away</td> </tr> <tr> <td colspan="2" data-bbox="922 365 1474 424">Directions ■ Clean the affected area. ■ For preparation of the skin prior to surgery: apply product to the operative site prior to surgery. ■ For first aid antiseptic: apply a small amount of this product on the area one to three times daily. May be covered with a sterile bandage. If bandaged, let dry first.</td> </tr> <tr> <td colspan="2" data-bbox="922 424 1474 445">Other Information ■ Protect from freezing ■ Avoid excessive heat.</td> </tr> <tr> <td colspan="2" data-bbox="922 445 1474 478">Inactive Ingredients Citric Acid, Disodium Phosphate, Water</td> </tr> </table>	Drug Facts	Purpose	Active Ingredient	Antiseptic	PVP-Iodine, 0.43% w/w		Uses ■ For preparation of the skin prior to surgery ■ first aid antiseptic to help prevent infection in minor cuts, scrapes and burns		Warnings		For external use only		Do not use ■ in the eye ■ longer than one week unless directed by a doctor ■ on individuals who are allergic or sensitive to iodine ■ or apply over large areas of the body		Stop use and ask a doctor if ■ irritation and redness develop ■ condition persists for more than 72 hours. In case of deep or puncture wounds, animal bites or serious burns, consult a doctor.		Keep out of reach of children If swallowed, get medical help or contact a Poison Control Center right away		Directions ■ Clean the affected area. ■ For preparation of the skin prior to surgery: apply product to the operative site prior to surgery. ■ For first aid antiseptic: apply a small amount of this product on the area one to three times daily. May be covered with a sterile bandage. If bandaged, let dry first.		Other Information ■ Protect from freezing ■ Avoid excessive heat.		Inactive Ingredients Citric Acid, Disodium Phosphate, Water	
Drug Facts	Purpose																								
Active Ingredient	Antiseptic																								
PVP-Iodine, 0.43% w/w																									
Uses ■ For preparation of the skin prior to surgery ■ first aid antiseptic to help prevent infection in minor cuts, scrapes and burns																									
Warnings																									
For external use only																									
Do not use ■ in the eye ■ longer than one week unless directed by a doctor ■ on individuals who are allergic or sensitive to iodine ■ or apply over large areas of the body																									
Stop use and ask a doctor if ■ irritation and redness develop ■ condition persists for more than 72 hours. In case of deep or puncture wounds, animal bites or serious burns, consult a doctor.																									
Keep out of reach of children If swallowed, get medical help or contact a Poison Control Center right away																									
Directions ■ Clean the affected area. ■ For preparation of the skin prior to surgery: apply product to the operative site prior to surgery. ■ For first aid antiseptic: apply a small amount of this product on the area one to three times daily. May be covered with a sterile bandage. If bandaged, let dry first.																									
Other Information ■ Protect from freezing ■ Avoid excessive heat.																									
Inactive Ingredients Citric Acid, Disodium Phosphate, Water																									
www.medline.com ©2009 Manufactured in China for: Medline Industries, Inc., Mundelein, IL 60060 USA 1-800-MEDLINE RK09LPD (01)30080196166569																									

Principal Display Panel - Prep Pad Bulk case

Povidone Iodine Prep Pads Medium Bulk REF MDS093918 Contents: 3,000 Each per Case	www.medline.com ©2009 Manufactured in China for: Medline Industries, Inc., Mundelein, IL 60060 USA 1-800-MEDLINE RJ09LPD (01)40080196283867
--	--

Povidone Iodine

Prep PADS

Medium Bulk

MDS093918

Contents: 3,000 Each Per Case

Drug Facts Panel - Prep Pad Bulk case

Drug Facts	
Active Ingredient Povidone-Iodine, 10% w/w	Purpose Antiseptic
Uses ■ for preparation of the skin prior to surgery ■ first aid antiseptic to help prevent infection in minor cuts, scrapes and burns	
Warnings For external use only Do not use ■ in the eyes ■ longer than one week unless directed by a doctor ■ on individuals who are allergic or sensitive to iodine ■ or apply over large areas of the body Stop use and ask a doctor if ■ irritation and redness develop ■ condition persists for more than 72 hours. In case of deep or puncture wounds, animal bites or serious burns, consult a doctor.	
Keep out of reach of children If swallowed, get medical help or contact a Poison Control Center right away	
Directions ■ Clean the affected area. ■ For preparation of the skin prior to surgery: apply product to the operative site prior to surgery. ■ For first aid antiseptic: apply a small amount of this product on the area one to three times daily. May be covered with a sterile bandage. If bandaged, let dry first.	
Other Information ■ Protect from freezing ■ Avoid excessive heat	
Inactive Ingredients Water, PVP-Iodine, Disodium Phosphate, Citric Acid	



REF MDS093918



www.medline.com ©2009 Manufactured in China for:
Medline Industries, Inc., Mundelein, IL 60060 USA
1-800-MEDLINE RJ09LPD

Principal Display Panel - Prep Solution bottle

NDC: 53329-939-13 	Drug Facts <table border="1"> <tr> <th>Active ingredient</th> <th>Purpose</th> </tr> <tr> <td>Povidone-Iodine, 10% (equivalent to 1% available iodine)</td> <td>Antiseptic</td> </tr> </table> Uses ■ Healthcare antiseptic for preparation of the skin prior to surgery ■ First aid antiseptic to help prevent infection in minor cuts, scrapes and burns Warnings For external use only. Do not use ■ in the eyes ■ longer than 1 week unless directed by a doctor ■ on individuals who are allergic or sensitive to iodine ■ or apply over large areas of the body Stop use and ask a doctor ■ if irritation and redness develop ■ if condition persists for more than 72 hours. ■ in case of deep or puncture wounds, animal bites or serious burns. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions Clean the affected area ■ For preparation of the skin prior to surgery: apply product to the operative site prior to surgery ■ For first aid antiseptic: apply a small amount of this product on the area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first. Other Information Protect from freezing. Avoid excessive heat. Inactive Ingredients Citric Acid, Disodium Phosphate, Nonoxynol-9, Sodium Hydroxide, Water.	Active ingredient	Purpose	Povidone-Iodine, 10% (equivalent to 1% available iodine)	Antiseptic
Active ingredient	Purpose				
Povidone-Iodine, 10% (equivalent to 1% available iodine)	Antiseptic				
PVP Prep Solution <i>Topical Antiseptic</i> <i>Povidone-Iodine 10%</i> REF MDS093940 latexfree  www.medline.com Manufactured for: Medline Industries Inc., Mundelein, IL 60060 USA Made in USA To Order Call: 1-800-MEDLINE RB11CTR 2 FL OZ (59 mL)  (01)10080196319848					

NDC: 53329-939-13

MEDLINE

PVP Prep Solution

Topical Antiseptic
Povidone-Iodine 10%

MDS093940

latexfree

www.medline.com

Manufactured for: Medline Industries, Inc.

Mundelein, IL 60060 USA Made in USA

To Order Call: 1-800-MEDLINE

RB11CTR

2 FL OZ (59 mL)

Principal Display Panel - Prep Solution label

N: 53329-900-55



**Prep Solution
with
Spray Bottle**

Topical Antiseptic
Microbicide

REF **MDS093942**



 Do not
reuse

2 FL OZ (59 mL)

Drug Facts	
Active ingredient	Purpose
Povidone-Iodine, 10% (equivalent to 1% available iodine).....	Antiseptic
Uses ■ Healthcare antiseptic for preparation of the skin prior to surgery ■ First aid antiseptic to help prevent infection in minor cuts, scrapes and burns	
Warnings	
For external use only. Do not use ■ in the eyes ■ longer than 1 week unless directed by a doctor ■ on individuals who are allergic or sensitive to iodine ■ or apply over large areas of the body. Stop use and ask a doctor if ■ irritation and redness develops ■ condition persists for more than 72 hours. In case of deep or puncture wounds, animal bites or serious burns, consult a doctor. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions Clean the affected area ■ For preparation of the skin prior to surgery: apply product to the operative site prior to surgery ■ For first aid antiseptic: apply a small amount of this product on the area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.	
Other Information Protect from freezing. Avoid excessive heat.	
Inactive Ingredients Glycerin, polysorbate 80, citric acid, sodium citrate, disodium phosphate, water.	

www.medline.com Manufactured for: Medline Industries Inc., Mundelein, IL 60060 USA Made in Mexico To Order Call: 1-800-MEDLINE RF08DEG 02



N: 53329-900-55

Medline

Prep Solution

with

Spray Bottle

Topical Antiseptic

Microbicide

MDS093942

latex free

Do not reuse
2 FL OZ (59 mL)

Principal Display Panel - Prep Solution label

NDC 53329-904-04



Prep Solution
with Spray Bottle

Povidone Iodine USP, 10% Topical Solution

REF

MDS093934

Tropical Antiseptic

4 FL OZ (118 ml)

Drug Facts

Active ingredient.....Purpose

Povidone-iodine, 10% (equivalent to 1% available iodine).....Antiseptic

Uses ■ For preparation of the skin prior to surgery ■ First aid antiseptic to help prevent infection in minor cuts, scrapes and burns

Warnings

For external use only. Do not use ■ in the eyes ■ longer than 1 week unless directed by a doctor ■ on individuals who are allergic or sensitive to iodine ■ or apply over large areas of the body. Stop use and ask a doctor if ■ irritation and redness develops ■ condition persists for more than 72 hours. In case of deep or puncture wounds, animal bites or serious burns, consult a doctor. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Clean the affected area ■ For preparation of the skin prior to surgery: apply product to the operative site prior to surgery ■ For first aid antiseptic: apply a small amount of this product on the area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.

Other Information Protect from freezing. Avoid excessive heat.

Inactive Ingredients Citric acid, disodium phosphate, glycerin, polysorbate 80, sodium citrate, water.

LOT

Exp:

www.medline.com Manufactured in USA
for: Medline Industries, Inc., Mundelein, IL 60060 USA
1-800-MEDLINE RC09DEG 05

NDC 53329-904-04

Medline

Prep Solution

with Spray Bottle

Povidone Iodine USP, 10% Topical Solution

MDS093934

Topical Antiseptic

4 FL Oz (118 ml)

POVIDONE-IODINE SWABSTICKS SINGLES			
povidone-iodine swab			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53329-945
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
Povidone-Iodine (UNII: 85H0HZU99M) (Iodine - UNII:9679TC07X4)			Povidone-Io dine	0.10 mL
Inactive Ingredients				
Ingredient Name			Strength	
Citric Acid (UNII: 2968PHW8QP)				
Glycerin (UNII: PDC6A3C0OX)				
Water (UNII: 059QF0KO0R)				
Sodium Hydroxide (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53329-945-29	50 in 1 BOX		
1	NDC:53329-945-09	1 in 1 PACKET		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final		part333E	01/01/2007	

POVIDONE-IODINE SWABSTICKS TRIPLES			
povidone-iodine swab			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53329-946
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
Povidone-Iodine (UNII: 85H0HZU99M) (Iodine - UNII:9679TC07X4)		Povidone-Iodine	0.10 mL
Inactive Ingredients			
Ingredient Name			Strength
Citric Acid (UNII: 2968PHW8QP)			
Glycerin (UNII: PDC6A3C0OX)			
Water (UNII: 059QF0KO0R)			
Sodium Hydroxide (UNII: 55X04QC32I)			
Packaging			

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53329-946-75	25 in 1 BOX		
1	NDC:53329-946-02	3 in 1 PACKET		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final		part333E	01/01/2007	

POVIDONE-IODINE PREP PADS MEDIUM

povidone-iodine swab

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53329-941	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
Povidone-Iodine (UNII: 85H0HZU99M) (Iodine - UNII:9679TC07X4)		Povidone-Iodine	0.10 mL	
Inactive Ingredients				
Ingredient Name			Strength	
Citric Acid (UNII: 2968PHW8QP)				
Glycerin (UNII: PDC6A3C0OX)				
Water (UNII: 059QF0KO0R)				
Sodium Hydroxide (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53329-941-30	100 in 1 BOX		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final		part333E	01/01/2007	

POVIDONE-IODINE PREP PADS MEDIUM BULK

povidone-iodine swab

Product Information				
----------------------------	--	--	--	--

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53329-940	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
Povidone-Iodine (UNII: 85H0HZU99M) (Iodine - UNII:9679TC07X4)		Povidone-Iodine	0.10 mL	
Inactive Ingredients				
Ingredient Name			Strength	
Citric Acid (UNII: 2968PHW8QP)				
Glycerin (UNII: PDC6A3C0OX)				
Water (UNII: 059QF0KO0R)				
Sodium Hydroxide (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53329-940-97	3000 in 1 CASE		
1	NDC:53329-940-09	1 in 1 PACKET		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC monograph not final	part333E		01/01/2007	

POVIDONE-IODINE TOPICAL ANTISEPTIC			
povidone-iodine solution			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53329-939
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
Povidone-Iodine (UNII: 85H0HZU99M) (Iodine - UNII:9679TC07X4)		Povidone-Iodine	100 mg in 1 mL
Inactive Ingredients			
Ingredient Name			Strength
Citric Acid (UNII: 2968PHW8QP)			
SODIUM PHOSPHATE, DIBASIC, DIHYDRATE (UNII: 94255I6E2T)			

NONOXYNOL-9 (UNII: 48Q180SH9T)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Water (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53329-939-44	118 mL in 1 BOTTLE, PLASTIC		
2	NDC:53329-939-06	473 mL in 1 BOTTLE, PLASTIC		
3	NDC:53329-939-08	237 mL in 1 BOTTLE, PLASTIC		
4	NDC:53329-939-23	946 mL in 1 BOTTLE, PLASTIC		
5	NDC:53329-939-25	3785 mL in 1 BOTTLE, PLASTIC		
6	NDC:53329-939-69	88 mL in 1 BOTTLE, PLASTIC		
7	NDC:53329-939-13	59 mL in 1 BOTTLE, PLASTIC		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final		part333E	01/01/2007	

PREP SOLUTION TOPICAL ANTISEPTIC				
povidone-iodine solution				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53329-900	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
Povidone-Iodine (UNII: 85H0HZU99M) (Iodine - UNII:9679TC07X4)		Povidone-Iodine	100 mg in 1 mL	
Inactive Ingredients				
Ingredient Name			Strength	
Glycerin (UNII: PDC6A3C0OX)				
Polysorbate 80 (UNII: 6OZP39ZG8H)				
Citric Acid (UNII: 2968PHW8QP)				
Sodium Citrate (UNII: 1Q73Q2JULR)				
Water (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53329-900-13	59 mL in 1 BOTTLE, PLASTIC		

2	NDC:53329-900-55	59 mL in 1 BOTTLE, SPRAY		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part333E	01/01/2007	08/31/2014	

PREP SOLUTION WITH SPRAY BOTTLE

povidone-iodine solution

Product Information				
Product Type		HUMAN OTC DRUG	Item Code (Source)	
Route of Administration		TOPICAL	NDC:53329-904	
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
Povidone-Iodine (UNII: 85H0HZU99M) (Iodine - UNII:9679TC07X4)			Povidone-Iodine	100 mg in 1 mL
Inactive Ingredients				
Ingredient Name				Strength
Glycerin (UNII: PDC6A3C0OX)				
Polysorbate 80 (UNII: 6OZP39ZG8H)				
Citric Acid (UNII: 2968PHW8QP)				
Sodium Citrate (UNII: 1Q73Q2JULR)				
Water (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53329-904-04	118 mL in 1 BOTTLE, SPRAY		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final		part333E	01/01/2007	08/31/2014

Labeler - Medline Industries, Inc. (025460908)