TOPCARE ALL DAY ALLERGY- cetirizine hydrochloride tablet Topco Associates LLC

Topco Associates LLC. All Day Allergy Drug Facts

Active ingredient (in each tablet)

Cetirizine HCl 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are

taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

	one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less	
	severe symptoms.	
adults 65 years and over	ask a doctor	
children under 6 years of age	ask a doctor	
consumers with liver or kidney disease	ask a doctor	

Other information

- do not use if blister unit is broken or torn (Blister Only)
- do not use if printed foil under cap is broken or missing (Bottle Only)
- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

corn starch, FD&C blue no. 1 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, polydextrose, polyethylene glycol, povidone, titanium dioxide, triacetin

Questions or comments?

1-888-423-0139

Principal Display Panel

ORIGINAL PRESCRIPTION STRENGTH

All Day Allergy

CETIRIZINE HYDROCHLORIDE TABLETS, 10 mg

ANTIHISTAMINE

24 Hour Relief of:

Sneezing

Runny Nose

Itchy, Watery Eyes

Itchy Throat or Nose

Indoor & Outdoor Allergies

actual size

COMPARE TO ZYRTEC® active ingredient

70 TABLETS

TopCare®

opCare

ORIGINAL PRESCRIPTION STRENGTH

All Day Allergy

CETIRIZINE
HYDROCHLORIDE
TABLETS, 10 mg
ANTIHISTAMINE

NDC 36800-458-06

ORIGINAL PRESCRIPTION STRENGTH

All Day Allergy

CETIRIZINE HYDROCHLORIDE TABLETS, 10 mg

ANTIHISTAMINE

24 Hour Rellef of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

Indoor & Outdoor Allergies

> actual size

E SALLES

COMPARE TO ZYRTEC® active ingredient*

70 TABLETS

Drug Facts

Active ingredient Purpose (in each tablet)

Cetirizine HCl 10 mg.....Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
 sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery



LOT NO.

EXP.

: 4H22L && (1







Drug Facts (continued)

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

Directions	ii cotions		
adults and children 6 years and over	one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A5 mg product may be appropriate for less severe symptoms.		
adults 65 years and over	ask a doctor		
children under 6 years of age	ask a doctor		
consumers with liver or kidney disease	ask a doctor		

Other information

- do not use if printed foil under cap is broken or missing
- store between 20° to 25°C (68° to 77°F) ▶

Drug Facts (continued)

Inactive ingredients corn starch, FD&C blue no. 1 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, polydextrose, polyethylene glycol, povidone, titanium dioxide, triacetin

C Questions or comments?

DISTRIBUTED BY
TOPCO ASSOCIATES LLC
ELK GROVE VILLAGE, IL 60007
1-888-423-0139 ©TOPCO PER913
topcare@topco.com



This TOP CARE® product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.

GLUTEN FREE

*This product is not manufactured or distributed by McNeil Consumer Healthcare, division of McNeil-PPC, Inc., distributor of Zyrtec⊗.







Certified Sourcing
www.sfiprogram.org
SFI-01052

TOPCARE ALL DAY ALLERGY

cetirizine hydrochloride tablet

Product Information

Product Type HUMAN OTC DRUG LABEL

Item Code (Source)

NDC:36800-458

Route of Administration ORAL

DEA Schedule

Active Ingredient/Active Moiety

y		
Ingredient Name	Basis of Strength	Strength
CETIRIZINE HYDRO CHLO RIDE (CETIRIZINE)	CETIRIZINE HYDROCHLORIDE	10 mg

Inactive Ingredients			
Ingredient Name	Strength		
STARCH, CORN			
LACTOSE MONOHYDRATE			
MAGNESIUM STEARATE			
POLYDEXTROSE			
POVIDONES			
TITANIUM DIO XIDE			
TRIACETIN			
HYPROMELLOSES			
POLYETHYLENE GLYCOLS			

Product Characteristics			
Color	WHITE	Score	no score
Shape	OVAL	Size	10 mm
Flavor		Imprint Code	4H2
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-458-13	5 in 1 CARTON		

1		1 in 1 BLISTER PACK
2	NDC:36800-458-66	14 in 1 CARTON
2		1 in 1 BLISTER PACK
3	NDC:36800-458-39	1 in 1 PACKAGE
3		30 in 1 BOTTLE
4	NDC:36800-458-95	1 in 1 PACKAGE
4		45 in 1 BOTTLE
5	NDC:36800-458-72	1 in 1 CARTON
5		60 in 1 BOTTLE
6	NDC:36800-458-75	1 in 1 CARTON
6		90 in 1 BOTTLE
7	NDC:36800-458-47	1 in 1 CARTON
7		150 in 1 BOTTLE
8	NDC:36800-458-87	1 in 1 CARTON
8		300 in 1 BOTTLE
9	NDC:36800-458-06	1 in 1 CARTON
9		70 in 1 BOTTLE
10	NDC:36800-458-58	1 in 1 CARTON
10		40 in 1 BOTTLE

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA078336	0 1/10/20 0 8		

Labeler - Topco Associates LLC (006935977)

Revised: 3/2014 Topco Associates LLC