

ADAPALENE- adapalene gel
Meijer Distribution Inc.

Adapalene Gel USP 0.1 percent 0.5

Active ingredient

Adapalene USP 0.1% (retinoid)*

*read consumer information leaflet

Purpose

Acne treatment

Use

- For the treatment of acne

Warnings

For external use only

Do not use

- on damaged skin (cuts, abrasions eczema, sunburn)
- if you are allergic to adapalene or any of the ingredients in this product

Pregnancy/Breastfeeding,

ask a doctor before use.

When using this product

- limit sun exposure, including light from tanning beds, and use sunscreen when going outdoors.
- do not wax to remove hair in areas where the product has been applied
- during the early weeks of use, your acne may appear to worsen before it improves (this is normal); continue using as directed, unless you get irritation that become severe
- irritation (redness, itching, dryness, burning) is more likely to occur:
 - in the first few weeks of use
 - if using more than one topical acne medication at a time
 - but irritation usually lessens with continued use of this product
- it may take up to 3 months of once daily use to see result
- avoid product contact eyes, lips, and mouth. If contact occurs immediately flush the area with water.
- wash hands after use

Stop use and ask a doctor if

- you become pregnant, or planning to become pregnant while using this product
- you have symptoms of an allergic reaction (such as itching, rash, hives, swelling of the lips, eyelids, and shortness of breath)
- irritation become severe
- you see no improvement after 3 months of once daily use

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

Adults and children 12 years of age and older:

- use **once** daily
- clean the skin gently and pat dry before applying the product
- cover the entire affected area with a thin layer. For example, if your acne is on the face, apply the product to the entire face.
- do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation.
- **Children under 12 years of age:** ask a doctor

Other information

- store at room temperature 68° to 77°F
- protect from freezing

Inactive ingredients

carbomer homopolymertype C, edetate disodium, methylparaben, poloxamer 182, propylene glycol, purified water. May contain hydrochloric acid and/or sodium hydroxide to adjust pH.

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to Differin® Gel Active Ingredient**

adapalene Gel USP, 0.1%

ACNE TREATMENT

OIL FREE

PREVIOUSLY AVAILABLE

ONLY BY PRESCRIPTION

DERMATOLOGIST

DEVELOPED AND TESTED

ONCE DAILY TOPICAL RETINOID*

*Read consumer information leaflet before use

**This product is not manufactured or distributed by Galderma Laboratories, L.P., distributor of Differin® Gel.

DIST.BY MEIJER

DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544


www.meijer.com

Product Label

Drug Facts	
Active ingredient	Purpose
Adapalene, USP 0.1% (retinoid)*	Acne treatment
*read consumer information leaflet	
Use ■ For the treatment of acne	
Warnings	
For external use only	
Do not use	
■ on damaged skin (cuts, abrasions, eczema, sunburn)	
■ if you are allergic to adapalene or any of the ingredients in this product	
If pregnant or breast-feeding, ask a doctor before use.	
When using this product	
■ limit sun exposure, including light from tanning beds, and use sunscreen when going outdoors.	
■ do not wax to remove hair in areas where the product has been applied	
■ during the early weeks of use, your acne may appear to worsen before it improves (this is normal); continue using as directed, unless you get irritation that becomes severe	
■ irritation (redness, itching, dryness, burning) is more likely to occur:	
■ in the first few weeks of use	
■ if using more than one topical acne medication at a time	
■ but irritation usually lessens with continued use of this product	
■ it may take up to 3 months of once daily use to see results	
■ avoid product contact with eyes, lips, and mouth. If contact occurs, immediately flush the area with water.	
■ wash hands after use	
Stop use and ask a doctor if	
■ you become pregnant, or are planning to become pregnant while using the product	
■ you have symptoms of an allergic reaction (such as itching, rash, hives, swelling of the lips, eyelids, and shortness of breath)	
■ irritation becomes severe	
■ you see no improvement after 3 months of once daily use	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	
Directions	
Adults and children 12 years of age and older:	
■ use once daily	
■ clean the skin gently and pat dry before applying the product	
■ cover the entire affected area with a thin layer. For example, if your acne is on the face, apply the product to the entire face.	
■ do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation.	
Children under 12 years of age: ask a doctor	
Other information	
■ store at room temperature 68° to 77°F	
■ protect from freezing	
Inactive ingredients carbomer homopolymer type C, edetate disodium, methylparaben, poloxamer 182, propylene glycol, purified water	
May contain hydrochloric acid and/or sodium hydroxide to adjust pH.	
Questions or comments?	
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST	

**This product is not manufactured or distributed by Galderma Laboratories, L.P., distributor of Differin® Gel.

*Read carton and enclosed consumer information leaflet before using this product. Keep this carton and consumer information leaflet. They contain important information.



Actual Size

One Tube Inside

NDC 79481-1140-5

meijer

adapalene
gel USP 0.1%

ACNE TREATMENT

OIL FREE
FRAGRANCE FREE

PREVIOUSLY AVAILABLE
ONLY BY PRESCRIPTION

DERMATOLOGIST
DEVELOPED AND TESTED

ONCE DAILY TOPICAL RETINOID*

Compare to Differin® Gel
Active Ingredient **

*Read consumer information
leaflet before use

NET WT 0.5 OZ (15 g)

PID 4629990

7 19283 61507 7

PLD-B796A FC008841

Lot No.:

Exp. Date:

DIST. BY MEIJER
DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com

PRODUCT OF ITALY



www.meijer.com/satisfaction

MEIJER Acne Treatment

ADAPALENE

adapalene gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79481-1140
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ADAPALENE (UNII: 1L4806J2QF) (ADAPALENE - UNII:1L4806J2QF)	ADAPALENE	1 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLOXAMER 182 (UNII: JX0HIX6OAG)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-1140-5	1 in 1 CARTON	10/04/2023	
1		15 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090962	10/04/2023	

Labeler - Meijer Distribution Inc. (006959555)

Revised: 2/2024

Meijer Distribution Inc.