CD X-10 PRE-POST ACTIVATOR- lactic acid, 2-phenyldodecane-psulfonate concentrate DeLaval

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

CD X-10 Pre-Post Activator

 $CI0_2$

Activator

NPE FREE Formula

ACTIVE INGREDIENTS:

Lactic Acid	11.5%
Linear Alkylbenzene Sulfonate	1.7%

KEEP OUT OF REACH OF CHILDREN

! WARNING

READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT

CD X-10 Pre-Post is a two-part Chlorine Dioxide system teat dip and can be effectively used to reduce the spread of mastitis causing organisms. **CD X-10 Pre-Post** is designed with an emollient package ideal for skin conditoning. Recommended for pre milking applications.

HAZARD STATEMENTS

! Causes eye irritation. Wash face, hands and any exposed skin thoroughly after handling. Wear eye protection/face protection

FIRST AID

If in Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

STORAGE AND DISPOSAL

Thoroughly rinse all measuring devices and store out of reach of children. Avoid contamination of food or feed. Avoid freezing. Keep out of direct sunlight. Store locked up. Dispose of contents/container to an approved waste disposal plant.

CHEMTREC EMERGENCY NUMBER 1-800-424-9300

Not For Human Use

Additional Information on Safety Data sheet

DIRECTIONS

IMPORTANT THIS IS A TWO-PART CONCENTRATE - MUST BE MIXED PRIOR TO USE.

MIX RATIO is (48 Water: 1 Activator. 1 Base), In a clean container, add (48) partS water, then add (1) part CD X-10 Pre-Post Activator, next add (1) part CD X-10 Pre-Post Base. CREATES CHLORINE DIOXIDE.

General Use

- Use a teat dip cup to apply. Clean dip cup just prior to use.
- If cow's teats are sore or chapped, consult a veterinarian before starting or continuing to use teat dip.
- If transferred from this container to any other, make sure that the other container is thorougly pre-cleaned and bears the proper container labeling for this product.
- If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.
- Teat Sprays can also be foamed or sprayed using recommended equipment.

Pre-Dipping Use

- Perform forestripping and inspect teats for clinical mastitis.
- Pre-Wash teats thoroughly just prior milking with appropriate udder wash solution or pre-milking teat dip. Teats should then be dried with single-service towels.
- Just before each cow is milked, dip, foam, or spray, each teat full-length into the teat dip or foam cup containing product.
- Allow product to stand for 30 seconds.
- Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.

Post-Dipping Use

- Immediately after each milking, use product.
- Dip each teat full-length into the teat dip cup containing product. Allow to air dry. Do not wipe.
- If outside temperature is below freezing, allow to air dry on the teat before cow leaves the parlor.

Extended Use

- When a cow is being dried off, the teats should be dipped in product, once a day for 3-4 days after the last milking.
- Dipping should be resumed at least twice daily one week before calving.

NET CONTENTS: GAL. (L)

LOT NO.:

EXP. DATE:


Manufactured for: **DeLaval, Inc.**

11000 N. Congress Avenue

Kansas City, MO 64153

Phone: 816-891-7700

© 2021, Made in USA



KEEP OUT OF REACH OF CHILDREN

WARNING

MANTENER FUERA DEL ALCANCE DE **LOS NIÑOS**



READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT

SI USTED NO PUEDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MAS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO

HAZARD STATEMENTS



Causes eye irritation. Wash face, hands and any exposed skin thoroughly after handling. Wear eye protection/face protection.

FIRST AID

If in Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persis medical advice/attention.

Thoroughly rinse all measuring devices and store out of reach of children. Avoid contamination of food or feed. Avoid freezing. Keep out of direct sunligh Store locked up. Dispose of contents/container to an approved waste disposal plant.

CHEMTREC EMERGENCY NUMBER 1-800-424-9300

Not For Human Use Additional Information on Safety Data Sheet

DIRECTIONS

IMPORTANT THIS IS A TWO-PART CONCENTRATE - MUST BE MIXED PRIOR TO USE. MIX RATIO is (48 Water: 1 Activator: 1 Base). In a clean contain add (48) parts water, then add (1) part CD X-10 Pre-Post Activator, next add (1) part CD X-10 Pre-Post Base. CREATES CHLORINE DIOXIDE.

- General Use

 Use at text dip cup to apply. Clean dip cup just prior to use.

 If cow's tests are sore or chapped, consult a veterinarian before starting or continuing to use teat dip.

 If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for
- this product.

 If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

 Teat Sprays can also be foamed or sprayed using recommended equipment.

 Pre-Dipping Use

 Per-Omeroratioping and inspect teats for clinical mastitis.

 Pre-weath teats thoroughly just prior milking with appropriate udder wash solution or pre-milking teat dip. Teats should then be dried with single-service towels

- towels

 for before each cow is milked, dip, foam, or spray, each teat full-length into the teat dip or foam cup containing product.

 Allow product to stand of 30 seconds.

 Wipe teats dip red piping, using single-service towels to avoid contamination of milk.

- Post-Dipping Use
 Immediately after each milking, use product.
 Dip each test full-length into the teat dip cup containing product. Allow to air dry. Do not wipe.
 If outside temperature is below freezing, allow to air dry on the teat before cow leaves the parior.

- To clusted earlipse actual is below inexting, above our analysis on the text before cow leaves are pariol.
 Estanded Use
 When a cow is being dired off, the texts should be dipped in product, once a day for 3-4 days after the last milking.
 Dipping should be resumed at least twice daily one week before calving.

Manufactured for: DeLaval, Inc. 11100 N. Congress Aver Kansas City, MO 64153 Phone: 816-891-7700

NET CONTENTS: 55 US GAL. (208.2L)

LOT NO : EXP. DATE:



Add image transcription here...

CD X-10 PRE-POST ACTIVATOR

lactic acid, 2-phenyldodecane-p-sulfonate concentrate

Product Information

Product Type OTC ANIMAL DRUG Item Code (Source) NDC:55756-032

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	115 g

2-PHENYLDODECANE-P-SULFONATE (UNII: N6X0RZ 70JU) (2-

PHENYLDODECANE-P-SULFONATE - UNII:N6X0RZ70JU)

2-PHENYLDODECANE-P-	17
SULFONATE	1,

g in 1 L

in 1 L

Inactive Ingredients

I	Ingredient Name	Strength

WATER (UNII: 059QF0KO0R)

UREA (UNII: 8W8T17847W)

GLYCERIN (UNII: PDC6A3C0OX)

SODIUM C14-16 OLEFIN SULFONATE (UNII: O9W3D3YF5U)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55756-032-01	208.2 L in 1 DRUM		
2	NDC:55756-032-27	1003 L in 1 TANK		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		08/26/2021		
otriei				

Labeler - DeLaval (173704867)

Establishment			
Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		069288728	analysis, api manufacture, manufacture, pack, label

Establishment			
Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		147528723	analysis, api manufacture, manufacture, pack, label

Establishment			
Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		095906480	api manufacture, manufacture, label, pack

Revised: 3/2024 DeLaval