

**ALLERGY PLUS SINUS HEADACHE- acetaminophen, diphenhydramine hcl and phenylephrine hcl tablet, film coated
DOLGENCORP, LLC**

Dollar General 44-464

Active ingredients (in each caplet)

Acetaminophen 325 mg
Diphenhydramine HCl 12.5 mg
Phenylephrine HCl 5 mg

Purpose

Pain reliever
Antihistamine
Nasal decongestant

Uses

- temporarily relieves these symptoms of hay fever and the common cold:
 - runny nose
 - sneezing
 - headache
 - minor aches and pains
 - nasal congestion
- temporarily relieves these additional symptoms of hay fever:
 - itching of the nose or throat
 - itchy, watery eyes

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- 3 or more alcoholic drinks every day while using this product
- with other drugs containing acetaminophen

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- blisters
- rash
- skin reddening

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- glaucoma
- thyroid disease
- heart disease
- diabetes
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- **do not exceed recommended dosage**
- excitability may occur, especially in children
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- avoid alcoholic beverages

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain or nasal congestion gets worse or lasts more than 7 days
- new symptoms occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not use more than directed**
- adults and children 12 years and over
 - take 2 caplets every 4 hours
 - do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, D&C yellow #10 aluminum lake, FD&C blue #1 aluminum lake, FD&C red #40 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, stearic acid, talc, titanium dioxide

Questions or comments?

1-888-309-9030

Principal Display Panel

DG™ | health

Allergy Plus Sinus Headache

Acetaminophen 325 mg • Pain Reliever
Diphenhydramine HCl 12.5 mg • Antihistamine
Phenylephrine HCl 5 mg • Nasal Decongestant

Helps Relieve:

- Sinus congestion, pain & headache
- Sneezing
- Runny nose
- Itchy, watery eyes

24 Caplets

Actual Caplet Size

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS
OPENED OR IF BLISTER UNIT IS TORN, BROKEN
OR SHOWS ANY SIGNS OF TAMPERING**

50844

REV0517E46408

DISTRIBUTED BY
 DOLGENCORP, LLC
 100 MISSION RIDGE
 GOODLETTSVILLE, TN 37072

100%
Satisfaction
Guaranteed!
 (888)309-9030

Drug Facts
 COMPLETE PRODUCT INFORMATION
 KEEP OUTER PACKAGE FOR

Active ingredients (in each caplet)
 Acetaminophen 325 mg • Pain reliever
 Diphenhydramine HCl 12.5 mg • Antihistamine
 Phenylephrine HCl 5 mg • Nasal decongestant

Uses
 Temporarily relieves these symptoms of hay fever and the common cold:
 ■ runny nose ■ sneezing ■ headache
 ■ minor aches and pains ■ nasal congestion
 Temporarily relieves these additional symptoms of hay fever:
 ■ itching of the nose or throat ■ itchy, watery eyes



Allergy Plus Sinus Headache

Acetaminophen 325 mg • Pain Reliever
 Diphenhydramine HCl 12.5 mg • Antihistamine
 Phenylephrine HCl 5 mg • Nasal Decongestant


- Helps Relieve:
- Sinus congestion, pain & headache
 - Sneezing
 - Runny nose
 - Itchy, watery eyes



24 Caplets
 Actual Caplet Size

DISTRIBUTED BY
 DOLGENCORP, LLC
 100 MISSION RIDGE
 GOODLETTSVILLE, TN 37072

100%
Satisfaction
Guaranteed!
 (888) 309-9030



TAMPER EVIDENT: DO NOT USE IF PACKAGE IS
 OPENED OR IF BLISTER UNIT IS TORN, BROKEN
 OR SHOWS ANY SIGNS OF TAMPERING

No Print/No Varnish
 Lot and Expiration No.

Drug Facts (continued)

Other information:
 ■ Ask a doctor before use if you have:
 ■ liver disease ■ glaucoma ■ thyroid disease
 ■ heart disease ■ diabetes ■ high blood pressure
 ■ difficulty in urination due to enlargement of the prostate gland
 ■ a breathing problem such as emphysema or chronic
 bronchitis
 ■ Ask a doctor or pharmacist before use if you are:
 ■ taking the blood thinning drug warfarin
 ■ taking sedatives or tranquilizers

Drug Facts (continued)

■ sodium, croscarmellose, D&C yellow #10 aluminum lake, FD&C
 blue #1 aluminum lake, FD&C red #40 aluminum lake,
 glycol, polyvinyl alcohol, povidone, silicon dioxide, stearic acid,
 talc, titanium dioxide

50844 REV0517E46408
 Questions or comments? 1-888-309-9030

Other information

■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS
 OPENED OR BLISTER IS TORN OR BROKEN
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C
 (59°-86°F)
 ■ see end flap for expiration date and lot number

Inactive ingredients corn starch, croscarmellose

B-0315-464-08-R
 REV0517E46408

Drug Facts (continued)

When using this product

- do not exceed recommended dosage
- excitability may occur, especially in children
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- avoid alcoholic beverages

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain or nasal congestion gets worse or lasts more than 7 days
- new symptoms occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not use more than directed
- adults and children 12 years and over
- take 2 caplets every 4 hours
- do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

Drug Facts (continued)

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- 3 or more alcoholic drinks every day while using this product
- with other drugs containing acetaminophen

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ blisters ■ rash

■ skin redness

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription); if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

DG Health 44-464

ALLERGY PLUS SINUS HEADACHE			
acetaminophen, diphenhydramine hcl and phenylephrine hcl tablet, film coated			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-464
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg	
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg	
Inactive Ingredients			
Ingredient Name	Strength		
STARCH, CORN (UNII: O8232NY3SJ)			
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)			
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)			
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)			
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)			

POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	green	Score	no score
Shape	OVAL	Size	19mm
Flavor		Imprint Code	44;464
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-464-08	2 in 1 CARTON	06/15/2005	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/15/2005	

Labeler - DOLGENCORP, LLC (068331990)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	pack(55910-464)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(55910-464)

Revised: 7/2023

DOLGENCORP, LLC