

LEADER MUCUS ER- guaifenesin tablet, extended release
Cardinal Health

Cardinal Health Mucus•ER Drug Facts

Active ingredient (in each extended-release tablet)

Guaifenesin 600 mg

Purpose

Expectorant

Uses

helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Do not use

- for children under 12 years of age

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for the timing of meals
- adults and children 12 years of age and over: one or two tablets every 12 hours. Do not exceed 4 tablets in 24 hours.
- children under 12 years of age: do not use

Other information

- do not use if printed seal under cap is broken or missing
- store between 20-25°C (68-77°F)

Inactive ingredients

compressible sugar, copovidone, hydroxyethyl cellulose, silicon dioxide, zinc stearate

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

Compare to Mucinex® active ingredient

Mucus•ER

Guaifenesin Extended-Release Tablets, 600 mg

EXPECTORANT

12 Hour

Relieves Chest Congestion

Thins and Loosens Mucus

20 EXTENDED-RELEASE TABLETS

Actual Size



NDC 37205-628-60



Compare to Mucinex®
active ingredient*

Mucus•ER

Guaifenesin Extended-Release Tablets, 600 mg

EXPECTORANT

12 Hour

- Relieves Chest Congestion
- Thins and Loosens Mucus



20 EXTENDED-RELEASE TABLETS



Actual Size



Actual Size



NDC 37205-628-60



Mucus•ER

Guaifenesin Extended-Release Tablets, 600 mg
EXPECTORANT

12 Hour

- Relieves Chest Congestion
- Thins and Loosens Mucus

20 EXTENDED-RELEASE TABLETS

Do not use if printed seal under cap is broken or missing

Active ingredient
(in each extended-release tablet)
Guaifenesin 600 mg.....

Purpose
Expectorant
Uses help loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive








Mucus•ER

Guaifenesin Extended-Release Tablets, 600 mg

EXPECTORANT



Mucus•ER

Guaifenesin Extended-Release Tablets, 600 mg

EXPECTORANT

12 Hour

- Relieves Chest Congestion
- Thins and Loosens Mucus

Drug Facts		Drug Facts (continued)	
Active ingredient (in each extended-release tablet) Guaifenesin 600 mg.....Expectorant	Purpose	Directions	
Uses helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive		<ul style="list-style-type: none"> do not crush, chew, or break tablet take with a full glass of water this product can be administered without regard for the timing of meals adults and children 12 years of age and over: one or two tablets every 12 hours. Do not exceed 4 tablets in 24 hours. children under 12 years of age: do not use 	
Warnings		Other information	
Do not use <ul style="list-style-type: none"> for children under 12 years of age 		<ul style="list-style-type: none"> do not use if printed seal under cap is broken or missing store between 20-25°C (68-77°F) 	
Ask a doctor before use if you have <ul style="list-style-type: none"> persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema cough accompanied by too much phlegm (mucus) 		Inactive ingredients compressible sugar, copovidone, hydroxyethyl cellulose, silicon dioxide, zinc stearate	
Stop use and ask a doctor if <ul style="list-style-type: none"> cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness. 		Questions or comments? 1-800-719-9260	
If pregnant or breast-feeding , ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)			

*This product is not manufactured or distributed by Reckitt Benckiser, distributor of Mucinex®.

Gluten Free

DISTRIBUTED BY CARDINAL HEALTH
 DUBLIN, OHIO 43017
 CIN 4259040
 www.myleader.com
 1-800-200-6313

All Leader® Brand products are 100% satisfaction guaranteed or return to place of purchase for a full refund.



LOT NO.

EXP.

: 49860 E9 C3

LEADER MUCUS ER

guaifenesin tablet, extended release

Product Information

Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:37205-628
Route of Administration	ORAL	DEA Schedule	

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (GUAIFENESIN)	GUAIFENESIN	600 mg

Inactive Ingredients

Ingredient Name	Strength
COPO VIDONE K25-31	
SILICON DIOXIDE	
ZINC STEARATE	

Product Characteristics

Color	WHITE ((off-white))	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	L498
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37205-628-58	1 in 1 CARTON		
1		40 in 1 BOTTLE		
2	NDC:37205-628-60	1 in 1 CARTON		
2		20 in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA078912	03/19/2013	

