RANITIDINE- ranitidine hydrochloride tablet, film coated Wal-Mart Stores, Inc

Drug Facts

ACTIVE INGREDIENT (IN EACH TABLET)

Ranitidine 75 mg (as ranitidine hydrochloride USP, 84 mg)

PURPOSE

Acid reducer

USES

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain foods and beverages

WARNINGS

Allergy alert: Do not use if you are allergic to ranitidine or other acid reducers

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

Ask a doctor before use if you have

- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness**, **sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding

Ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

DIRECTIONS

- adults and children 12 years and over:
 - to **relieve** symptoms, swallow 1 tablet with a glass of water
 - to **prevent** symptoms, swallow 1 tablet with a glass of water **30 to 60 minutes before** eating food or drinking beverages that cause heartburn
 - can be used up to twice daily (do not take more than 2 tablets in 24 hours)
- children under 12 years: ask a doctor

OTHER INFORMATION

- TAMPER EVIDENT: DO NOT USE IF THE CARTON OR INDIVIDUAL BLISTER UNIT IS OPEN OR TORN.
- store at 20° 25° C (68° 77° F)
- avoid excessive heat or humidity
- this product is sodium and sugar free

INACTIVE INGREDIENTS

Colloidal silicon dioxide, croscarmellose sodium, hypromellose, iron oxide red, magnesium stearate, microcrystalline cellulose, polyethylene glycol 400, talc, titanium dioxide

QUESTIONS?

Call **1-888-287-1915**

PRINCIPAL DISPLAY PANEL

NDC 49035-353-69

equate[®]

Compare to Zantac 75[®] Active Ingredient*

Regular Strength

Ranitidine Tablets 75 mg

Acid Reducer

Prevents and Relieves:

• Heartburn associated with acid indigestion and sour stomach

75 mg

10 tablets

Distributed by: Wal-Mart Stores, Inc.,

5100696 -12/12

COATING FREE AREA

 you need to take this product for more than Nont peaupriture confunes of worsens Stop use and ask a doctor If

or shoulders; or aghtheadedness preath; sweating; pain spreading to arms, neck

- cyest baju ot sportdet pain with shortness of ssau zz p
- heartburn with aghtheadedness, sweating or sign of a more senous condition.
- had heartburn over 3 months. This may be a
 - a stomach paln
 - m nausea or vomMng
- ssoj jubjew peujejdxeun trequent wheezing, particularly with heartburn
 - m frequent chest pain
 - Ask a doctor before use if you have
 - with other acid reducers your doctor.
- These may be signs of a serious condition. See vomitting with blood, or bloody or black sloots.
 - pool pave trouble or pain swallowing food, Do not use

rantitutine or other acto reducers Allergy slert: Do not use if you are allergic to Warnings

Drug Facts (confined)

Guestions? call 1-888-287-1915

stearate, microcrystalline cellulose, polyethylene glycol 400, talc, fitanium dioxide hyprometose, fron oxide red, magnestum conoldsi silicon dioxide, croscarmellose sodium, inactive ingredients

- this product is sodium and sugar free
 - svoje excessive pest or humidity
 - store at 20° 25° C (68° 77° F) OPEN OR TORK
- CARTON OR INDIVIDUAL BLISTER UNIT IS ■ TAMPER EVIDENT: DO NOT USE IF THE
- Other information
 - children under 12 years; ask a doctor more than 2 tablets in 24 hours)
- csu pe need nb to twice daily (do not take eating food or dinking beverages that cause
- a glass of water 30 to 60 minutes before to prevent symptoms, swallow 1 tablet with glass of water
- to remeve symptoms, swallow 1 tablet with a adults and children 12 years and over
 - Directions

fight away (1-800-222-1222). get medical help or contact a Polson Control Center Keep out of reach of chadren. In case of overdose,

Drug Facts (continued)

drinking certain foods and beverages

■ refleves heartburn associated with acid indigestion and sour stomach brought on by eating or prevents heartburn associated with acid indigestion and sour stomach.

Active ingredient (in each tablet)
Ratitulie 75 mg (as ranlidhe hydrochloride USP, 84 mg) Purpose

Drug Facts

NDC 49085-451-69

COATING FREE AREA



Compare to Zantac 7510 Active Ingredient



Regular Strength

Ranitidine Tablets 75mg **Acid Reducer**

Prevents and Relieves:

 Heartburn associated with acid indigestion and sour stomach



12/12

COATING FREE



Distributed by Wal-Mart Stores, Inc.,
Bentonville, AR 72716

Wal-Mart Stores, Inc.,
Made in India

This product is not manufactured or distributed by
Boehringer ingelhelm Pharmaceuticals Inc., owner of the
registered trademark Zantac 75®.





RANITIDINE

ranitidine hydrochloride tablet, film coated

Product Information	t Information				
Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:49035-353		
Route of Administration	ORAL	DEA Schedule			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
RANITIDINE HYDRO CHLO RIDE (RANITIDINE)	RANITIDINE	75 mg		

Inactive Ingredients				
Ingredient Name	Strength			
COLLO IDAL SILICON DIO XIDE				
CROSCARMELLOSE SODIUM				
HYPROMELLOSES				
FERRIC OXIDE RED				
MAGNESIUM STEARATE				
CELLULO SE, MICRO CRYSTALLINE				
POLYETHYLENE GLYCOL 400				
TALC				
TITANIUM DIO XIDE				

Product Characteristics				
Color	pink	Score	no score	
Shape	ROUND	Size	8mm	
Flavor		Imprint Code	OR;606	
Contains				

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-353-55	150 in 1 BOTTLE		
2	NDC:49035-353-69	10 in 1 BLISTER PACK		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA201745	07/10/2012		

Labeler - Wal-Mart Stores, Inc (051957769)

Registrant - Ranbaxy Pharmaceuticals Inc. (184769029)

Establishment				
Name	Address	ID/FEI	Business Operations	
Shasun Pharmaceuticals Limited		915786829	manufacture(49035-353)	

Revised: 1/2013 Wal-Mart Stores, Inc