

**MUCUS RELIEF D- guaifenesin and pseudoephedrine hcl tablet, extended release**  
**Wal-mart Stores, Inc.**

-----  
**Drug Facts**

**Active ingredients (in each extended-release tablet)**

Guaifenesin USP, 1200  
mg.....Expectorant  
Pseudoephedrine HCl USP, 120 mg.....Nasal  
Decongestant

**Purpose**

Expectorant and Nasal Decongestant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves nasal congestion due to:
  - common cold
  - hay fever
  - upper respiratory allergies
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage
- temporarily relieves sinus congestion and pressure

**Warnings**

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

- cough accompanied by too much phlegm (mucus)

**When using this product**

- do not use more than directed

**Stop use and ask doctor if**

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days, come back or occur with a fever, rash, or persistent headache. These could be signs of a serious illness.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours
- children under 12 years of age: do not use

**Other information**

- tamper evident: do not use if carton is open or if printed seal on blister is broken or missing
- store between 20° - 25°C (68° - 77°F)

**Inactive ingredients**

FD & C yellow #6, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, silicon dioxide.

**Questions?**

call **1-888-287-1915**

You may also report side effect to this phone number.

**Principal Display Panel**

1 5 0 0 7 9 5 3 3



1 5 0 0 7 9 5 3 3

**Drug Facts**

**Active Ingredients**  
(in each extended-release tablet)  
Guaifenesin USP, 1200 mg.....  
Pseudoephedrine HCl USP, 120 mg.....  
Expectorant  
Nasal Decongestant

**Uses**  
helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive  
temporarily relieves nasal congestion due to:  
common cold  
upper respiratory infections  
temporarily restores freer breathing through the nose  
temporarily relieves sinus congestion and pressure  
temporarily relieves sinus congestion and pressure

**Warnings**  
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.  
Ask a doctor before use if you have:  
heart disease  
high blood pressure  
thyroid disease  
diabetes  
trouble urinating due to an enlarged prostate gland  
persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema  
cough accompanied by too much phlegm (mucus)

**Other Information**  
tamper evident: do not use if carton is open or if printed seal on blister is broken or missing  
store at 20° - 25°C (68° - 77°F)

**Directions**  
adults and children 12 years and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours  
children under 12 years of age: do not use  
this product can be administered without regard for timing of meals  
take with a full glass of water  
do not crush, chew, or break tablet  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Drug Facts (continued)**  
When using this product:  
do not use more than directed  
Stop use and ask a doctor if:  
you get nervous, dizzy, or sleepless  
symptoms do not get better within 7 days, come back or occur with a fever, rash, or persistent headache. These could be signs of a serious illness.  
If pregnant or breast-feeding, ask a health professional before use, or contact a Poison Control Center right away (1-800-222-1222).

**Inactive Ingredients**  
FD & C yellow #6, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polydioxanone, sodium chloride.

**Questions?** 1-888-287-1915  
You may also report side effects to this phone number.

DO NOT USE IF CARTON IS OPEN OR IF PRINTED SEAL ON BLISTER IS BROKEN OR MISSING

equate™

**Mucus Relief D**  
Guaifenesin 1200mg and  
Pseudoephedrine HCl 120mg  
Extended-Release Tablets  
Expectorant & Nasal Decongestant  
**MAXIMUM STRENGTH**

12 HOUR

24  
EXTENDED  
RELEASE  
TABLETS

equate™

**Mucus Relief D**

Guaifenesin 1200mg and  
**Pseudoephedrine** HCl 120mg  
Extended-Release Tablets  
Expectorant &  
Nasal Decongestant  
**MAXIMUM STRENGTH**

- Clears nasal/sinus congestion
- Thins and loosens mucus



Actual Size

24  
EXTENDED  
RELEASE  
TABLETS

Compare to Maximum Strength  
Mucinex® D Tablets  
active ingredients\*

Satisfaction guaranteed—Or we'll replace it or give you your money back. For questions or comments please call 1-888-287-1915.

DISTRIBUTED BY: Wal-Mart Inc., Bentonville, AR 72716  
PRODUCT OF INDIA  
\*This product is not manufactured or distributed by Reckitt Benckiser LLC, owner of the registered trademark Mucinex®.



REV 05/20

**MUCUS RELIEF D**

guaifenesin and pseudoephedrine hcl tablet, extended release

Product Information				
Product Type		HUMAN OTC DRUG	Item Code (Source)	NDC:49035-261(NDC:55111-799)
Route of Administration		ORAL		
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
Guaifenesin (UNII: 495W7451VQ) (Guaifenesin - UNII:495W7451VQ)			Guaifenesin	1200 mg
Pseudoephedrine Hydrochloride (UNII: 6V9V2RYJ8N) (Pseudoephedrine - UNII:7CUC9DDI9F)			Pseudoephedrine Hydrochloride	120 mg
Inactive Ingredients				
Ingredient Name				Strength
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)				
HYPROMELLOSES (UNII: 3NXW29V3WO)				
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)				
POVIDONE (UNII: FZ989GH94E)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
Product Characteristics				
Color	ORANGE	Score	no score	
Shape	CAPSULE	Size	22mm	
Flavor		Imprint Code	RDY;799	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-261-24	4 in 1 CARTON	04/03/2020	04/03/2020
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:49035-261-12	2 in 1 CARTON	04/03/2020	
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA		ANDA208369	04/03/2020	

Revised: 5/2023

Wal-mart Stores, Inc.