

WORM PROTECTOR 2X CANINE ANTHELMINTIC- pyrantel pamoate suspension
ProLabs Ltd

WORM PROTECTOR[®] 2X

IMPORTANT

SHAKE WELL BEFORE USE

DIRECTIONS FOR USE

For maximum control and prevention of reinfestation, it is recommended that puppies be treated at 2, 3, 4, 6, 8 and 10 weeks of age. Lactating bitches should be treated 2-3 weeks after whelping. Adult dogs kept in heavily contaminated quarters may be treated at monthly intervals to prevent T. canis reinfestation. Administer one full teaspoonful (5 mL) for each 10 lbs. of body weight.

For the removal of large roundworms (ascarids) and hookworms. Administer one full teaspoonful (5 mL) for each 10 lbs. of body weight. It is not necessary to withhold food prior to treatment.

If medication is to be dispensed, client can be advised that dogs usually find this wormer very palatable and will lick the dose from the bowl willingly. If there is reluctance to accept the dose, mix in a small quantity of dog food to encourage consumption.

It is recommended that dogs maintained under conditions of constant exposure to worm infestation should have a follow-up fecal exam within 2 to 4 weeks after first treatment.

The presence of these parasites should be confirmed by laboratory fecal examination. Consult your veterinarian for assistance in the diagnosis, treatment and control of parasitism.

INDICATIONS FOR USE

To prevent reinfestation of Toxocara canis in puppies and adult dogs and in lactating bitches after whelping.

For the removal of large roundworms (Toxocara canis and Toxascaris leonina) and hookworms (Ancylostoma caninum and Uncinaria stenocephala) in dogs and puppies.

WARNING

KEEP OUT OF REACH OF CHILDREN

Read Accompanying Professional Information

RECOMMENDED STORAGE

Store below 30°C (86°F)

LOT/EXP:

MANUFACTURED FOR:

ProLabs Ltd.
P.O. Box 3103
St. Joseph, MO 64503
1-800-367-6359
ProLabspets.com

REV 0712

**Take Time: Observe
Label Directions**

PRINCIPAL DISPLAY PANEL - 60 mL Bottle Label

ProLabs
for HEALTHY PETS

**Worm
Protector 2X
[pyrantel pamoate]**
Canine Anthelmintic Suspension

Active Ingredient: 4.54 mg of
Pyrantel Base as Pyrantel Pamoate per mL
Net Contents – 2 fl oz (60 mL)

FOR ANIMAL USE ONLY
ANADA 200-007 Approved by FDA

<p>INDICATIONS FOR USE: To prevent reinfection of <i>Toxocara canis</i> in puppies and adult dogs and in lactating bitches after whelping. For the removal of large roundworms, (<i>Toxocara canis</i> and <i>Toxascaris leonina</i>) and hookworms, (<i>Ancylostoma caninum</i> and <i>Uncinaria stenocephala</i>) in dogs and puppies.</p> <p>WARNING: KEEP OUT OF THE REACH OF CHILDREN Read accompanying professional information.</p> <p>RECOMMENDED STORAGE: Store below 30°C (86°F)</p> <p>LOT / EXP:</p>	<p>MANUFACTURED FOR: ProLabs Ltd. P.O. Box 3103 St. Joseph, MO 64503 1-800-367-6359 ProLabspets.com REV 0712</p> <p> Take time: Observe Label Directions.</p>		<p>IMPORTANT: SHAKE WELL BEFORE USE</p> <p>DIRECTIONS FOR USE: For maximum control and prevention of reinfection, it is recommended that puppies be treated at 2, 3, 4, 6, 8 and 10 weeks of age. Lactating bitches should be treated 2-3 weeks after whelping. Adult dogs kept in heavily contaminated quarters may be treated at monthly intervals to prevent <i>T. canis</i> reinfection. Administer one full teaspoonful (5 mL) for each 10 lbs. of body weight.</p> <p>For the removal of large roundworms (ascarids) and hookworms. Administer one full teaspoonful (5 mL) for each 10 lbs. of body weight. It is not necessary to withhold food prior to treatment.</p> <p>If medication is to be dispensed, client can be advised that dogs usually find this wormer very palatable and will lick the dose from the bowl willingly. If there is reluctance to accept the dose, mix in a small quantity of dog food to encourage consumption.</p> <p>It is recommended that dogs maintained under conditions of constant exposure to worm infestation should have a follow-up fecal exam within 2 to 4 weeks after first treatment.</p> <p>The presence of these parasites should be confirmed by laboratory fecal examination. Consult your veterinarian for assistance in the diagnosis, treatment and control of parasitism.</p>
--	--	--	--

WORM PROTECTOR 2X CANINE ANTHELMINTIC				
pyrantel pamoate suspension				
Product Information				
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:58909-145	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	pyrantel pamoate (UNII: 81BK194Z5M) (pyrantel - UNII:4QIH0N49E7)	pyrantel	4.54 mg in 1 mL	
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58909-145-02	60 mL in 1 BOTTLE, PLASTIC		
2	NDC:58909-145-08	237 mL in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANADA	ANADA200007	10/01/2012	

Labeler - ProLabs Ltd (962129602)

Registrant - Happy Jack Inc (003189354)

Establishment

Name	Address	ID/FEI	Business Operations
ABS Corporation		048022727	MANUFACTURE

Establishment

Name	Address	ID/FEI	Business Operations
COSMA Spa		428655732	API MANUFACTURE

Revised: 7/2013

ProLabs Ltd