

**SALICYLIC ACID- clear medicated corn removers patch  
Premier Brands of America Inc.**

-----  
**Premier Solutions Clear Medicated Wart Remover**

***Active ingredient***

Salicylic acid 40% w/w

***Purpose***

Wart remover

***Use***

- For the removal of warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface.

***Warnings***

For external use only.

***Do not use***

- if you are a diabetic
- if you have poor blood circulation
- on irritated skin or any area that is infected or reddened
- on genital warts or warts on the face
- on moles, birthmarks and warts with hair growing from them
- on mucous membranes such as nose, anus, genitals and lips

***Stop use and ask a doctor if***

discomfort persists

***Keep out of reach of children.***

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- wash affected area.
- may soak corn in warm water for 5 minutes.
- dry area thoroughly
- if necessary, cut medicated disc to fit the wart.
- carefully apply the medicated with sticky side onto the wart.
- cover the medicated disc with the center of the bandage strip.
- repeat this procedure every 48 hours as needed (until wart is removed) for up to 12 weeks.

**Other information**

store between 59° and 86°F (15° and 30°C)

**Inactive ingredients**

acrylic adhesive, polyethylene foam.

**Questions?**

**Call 1-866-964-0939**

**Principal Display Panel**

Premier Solutions

Medicated Clear

Wart Removers

SALICYLIC ACID 40%

MAXIMUM

STRENGTH

- Safely removes common & plantar warts
- Conceals & protects
- Medicated disc, no-mess application


18 MEDICATED DISCS | 14 CLEAR STRIPS



MAXIMUM STRENGTH

premier solutions™

Use for warts on feet & hands



**Drug Facts**

**Active ingredient** Salicylic acid 40% w/w. **Purpose** Wart remover

**Uses** ■ For the removal of warts. The common wart is easily recognized by the tough 'cauliflower-like' appearance of the surface.

**Warnings**

For external use only.

**Do not use**

- if you are a diabetic
- if you have poor blood circulation
- on irritated skin or any area that is infected or reddened
- on genital warts or warts on the face
- on moles, birthmarks and warts with hair growing from them
- on mucous membranes such as nose, anus, genitals, and lips

Stop use and ask a doctor if discomfort persists

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- wash affected area
- may soak wart in warm water for 5 minutes
- dry area thoroughly
- If necessary, cut medicated disc to fit the wart
- carefully apply the medicated with sticky side onto the wart
- cover the medicated disc with the center of the bandage strip
- repeat this procedure every 48 hours as needed (until wart is removed) for up to 12 weeks

**Other information**

store between 39°F and 86°F (10°C and 30°C)

**Inactive ingredients** acrylic adhesive, polyethylene foam.

**Questions?** call 1-866-964-0939

**Care** ■ Avoid surrounding skin when applying product

**DISTRIBUTED BY:**

Premier Brands of America Inc.  
White Plains, NY 10601

**QUESTIONS? CALL 1-866-964-0939**

**MADE IN USA WITH U.S. AND IMPORTED PARTS**

©2023 Premier Brands of America Inc. All rights reserved.  
Premier Solutions is a trademark of Premier Brands of America Inc.

premier solutions™

premier solutions™

MEDICATED

**CLEAR WART REMOVER STRIPS**

SALICYLIC ACID 40%

MAXIMUM STRENGTH

➕ Safely removes common & plantar warts

➕ Conceals & protects

➕ Medicated disc, no-mess application

14 CLEAR STRIPS

18 MEDICATED DISCS

Actual Size

**DIRECTIONS FOR USE:**



Skin should be clean, dry & free of creams & oils. Place sticky side of medicated disc directly over center of wart.



To apply strip, first peel off backing



Align center of bandage with medicated disc. Place sticky side of bandage on skin then remove remainder of backing to apply.

53-016PS



0 34197 01817 3

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	40 mg in 12

**Inactive Ingredients**

Ingredient Name	Strength
<b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)	
<b>VINYL ACETATE</b> (UNII: L9MK238N77)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:56104-259-01	18 in 1 PACKAGE; Type 0: Not a Combination Product	02/22/2022	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M030	02/22/2022	

**Labeler** - Premier Brands of America Inc. (117557458)

Revised: 2/2024

Premier Brands of America Inc.