# LEADER HEMORRHOLIDAL- mineral oil, petrolatum, phenylephrine hydrochloride ointment Cardinal Health

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

## Leader Hemorrhoidal Ointment 2 oz. w/ applicator NBE Preperation H

Active Ingredients	Purpose
Mineral Oil 14%	Protectant
Petrolatum 74.9%	Protectant
Phenylephrine HCI 0.25%	Vasoconstrictor

#### Uses

- helps relieve the local itching and discomfort associated with hemorrhoids
- temporarily shrinks hemorrhoidal tissue and relieves burning
- temporarily provides a coating for relief of anorectal discomforts
- temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful

## Warnings

For external and/or intrarectal use only

## Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an elarged prostate gland

**Ask a doctor or pharmacist before use if you are** now taking a prescription drug for high blood pressure or depression

## Stop use and ask a doctor if

- bleeding occurs
- condition gets worse or does not get better within 7 days
- introduction of the applicator into the rectum causes additional pain

**If pregnant or breast-feeding**, ask a physician before use.

## Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- children under 12 years of age: ask a doctor
- adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe
- gently dry by patting or blotting with a tissue or a soft cloth before applying
- when first opening tube, remove foil seal
- for intrarectal use: remove protective cover from applicator and attach to tube
- lubricate applicator well, then gently insert applicator into the rectum
- thoroughly clean applicator and replace protective cover after each use

- apply externally to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement
- also apply ointment to external area

### Other Information

store at 20° to 25°C (68° to 77° F)

## **Inactive Ingredients**

glycerin, lanolin, methylparaben, propylparaben, stearyl, alchohol, thyme oil, tocopherol acetate, water, white wax

#### **DISTRIBUTED BY:**

CARDINAL HEALTH

DUBLIN, OH 43017 USA

Made in Korea



## LEADER HEMORRHOLIDAL

mineral oil, petrolatum, phenylephrine hydrochloride ointment

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49781-077
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
MINERAL OIL (UNII: T5L8T28FGP) (MINERAL OIL - UNII:T5L8T28FGP)	MINERAL OIL	140 mg in 1 g
PETROLATUM (UNII: 4T6H12BN9U) (PETROLATUM - UNII:4T6H12BN9U)	PETROLATUM	749 mg in 1 g

l	PHENYLEPHRINE HYDRO CHLO RIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE -	PHENYLEPHRINE
ı	UNII:1WS297W6MV)	HYDROCHLORIDE

Inactive Ingredients		
Ingredient Name	Strength	
GLYCERIN (UNII: PDC6 A3C0 OX)		
LANOLIN (UNII: 7EV65EAW6H)		
METHYLPARABEN (UNII: A2I8C7HI9T)		
PROPYLPARABEN (UNII: Z8IX2SC1OH)		
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)		
THYME OIL (UNII: 2UK410 MY6 B)		
ALPHA-TO COPHEROL ACETATE (UNII: 9E8X80D2L0)		
WATER (UNII: 059QF0KO0R)		
WHITE WAX (UNII: 7G1J5DA97F)		

2.5 mg in 1 g

I	Packaging			
#	Item Code	Package Description	Marketing Start Date	<b>Marketing End Date</b>
1	NDC:49781-077-02	1 in 1 CARTON	12/10/2013	
1		57 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part346	12/10/2013	

## Labeler - Cardinal Health (097537435)

Revised: 12/2017 Cardinal Health