

NITROUS OXIDE- nitrous oxide gas
Matheson Tri-Gas, Inc.

nitrous oxide

NITROUS OXIDE USP

UN1070

DO NOT REMOVE THIS PRODUCT LABEL.

CONTENT: LITERS: CU. FT.:

Rx only. WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken. DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY CAUSE DROWSINESS OR DIZZINESS. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Avoid breathing gas. Do not get in eyes, on skin, or on clothing. Use and store only outdoors or in a well-ventilated place. Wear protective gloves, protective clothing, and either eye or face protection. In case of fire: Stop leak if safe to do so. Store locked up. Dispose of contents/container in accordance with container supplier/owner instructions. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Matheson Tri-Gas Safety Data Sheet (SDS) before use. FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. CAS: 10024-97-2

WARNING: This product can expose you to chemicals including Nitrous Oxide, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

MATHESON The Gas Professionals

MATHESON TRI-GAS

909 LAKE CAROLYN PKWY. SUITE 1300

IRVING, TEXAS 75039 . 1-800-416-2505



NITROUS OXIDE USP

UN1070

Rx only. **WARNING:** Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY CAUSE DROWSINESS OR DIZZINESS. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Avoid breathing gas. Do not get in eyes, on skin, or on clothing. Use and store only outdoors or in a well-ventilated place. Wear protective gloves, protective clothing, and either eye or face protection. In case of fire: Stop leak if safe to do so. Store locked up. Dispose of contents/container in accordance with container supplier/owner instructions. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Matheson Tri-Gas Safety Data Sheet (SDS) before use. **FIRST AID:** IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. CAS: 10024-97-2

WARNING: This product can expose you to chemicals including Nitrous Oxide, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Distributed by:

MATHESON The Gas Professionals

MATHESON TRI-GAS

909 LAKE CAROLYN PKWY. SUITE 1300

IRVING, TEXAS 75039 . 1-800-416-2505



REFRIGERATED LIQUID

NITROUS OXIDE, REFRIGERATED LIQUID USP

UN2201

Rx ONLY

WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration and with the hazards, contraindications and side effects, and the precautions to be taken.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY CAUSE DROWNSINESS OR DIZZINESS. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and

store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Avoid breathing gas. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Store locked up. Dispose of contents/container in accordance with container supplier/owner instructions. Use a back flow preventive device in the piping. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only equipment cleaned for oxygen service. Always keep container in upright position. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Read and follow the Matheson Tri-Gas Safety Data Sheet (SDS) before use.

FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 10024-97-2

CONTAINER CONTENTS: LTRS: CU FT:

DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: This product can expose you to chemicals including Nitrous Oxide, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

MATHESON The Gas Professionals

MATHESON TRI-GAS

909 LAKE CAROLYN PKWY. SUITE 1300

IRVING, TEXAS 75039 . 1-800-416-2505

REFRIGERATED LIQUID

**NITROUS OXIDE,
REFRIGERATED LIQUID
USP
UN2201**

NON-FLAMMABLE GAS 2

OXIDIZER 5.1

R ONLY

WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration and with the hazards, contraindications and side effects, and the precautions to be taken.

DANGER: MAY CAUSE OR INTENSIFY FIRE. OXIDIZER.
CONTAINS REFRIGERATED GAS. MAY CAUSE CRYOGENIC BURNS OR INJURY.
MAY CAUSE DROWSINESS OR DIZZINESS.
MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.
COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Avoid breathing gas. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Store locked up. Dispose of contents/container in accordance with container supplier/owner instructions. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only equipment cleaned for oxygen service. Always keep container in upright position. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Read and follow the **Matheson Tri-Gas Safety Data Sheet (SDS)** before use.

FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical attention.

CAS: 10024-97-2 LTRS
CONTAINER CONTENTS: CU FT:

DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: This product can expose you to chemicals including Nitrous Oxide, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

MATHESON
The Gas Professionals
MATHESON TRI-GAS
909 LAKE CAROLYN PKWY • SUITE 1300
IRVING, TEXAS 75039 • 1-800-416-2505

TGAL 806 (10/07)

NITROUS OXIDE USP

UN1070

Rx only. **WARNING:** Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken. **DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY CAUSE DROWSINESS OR DIZZINESS. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Avoid breathing gas. Do not get in eyes, on skin, or on clothing. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125F). Read and follow the Matheson Tri-Gas Safety Data Sheet (SDS) before use. **FIRST AID:** IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. **WARNING:** This product contains a chemical known to the state of California to cause birth defects or other reproductive harm. CAS: 10024-97-2

Distributed by:

MATHESON ask... The Gas Professional TM

MATHESON TRI-GAS

150 ALLEN ROAD. BASKING RIDGE, NJ 07920

1-800-416-2505



NITROUS OXIDE USP

UN1070

DO NOT REMOVE THIS PRODUCT LABEL.

CONTENT: LITERS: CU.FT.:

Rx only. **WARNING:** Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken. **DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY CAUSE DROWSINESS OR DIZZINESS. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Avoid breathing gas. Do not get in eyes, on skin, or on clothing. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Matheson Tri-Gas Safety Data Sheet (SDS) before use. **FIRST AID:** IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POSITION CENTER or doctor/physician if you feel unwell. IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. **WARNING:** This product contains a chemical known to the state of California to cause birth defects or other reproductive harm. CAS: 10024-972

MATHESON ask... The Gas Professional™

MATHESON TRI-GAS

150 ALLEN ROAD. BASKING RIDGE, NJ 07920

1-800-416-2505



REFRIGERATED LIQUID

NITROUS OXIDE, REFRIGERATED LIQUID USP

UN2201

RX ONLY

WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration and with the hazards, contraindications and side effects, and the precautions to be taken.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY CAUSE DROWSINESS OR DIZZINESS. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Avoid breathing gas. Use and store only outdoors or in well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Read and follow the

NITROUS OXIDE (UNII: K50XQU1029) (NITROUS OXIDE - UNII:K50XQU1029) NITROUS OXIDE 992 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55037-301-01	88.7 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
2	NDC:55037-301-02	246.4 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
3	NDC:55037-301-03	369.6 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
4	NDC:55037-301-04	418.88 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
5	NDC:55037-301-05	517.44 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
6	NDC:55037-301-06	640.64 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
7	NDC:55037-301-07	1059.5 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
8	NDC:55037-301-08	1330.5 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
9	NDC:55037-301-09	1453.7 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
10	NDC:55037-301-10	1724.8 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
11	NDC:55037-301-11	2464 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
12	NDC:55037-301-12	3696 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
13	NDC:55037-301-14	3967.04 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
14	NDC:55037-301-15	4928 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
15	NDC:55037-301-16	5790.4 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
16	NDC:55037-301-17	6160 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
17	NDC:55037-301-18	12320 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
18	NDC:55037-301-19	11827 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
19	NDC:55037-301-20	16016 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
20	NDC:55037-301-21	17987.2 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
21	NDC:55037-301-22	24640 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
22	NDC:55037-301-23	616 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1987	
23	NDC:55037-301-24	90530 L in 1 CONTAINER; Type 0: Not a Combination Product	01/01/1987	
24	NDC:55037-301-25	100890 L in 1 CONTAINER; Type 0: Not a Combination Product	01/01/1987	
25	NDC:55037-301-26	107550 L in 1 CONTAINER; Type 0: Not a Combination Product	01/01/1987	
26	NDC:55037-301-27	123570 L in 1 CONTAINER; Type 0: Not a Combination Product	01/01/1987	

27	NDC:55037-301-28	142090 L in 1 CONTAINER; Type 0: Not a Combination Product	01/01/1987	
28	NDC:55037-301-29	15520 L in 1 TANK; Type 0: Not a Combination Product	01/01/1987	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA209989	01/01/1987	

Labeler - Matheson Tri-Gas, Inc. (179092028)

Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		045200315	manufacture(55037-301)

Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		074768669	manufacture(55037-301)

Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		075502539	manufacture(55037-301)

Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		111249868	manufacture(55037-301)

Establishment

Name	Address	ID/FEI	Business Operations
MATHESON TRI-GAS, INC.		118867703	manufacture(55037-301)

Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		130286177	manufacture(55037-301)

Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		601294254	manufacture(55037-301)

Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		832779602	manufacture(55037-301)

Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		965760197	manufacture(55037-301)

Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		965760387	manufacture(55037-301)

Revised: 11/2023

Matheson Tri-Gas, Inc.