NASAL CATARRH- formaldehyde pellet Natural Health Supply

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Indications

Indications: To be used for acute self-limiting conditions according to standard homeopathic indications

Active Ingredient

FORMALINUM

Directions

Take at onset of symptoms. Repeat every 2 hours or as needed until relieved. If condition persists or worsens discontinue use and consult a practitioner.

Adults: dissolve 5-10 pellets in 1 oz. of filtered water or take dry by mouth. Children and infants: 1-5 pellets.

Keep Out of Reach of Children

Keep these and all medications out of the reach of children.

Warning

If pregnant or nursing, consult a practitioner before using.

Inactive Ingredients

Inactive Ingredients - Lactose, Sucrose

Purpose

Purpose: Nasal Catarrh

Package Label

Est. No. 1724217

Natural Health Supply

505-474-9175

Homeopathic Medicated Pellets

Do not use if clear bottle seal is broken

FORMALINUM 30C

Lot#

Est. No. 1724217 Natural Health Supply 505-474-9175

Homeopathic Medicated Pellets

Indications: to be used for acute, self-limiting conditions according to standard homeopathic indications.

Directions: Take at onset of symptoms. Repeat every 2 hours or as needed until relieved. If condition persists or worsens discontinue use and consult a practitioner. Adults: dissolve 5-10 pellets in 1 oz. of filtered water or take dry by mouth; Children and Infants: 1-5 pellets.

Warning: Keep these and all medicines out of the reach of children; if pregnant or nursing, consult a practitioner before using

7.5ML(1/40Z)LOT #

FORMALINUM
30C
Nasal Catarrh

Est. No. 1724217 Natural Health Supply 505-474-9175 Homeopathic Medicated Pellets

Indications: to be used for acute, self-limiting conditions according to standard homeo-

pathic indications.

Directions: Take at onset of symptoms. Repeat every 2 hours or as needed until relieved. If condition persists or worsens discontinue use and consult a practitioner. Adults: dissolve 5-10 pellets in 1 oz. of filtered water or take dry by mouth; Children and Infants: 1-5 pellets. Warning: Keep these and all medicines out of the reach of children; if pregnant or nursing, consult a practitioner before using.

1.875 ml (1/16 oz.)

LOT #

Do not use if perforated cap seal is broken.

FORMALINUM

30C

Nasal Catarrh

res

NASAL CATARRH

formaldehyde pellet

| Product | Inform | ation |
|---------|---------|--------|
| Promin | ımıarın | alinii |

Product Type HUMAN OTC DRUG Item Code (Source) NDC:64117-144

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name
Basis of Strength
FORMALDEHYDE (UNII: 1HG84L3525) (FORMALDEHYDE - UNII:1HG84L3525)
FORMALDEHYDE
30 [hp_C] in 1 mL

Inactive Ingredients

| Ingredient Name | Strength |
|----------------------------|----------|
| LACTOSE (UNII: J2B2A4N98G) | |
| SUCROSE (UNII: C151H8M554) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|----------------------|--|-------------------------|-----------------------|
| 1 | NDC:64117-144- 01 | 1.875 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 06/04/1998 | |
| | NDC:64117-144- 02 | 7.5 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 06/04/1998 | |

| Marketing Information | | | | |
|------------------------|--|----------------------|--------------------|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| unapproved homeopathic | | 06/04/1998 | | |
| | | | | |

Labeler - Natural Health Supply (018504618)

Registrant - Natural Health Supply (018504618)

| Establishment | | | | |
|-----------------------|---------|---------------|-------------------------|--|
| Name | Address | ID/FEI | Business Operations | |
| Natural Health Supply | | 0 18 50 46 18 | manufacture (64117-144) | |

Revised: 4/2019 Natural Health Supply