FIRST AID ANTISEPTIC PAIN RELIEVING- benzalkonium chloride, lidocaine hydrochloride cream GFA Production (Xiamen) Co., Ltd.

First Aid Antiseptic Pain Relieving Cream

Drug Facts

Active ingredients

Benzalkonium chloride 0.13%

Lidocaine hydrochloride 0.5

Purpose

First aid antiseptic

Pain relieving cream

Uses

- First aid to help prevent infection in minor cuts, scrapes, and burns.
- For the temporary relief of pain and itching associated with minor burns, minor cuts, and scrapes.

Warnings

For external use only.

Do not use

in the eyes
over large areas of the body
in large quantities
over raw surfaces or blistered areas
longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

• deep or puncture wounds • animal bites • serious burns.

Stop use and ask a doctor if

• the condition persists or gets worse • symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the affected area
- Adults and children 2 years of age and older: Apply a small amount of this product to affected area not more than 3 times daily
- Children under 2 years of age: consult a doctor
- May be covered with a sterile bandage


Other information

Store at room temperature

Inactive ingredients

glycerin monostearate, glycerol, purified water

Package Labeling:



Ben	tive ingredients Purpose zalkonium chloride 0.13%First aid antiseptic ocaine hydrochloride 0.5%Pain relieving cream
	ES First aid to help prevent infection in minor cuts, scrapes, and burns. For the temporary relief of pain and itching associated with minor ns, minor cuts, and scrapes
	arnings external use only.
Do	not use
	a doctor before use if you have deep or puncture wounds animal bites serious burns.
with Kee	p use and ask a doctor if ■ the condition persists or gets worse symptoms persist for more than 7 days or clear up and occur again in a few days p out of reach of children. If swallowed, get medical help or contact bison Control Center right away.
this	rections Clean the affected area Adults and children 2 years of age and older: Apply a small amount of product to affected area not more than 3 times daily Children under 2 years of age: consult a doctor May be covered with a sterile bandage
	her information re at room temperature
Ina	erin monostearate, glycerol, purified water

FIRST AID ANTISEPTIC PAIN RELIEVING benzalkonium chloride, lidocaine hydrochloride cream **Product Information** HUMAN OTC DRUG NDC:50814-009 **Product Type** Item Code (Source) TOPICAL **Route of Administration Active Ingredient/Active Moiety Ingredient Name Basis of Strength** Strength BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM -1.3 mg **BENZALKONIUM CHLORIDE** UNII:7N6JUD5X6Y) in 1 g LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE -LIDOCAINE HYDROCHLORIDE 5 mg UNII:98PI200987) ANHYDROUS in 1 g Inactive Ingredients **Ingredient Name** Strength **GLYCERIN** (UNII: PDC6A3C0OX) WATER (UNII: 059QF0KO0R) Packaging Marketing Start **Marketing End Package Description Item Code** # Date Date 1 NDC:50814-009- 0.9 g in 1 PACKAGE; Type 0: Not a Combination 07/01/2016 01 Product **Marketing Information Application Number or Monograph Marketing End** Marketing **Marketing Start** Category Citation Date Date OTC Monograph Drug M003 07/01/2016

Labeler - GFA Production (Xiamen) Co., Ltd. (421256261)

Revised: 1/2024

GFA Production (Xiamen) Co., Ltd.