

CLTC 100 MR- chlortetracycline hydrochloride powder
Phibro Animal Health

CLTC® 100 MR
(chlortetracycline hydrochloride)
TYPE A MEDICATED ARTICLE

Active Drug Ingredient:

Chlortetracycline hydrochloride
100 g/lb

CAUTION:

CAUTION: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

For use in manufacturing medicated animal feeds only.

CAUTION: Certain components of animal feeds, including medicated premixes, possess properties that may be a potential health hazard or a source of personal discomfort to certain individuals who are exposed to them. Human exposure should, therefore, be minimized by observing the general industry standards for occupational health and safety.

Precautions such as the following should be considered: dust masks or respirators and protective clothing should be worn; dust-arresting equipment and adequate ventilation should be utilized; personal hygiene should be observed; wash before eating or leaving a work site; be alert for signs of allergic reactions—seek prompt medical treatment if such reactions are suspected.

Directions for Use

For premix quantities less than 1 lb. Mix the proper amount of premix with at least 10 lb of feed ingredients to make a preblend. Add the preblend to the remaining feed ingredients and mix thoroughly.

Indications for Use	Use Level of CLTC	lb of CLTC 100 MR/ton
CALVES-Milk Replacers or Starter Feeds For calves (up to 250 lb) for the treatment of bacterial enteritis caused by E. coli susceptible to chlortetracycline.	10 mg/lb body weight daily Limit use to 5 days	20 ¹

WARNING: At 10 mg/lb use level, withdraw 10 days before slaughter. A withdrawal period has not been established in preruminating calves. Do not

use in calves to be processed for veal.

¹ Calf weighing 100 lb consuming 1 lb of dry starter feed or 1 lb of milk replacer mixed with one gallon of water.

Store At Or Below 25°C (77°F), Excursions Permitted Up To 40°C (104°F)

FOR USE IN DRY FEEDS ONLY.

NOT FOR USE IN LIQUID FEED SUPPLEMENTS.

NOT FOR HUMAN USE.

RESTRICTED DRUG (CALIFORNIA) - USE ONLY AS DIRECTED.

CLTC® is a registered trademark of Phibro Animal Health Corporation for chlortetracycline.

Phibro Animal Health Corporation, Teaneck, NJ 07660.

Net Weight 50 lb (22.7 kg)

Approved by FDA under NADA # 092-287

101-8033-08

Principal Display Package

CLTC® 100 MR

(chlortetracycline hydrochloride)

TYPE A
MEDICATED ARTICLE

Active Drug Ingredient: Chlortetracycline Hydrochloride 100 g/lb

CAUTION: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

CAUTION: For use in manufacturing medicated animal feeds only.

CAUTION: Certain components of animal feeds, including medicated premixes, possess properties that may be a potential health hazard to a worker or person if inhaled. To certain individuals who are exposed to them, hazard appears as red, irritation, or irritation by combining the particles with moisture for occupational health and safety.

Precautions such as the following should be considered. Use masks or respirators and protective clothing should be worn; dust-removing equipment and adequate ventilation should be utilized; personal hygiene should be observed; wash before eating or smoking; work area be kept free of debris; shower with prompt medical treatment if such reactions are suspected.

Directions for Use:

For chlortetracycline base (CLTC) Use the proper amount of chlortetracycline base (CLTC) to mix with feed ingredients to make a standard. Add the powder to the remaining feed ingredients and mix thoroughly.

Indication for Use	Use Level of CLTC	to 100 lb of 100 MR Feed
CLTC 100 MR Premixes or Starter Feeds	10 mg/lb	25"
For calves up to 200 lbs for the treatment of bacterial enteric diseases if not susceptible to chlortetracycline	body weight daily	Limit use to 14 days

WARNING: CLTC (mg/lb) use level, whether 10 days before slaughter, if withdrawal period has not been established in processing country. Do not use in calves to be processed for meat.

*Clumping 100 in remaining 1 lb of mixture for feed or 1/3 of mix replace mixed with one gallon of water.

Store Active Below 25°C (77°F), Excursions Permitted Up to 40°C (104°F)

FOR USE IN FEED PREMIXES ONLY.

NOT FOR USE IN LIQUID FEED SUPPLEMENTS.

NET FOR 50 LB (22.7 KG).

RECEIVED FROM (CALIFORNIA) - USE ONLY AS DIRECTED.

Lot

Exp

CLTC® is a registered trademark of Phibro Animal Health Corporation in chlortetracycline. Phibro Animal Health Corporation, Teaneck, NJ 07666.

Approved by FDA under NADA 141-027 100-4035-08

Net Weight 50 lb (22.7 kg)



CLTC 100 MR

chlortetracycline hydrochloride powder

Product Information

Product Type	VFD TYPE A MEDICATED ARTICLE ANIMAL DRUG	Item Code (Source)	NDC:66104-6300
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORTETRACYCLINE HYDROCHLORIDE (UNII: O1GX33ON8R) (CHLORTETRACYCLINE - UNII: WCK1KIQ23Q)	CHLORTETRACYCLINE HYDROCHLORIDE	100 g in 0.45 kg

Inactive Ingredients

Ingredient Name	Strength
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66104-6300-0	22.7 kg in 1 BAG		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA092287	02/16/1996	

Labeler - Phibro Animal Health (006989008)

Registrant - Phibro Animal Health (006989008)

Revised: 7/2023

Phibro Animal Health