

**PAIN RELIEVER EXTRA STRENGTH- acetaminophen tablet, film coated**  
**Walgreen Company**

-----

**Pain Reliever**

***Active ingredient (in each caplet)***

Acetaminophen 500 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

- temporarily relieves minor aches and pains due to:
  - headache
  - muscular aches
  - the common cold
  - backache
  - toothache
  - minor pain of arthritis
  - premenstrual and menstrual cramps
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- rash
- skin reddening
- blisters

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have**

liver disease.

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

***Directions***

- **do not take more than directed**
- adults and children 12 years and over
  - take 2 caplets every 6 hours while symptoms last
  - do not take more than 6 caplets in 24 hours, unless directed by a doctor
  - do not take for more than 10 days unless directed by a doctor
- children under 12 years: ask a doctor

***Other information***

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

***Inactive ingredients***

castor oil, hypromellose, povidone, sodium starch glycolate, starch, stearic acid

***Questions or comments?***

**1-800-426-9391**

***Principal Display Panel***

## **Walgreens**

Compare to the active ingredient in  
Tylenol® Extra Strength Caplets<sup>††</sup>

NDC 0363-0175-03

### **Pain Reliever**

**ACETAMINOPHEN** 500 mg  
PAIN RELIEVER/FEVER REDUCER

Extra Strength

**10** CAPLETS

ACTUAL SIZE

OPEN HERE TO VIEW COMPLETE PRODUCT INFORMATION

**TAMPER EVIDENT: DO NOT USE IF PRINTED  
TEAR STRIP IS BROKEN OR MISSING**

Walgreens Pharmacist Recommended.

Our pharmacists recommend the Walgreens brand.

We invite you to compare to national brands.

<sup>††</sup>This product is not manufactured or distributed by  
Kenvue Inc., owner of the registered trademark Tylenol® Extra Strength Caplets.

DISTRIBUTED BY: WALGREEN CO.

DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED

walgreens.com ©2021 Walgreen Co.

50844

REV0621A17503

TAMPER EVIDENT: DO NOT USE IF THIS SAFETY SEAL AROUND CAP IS BROKEN OR MISSING

TEAR HERE TO OPEN 10 Caplets

No Ink  
No Varnish

**Drug Facts**

**Active ingredient (in each caplet)**  
Acetaminophen 500 mg. Pain reliever/fever reducer

**Uses**  
Temporarily relieves minor aches and pains due to:  
■ headache ■ muscular aches ■ the common cold ■ backache ■ toothache ■ minor pain of arthritis ■ premenstrual and menstrual cramps ■ temporarily reduces fever

**Warnings**  
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:  
■ more than 4,000 mg of acetaminophen in 24 hours  
■ with other drugs containing acetaminophen  
■ 3 or more alcoholic drinks every day while using this product  
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:  
■ rash ■ skin reddening ■ blisters  
If a skin reaction occurs, stop use and seek medical help right away.  
Do not use:  
■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
■ if you are allergic to acetaminophen or any of the inactive ingredients in this product.  
Ask a doctor before use if you have liver disease.  
Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.  
Stop use and ask a doctor if:  
■ redness or swelling is present  
■ pain gets worse or lasts more than 10 days  
■ fever gets worse or lasts more than 3 days  
■ new symptoms occur  
These could be signs of a serious condition.  
If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**  
■ do not take more than directed  
■ adults and children 12 years and over  
■ take 2 caplets every 6 hours while symptoms last  
■ do not take more than 6 caplets in 24 hours, unless directed by a doctor  
■ do not take for more than 10 days unless directed by a doctor  
■ children under 12 years: ask a doctor

Walgreens Pharmacist Recommended.  
Our pharmacists recommend the Walgreens brand.  
We invite you to compare to national brands.  
This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Tylenol® Extra Strength Caplets.

TAMPER EVIDENT: DO NOT USE IF PRINTED TEAR STRIP IS BROKEN OR MISSING

DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED  
walgreens.com ©2021 Walgreen Co.  
ITEM 593250 W00000-0000-0



ORG062117503

No Print /  
No Varnish  
Lot No.  
&  
Expiration  
Date

**Walgreens**

NDC 0363-0175-03

Compare to the active ingredient in  
Tylenol® Extra Strength Caplets™

**Pain Reliever**

ACETAMINOPHEN 500 mg /  
PAIN RELIEVER / FEVER REDUCER

**Drug Facts (continued)**

**Other information**  
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)  
■ use by expiration date on package

**Inactive ingredients** castor oil, hypromellose, povidone, sodium starch glycolate, starch, stearic acid

**(Questions or comments?)** 1-800-426-9391



## Walgreens 44-175

### PAIN RELIEVER EXTRA STRENGTH

acetaminophen tablet, film coated

#### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0175
Route of Administration	ORAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

#### Inactive Ingredients

Ingredient Name	Strength
CASTOR OIL (UNII: D5340Y2I9G)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

#### Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	17mm
Flavor		Imprint Code	44;175
Contains			

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0175-03	10 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/02/1993	
2	NDC:0363-0175-08	1 in 1 CARTON	04/02/1993	04/11/2024
2		24 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:0363-0175-15	1 in 1 CARTON	04/02/1993	03/16/2024

3		50 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
4	NDC:0363-0175-12	1 in 1 CARTON	04/02/1993	12/09/2024
4		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
5	NDC:0363-0175-29	150 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/02/1993	07/21/2024
6	NDC:0363-0175-20	1 in 1 CARTON	04/02/1993	02/07/2024
6		225 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
7	NDC:0363-0175-14	500 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/02/1993	02/25/2024
8	NDC:0363-0175-99	1 in 1 CARTON	04/02/1993	02/15/2022
8		24 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
9	NDC:0363-0175-37	1 in 1 CARTON	04/02/1993	02/07/2021
9		75 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
10	NDC:0363-0175-57	1 in 1 CARTON	04/02/1993	02/07/2021
10		125 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/02/1993	

**Labeler** - Walgreen Company (008965063)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(0363-0175)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0363-0175)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(0363-0175)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(0363-0175)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(0363-0175)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117597853	pack(0363-0175)

Revised: 1/2024

Walgreen Company