COLLAGEN GLOW MINERAL SUNSCREEN SPF 50- zinc oxide lotion NAKED SUNDAYS PTY LTD

NAKED SUNDAYS COLLAGEN GLOW MINERAL SUNSCREEN LOTION SPF 50

ACTIVE INGREDIENT

ZINC OXIDE 22.75%

Purpose

Sunscreen

USES

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin ageing caused by the sun.

WARNINGS

For external use only.

- Do not use on damaged or broken skin.
- When using this product: keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if: rash occurs.
- CONTAINS SODIUM BENZOATE.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

- APPLY GENEROUSLY 15 MINUTES BEFORE SUN EXPOSURE.
- Reapply after 80 minutes of swimming or sweating.
- Reapply immediately after towel drying.
- Reapply at least every 2 hours.
- Children under 3 years of age: Ask a doctor.

SUN PROTECTION MEASURES:

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10.00AM 2.00PM
- Wear long-sleeved shirts, pants, hats, and sunglasses

INACTIVE INGREDIENTS

CETEARYL GLUCOSIDE, CETOSTEARYL ALCOHOL, COCO-CAPRYLATE, DISODIUM EDETATE, GLUCONOLACTONE, HYDROLYZED ADANSONIA DIGITATA SEED EXTRACT, HYDROLYZED RICE PROTEIN, HYDROLYZED SOY PROTEIN, ISOSTEARIC ACID, CAPRIC TRIGLYCERIDES, OCTYLDODECANOL, PEG-30 DIPOLYHYDROXYSTEARATE, POLYGLYCERYL-3 POLYRICINOLEATE, PROLINE, WATER (AQUA), SODIUM BENZOATE, SODIUM CHLORIDE.

OTHER INFORMATION

Protect the product in this container from excessive heat and direct sun.



D

BROAD SPECTRUM

Drug Facts:

Active Ingredients: Zino Oxide 22.75%___

Purpose:

Use:

Helps prevent sunburn.

If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin ageing caused by the sun.

Warnings: For external use only.

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging
 Do not use on damaged or broken skin. Do not use on damaged or broken skin.

 When using this product: Keep out of eyes. Rinse with water to receive.

with water to remove.

Stop use and ask a doctor: If rash occurs.

Keep out of reach of children: If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions:

Directions:

Apply generously 15 minutes before sun exposure.

Reapply after 80 minutes of swimming or sweating.

Reapply immediately after towel drying.

Reapply at least every 2 hours.

Children under 6 months of age: Ask a doctor.

Sun Protection Measures:

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a suncercen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

Limit time in the sun, especially from 10AM to 2PM

Wear long-sleeved shirts, pants, hats, and sunglasses

■ Wear long-sleeved snirts, pants, nats, and sunglasset Inactive Ingredients:
Adansonia Digitata Seed Extract, Caprylic/Caprio Triglyoeride, Cetearyl Alcohol, Cetearyl Glucoside, Citrullus Lanatus Seed Oil, Cooc Caprylate/Caprate, Disodium EDTA, Gluconolactone, Glycerin, Hydrolysed Soy Protein, Iron Oxides, Isostearic acid, Octyldodecand, PEG-30 Dipolyhydroxystearate, Polyglyceryl-3 Polyricinoleaste, Proline, Purified Water, Rice Amino Acids, Sodium Benzoate, Sodium Chloride, Xanthan Gum

Other Information:

Protect the product in this container from excessive heat and direct sun.



NAKED SUNDAYS

SPF50+ COLLAGEN GLOW 100% MINERAL SUNSCREEN

Drug Facts:

Active Ingredients: Zinc Oxide 22.75%.....

Purpose:

Use:

Helps prevent sunburn.

It used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin ageing caused by the sun.

- Warnings: For external use only.
 Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
 Do not use on damaged or broken skin. Do not use on damaged or broken skin.
 When using this product: Keep out of eyes. Rinse with water to remove.
 Stop use and ask a doctor: If rash occurs.
 Keep out of reach of children: If product is swallowed, get medical help or contact a Poison Control Centler right away.

 Directions:

Directions:

- Directions:

 Apply generously 15 minutes before sun exposure.

 Reapply after 80 minutes of swimming or sweating.

 Reapply immediately after towel drying.

 Reapply at least every 2 hours.

 Children under 6 months of age: Ask a doctor.

Sun Protection Measures:

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

**Limit time in the sun, especially from 10AM to 2PM

**Wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients:
Adansonia Digitata Seed Extract, Caprylic/Capric Triglyceride, Cetearyl Alcohol, Cetearyl Glucoside, Citrullus Lanatus Seed Oil, Coco Caprylate/Caprate, Disodium EDTA, Gluconolactone, Glycerin, Hydrolysed Soy Protein, Iron Oxides, Isostearic acid, Octyldodecanol, PEG-30 Dipolyhydroxystearate, Polyglyceryl-3 Polyricinoleate, Proline, Purified Water, Rice Amino Acids, Sodium Benzoate, Sodium Chloride, Xanthan Gum

Other Information:
Protect the product in this container from excessive heat and direct sun.

SPF50+

THIS GENTLE, HYDRATING IN I PRIMELY, HYDRATING I IN I I Used as directed with other sun protection measures (see direction), decreases the risk of skin cancer and early skin aging caused by the sun. Warnings: For external use on only. HE I Used as directed with other sun protection measures (see direction), decreases the risk of skin cancer and early skin aging caused by the sun. Warnings: For external use on only. HE I Used as directed with other sun protection measures are early skin aging and the sun only. HE I Skin Cancer/Skin Aging Alert: Spanning time in the sun of the sun cancer and early skin aging a Do not use on damaged or broken skin, Do not use on damaged or broken



NAKED SUNDAYS 100% MINERAL SUNSCREEN Drug Facts: Active Ingredients: Zino Oxide 22.75%____ Purpose: Use: # Helps prevent sunburn. # If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin ageing caused by the sun. **Sor external use only.** early skin ageing caused by the sun. Warnings: For external use only. Skin Canoer/Skin Aging Alert: Spending time in the sun increases your risk of skin canoer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging Do not use on damaged or broken skin. Do not use on damaged or broken skin. When using this product: Keep out of eyes. Rinse with water to remove. Stop use and ask a doctor: If rash occurs. Keep out of reach of children: If product is swallowed, get medical help or contact a Poison Control Center right away. Directions: Directions: Apply generously 15 minutes before sun exposure. Reapply after 80 minutes of swimming or sweating. Reapply immediately after towel drying. Reapply at least every 2 hours. Children under 6 months of age: Ask a doctor. Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10AM to 2PM Wear long-elseved shirts, pants, hats, and sunglasses Inactive Ingredients: Inactive Ingredients: Adansonia Digitata Seed Extract, Caprylio/Caprio Triglyceride, Cetearyl Allochol, Cetearyl Glucoside, Citrullus Lanatus Seed Oli, Coco Caprylate/Caprate, Disodium EDTA, Gluconolactone, Glycerin, Hydrolysed Soy Protein, Inon Oxides, Isoateario acid, Octyldodecanol, PEG-30 Dipolyhydroxystearate, Polyglyceryl-3 Polyrioinoleate, Proline, Purified Water, Rice Amino Acids, Sodium Benzoate, Sodium Othoride, Xanthan Gum Other Information: Other Information: Protect the product in this container from excessive heat and direct sun. SPF50+

Drug Facts: Active Ingredients: Zinc Oxide 22.75%..... Purpose: Sunscreen Use: ■Helps prevent sunburn. ■If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin ageing caused by the sun. Warnings: For external use only. Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■Do not use on damaged or broken skin. ■When using this product: Keep out of eyes. Rinse with water to remove. ■Stop use and ask a doctor: If rash occurs. ■Keep out of reach of children: If product is wallowed, get medical help or contact a Poison Control Center right away. Directions: ■Apply generously 15 minutes before sun exposure. ■Reapply after 80 minutes of swimming or sweating. Reapply immediately after towel drying. Reapply at least every 2 hours. Children under 6 months of age: Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: •Limit time in the sun, especially from 10 AM -2PM ■Wear long-sleeved shirts, pants, hats, and sunglasses nats, and sunglasses

Inactive ingredients: Adansonia
Digitata Seed Extract, Caprylic/Capric
Triglyceride, Cetearyl Alcohol, Cetearyl
Glucoside, Citrullus Lanatus Seed Oil,
Coco Caprylate/Caprate, Disodium
EDTA, Gluconolactone, Glycerin,
Hydrolysed Soy Protein, Iron Oxides,
Isostearic acid, Octyldodecanol, PEG-30
Dipolyhydroxystearate, Polyglyceryl-3
Polyricinoleate, Proline, Purified Water,
Rice Amino Acids, Sodium Benzoate,
Sodium Chloride, Xanthan Gum SPF50+ Other Information: Protect the product in this container from excessive heat and direct sun.

COLLAGEN GLOW MINERAL SUNSCREEN SPF 50

zinc oxide lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81104-103
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	22.75 g in 100 mL	

Inactive Ingredients		
Ingredient Name	Strength	
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)		
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)		
COCO-CAPRYLATE (UNII: 4828G836N6)		

EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
ADANSONIA DIGITATA SEED (UNII: 2936P60TPX)	
ORYZA SATIVA WHOLE (UNII: 84IVV0906Z)	
HYDROLYZED SOY PROTEIN (ENZYMATIC; 2000 MW) (UNII: 1394NXB9L6)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
TRICAPRIN (UNII: O1PB8EU98M)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PEG-30 DIPOLYHYDROXYSTEARATE (UNII: 9713Q0S7FO)	
POLYGLYCERYL-3 RICINOLEATE (UNII: MZQ63P0N0W)	
PROLINE (UNII: 9DLQ4CIU6V)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81104-103- 11	50 mL in 1 TUBE; Type 0: Not a Combination Product	12/01/2020	
2	NDC:81104-103- 12	20 mL in 1 TUBE; Type 0: Not a Combination Product	12/01/2020	
3	NDC:81104-103- 13	80 mL in 1 TUBE; Type 0: Not a Combination Product	12/01/2020	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/01/2020	

Labeler - NAKED SUNDAYS PTY LTD (746918845)

Revised: 3/2024 NAKED SUNDAYS PTY LTD