

SIGNATURE CARE ORIGINAL- oxymetazoline hydrochloride spray
SAFEWAY, INC.

Signature Care Original Nasal Spray 1oz

Active ingredient Purpose

Oxymetazoline hydrochloride 0.05%..... Nasal decongestant

Uses

- temporarily relieves nasal congestion due to:
- common cold
- hay fever
- upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

Warnings

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

- do not use more than directed
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist

If pregnant or breast-feeding, ask a health professional before use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away

Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: consult a doctor
- shake well before use. Remove safety seal. To open, rotate cap to align the marks. Squeeze cap on both sides in a counter-clockwise turn and pull off to remove. To spray, remove clamp and hold bottle with thumb at base and nozzle between first and second fingers. Without tilting the head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use and snap

cap onto bottle

Other information

- store at room temperature 20-25° (68-77°F)

Inactive ingredients

benzalkonium chloride, benzyl alcohol, edetate disodium, polyethylene glycol 1500, povidone k30, purified water, sodium phosphate dibasic, sodium phosphate monobasic monohydrate

Distributed by:

Better Living Brands LLC

P.O. Box 99

Pleasanton, CA 94566-0009

Made in China



Quality
Guaranteed

Pump Mist
Original Congestion
Nasal Relief
Oxymetazoline Hydrochloride 0.05%
(Nasal Decongestant)

Drug Facts (continued)

Inactive ingredients

benzalkonium chloride, benzyl alcohol,
edetate disodium, polyethylene glycol
1500, povidone K30, purified water,
sodium phosphate dibasic, sodium
phosphate monobasic monohydrate

Questions or comments?
Call 1-888-645-8204 (Mon - Fri 9AM -
5PM PST)

**KEEP OUTER CARTON FOR COMPLETE
WARNINGS AND PRODUCT INFORMATION.**

**TAMPER EVIDENT: DO NOT USE IF PRINTED SEAL
AROUND PUMP AND CAP IS BROKEN OR MISSING.**


*This product is not manufactured or
distributed by Bayer®, distributor of Afrin®
Original Nasal Spray.

DISTRIBUTED BY:
BETTER LIVING BRANDS LLC
P.O. BOX 99
PLEASANTON, CA 94566-0009
*1-888-723-3929

MADE IN CHINA
76095-ZDP-BX-R1
NAS-TP-ZDP105-R4



Scan here
for more
information



SignatureCare.com



Quality
Guaranteed

Compare To Afrin®
Original Nasal Spray
active ingredient*

NDC 21130-956-28

CHILD SAFETY CAP
Pump Mist
Original Congestion
Nasal Relief
Oxymetazoline
Hydrochloride 0.05%
(Nasal Decongestant)

- Maximum strength
- Fast, powerful
congestion relief
- Up to 12 hour relief



1 FL OZ (30 mL)




DIRECTIONS FOR USE:

STEP 1: To open, rotate cap to
align the marks.
Squeeze cap on both sides in a
counter-clockwise turn and
pull off to remove.

STEP 2: To spray, remove
clamp and hold bottle with
thumb at base and nozzle
between first and second
fingers. Without tilting the
head, insert nozzle into nostril.
Fully depress rim in a firm,
even stroke and sniff deeply.

STEP 3: Wipe nozzle clean
after use, and snap cap back
onto the bottle.

FULL DIRECTIONS IN THE
DRUG FACTS PANEL



Drug Facts
Active ingn
Oxymetazoline h

Uses
• temporarily re
• common co
• upper respi
• temporarily re
• shrinks swoll
more freely

Warnings

Ask a doctor be
• heart disease
• thyroid disea
• trouble urinati
When using thi
• do not use m
• do not use for
Frequent or pi
to recur or we
• temporary dis
or an increase
• use of this co
spread infecti

Stop use and a

If pregnant or b
before use.
Keep out of rea
help or contact a
right away.

Directions

• adults and chi
supervision): 2
than every 10
24-hour perio
• children unde
• shake well be
rotate cap to a
in a counter-c
spray, remove
and nozzle be
tilting the hea
rim with a firm
clean after us

Other inform

• store at room

Lot:
Exp:

SIGNATURE CARE ORIGINAL

oxymetazoline hydrochloride spray

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-956	
Route of Administration	NASAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)		OXYMETAZOLINE HYDROCHLORIDE	0.05 g in 100 mL	
Inactive Ingredients				
Ingredient Name			Strength	
POVIDONE K30 (UNII: U725QWY32X)				
WATER (UNII: 059QF0KO0R)				
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)				
SODIUM PHOSPHATE DIBASIC DIHYDRATE (UNII: 94255I6E2T)				
POLYETHYLENE GLYCOL 1500 (UNII: 1212Z7S33A)				
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)				
BENZYL ALCOHOL (UNII: LKG8494WBH)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-956-28	1 in 1 CARTON	10/18/2023	
1		30 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M012	10/18/2023	

Labeler - SAFEWAY, INC. (009137209)

Revised: 10/2023

SAFEWAY, INC.