GOOD SENSE NIGHTTIME COUGH- dextromethorphan hydrobromide, doxylamine succinate solution L. Perrigo Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Perrigo Night Time Cough Drug Facts

Active ingredients (in each 30 mL)

Dextromethorphan HBr 30 mg
Doxylamine succinate 12.5 mg

Purpose

Cough suppressant

Antihistamine

Uses

temporarily relieves cold symptoms:

- · cough due to minor throat and bronchial irritation
- runny nose and sneezing

Warnings

Do not use

 if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- · persistent or chronic cough as occurs with smoking, asthma, or emphysema
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

When using this product

- excitability may occur, especially in children
- may cause marked drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness

Stop use and ask a doctor if

cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	30 mL every 6 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

Other information

- each 30 mL contains: sodium 32 mg
- store at 20-25°C (68-77°F)

Inactive ingredients

alcohol, anhydrous citric acid, FD&C blue no. 1, FD&C red no. 40, flavor, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sodium citrate

Questions or comments?

1-800-719-9260

Principal Display Panel

 $\mathsf{GoodSense}_{\mathbb{R}}$

All Night Cough Relief

Cough Suppressant, Antihistamine

Night Time Cough

Dextromethorphan HBr

Doxylamine Succinate

- Cough
- Sneezing
- Runny Nose

Cherry Flavor

Compare to active ingredients of Vicks® NyQuil® Cough

12 FL OZ (354 mL)

ALCOHOL 10%

NDC 0113-0668-40

GOODSENSE.

All Night Cough Relief

Cough Suppressant, Antihistamine

Night Time Cough

Dextromethorphan HBr Doxylamine Succinate

- Cough
- Sneezing
- Runny Nose

Cherry Flavor

Compare to active ingredients Vicks®NyQuil®Cough

12 FL 0Z (354 mL) ALCOHOL 10%

: 66840 C2 F2

Distributed By

Perrigo®

Allegan, MI 49010



Gluten

DO NOT USE IF PRINTED NECKBAND IS

Learn about teen medicine abuse

www.StopMedicineAbuse.org

wz

Purpose

Drug Facts

Active ingredients (in each 30 mL)

Dextromethorphan HBr 30 mg......Cough suppressant Doxylamine succinate 12.5 mg......Antihistamine

Uses temporarily relieves cold symptoms:

- cough due to minor throat and bronchial irritation
- runny nose and sneezing

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or
- pharmacist before taking this product.

INFORMATION

: 66940 CS BJ

Drug Facts (continued)

Ask a doctor before use if you

have glaucoma

- cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- persistent or chronic cough as occurs with smoking, asthma, or emphysema
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- excitability may occur, especially in children
- may cause marked drowsiness
- avoid alcoholic drinks
- be careful when driving a motor

Drug Facts (continued)

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

12 yrs & over	30 mL every 6 hrs
children 4 to under 12 yrs	aska doctor
children under 4 yrs	do notuse

Other information


- each 30 mL contains: sodium 32 mg
- store at 20-25°C (68-77°F)

Inactive ingredients

alcohol, anhydrous citric acid, FD&C blue no. 1, FD&C red no. 40, flavor, high fructose corn syrup, polyethylene glycol, propylene glycol,

• NO VARNISH • NO TYPE

O VARNISH . NO TYPE





GOOD SENSE NIGHTTIME COUGH

dextromethorphan hydrobromide, doxylamine succinate solution

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0113-0668	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg in 30 mL		
DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	12.5 mg in 30 mL		

Inactive Ingredients			
Ingredient Name	Strength		
ALCOHOL (UNII: 3K9958V90M)			
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)			
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			
SACCHARIN SODIUM (UNII: SB8ZUX40TY)			
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)			

Product Characteristics			
Color	RED (Dark Red)	Score	

Shape	S	Size
Flavor	li	mprint Code
Contains		

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0113-0668- 30	177 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/03/2002	11/14/2013
2	NDC:0113-0668- 34	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/12/2012	
3	NDC:0113-0668- 40	354 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2022	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	11/03/2002	

Labeler - L. Perrigo Company (006013346)

Revised: 8/2023 L. Perrigo Company