ESOMEPRAZOLE MAGNESIUM - esomeprazole magnesium capsule, delayed release

Family Dollar Stores, LLC

Esomeprazole Magnesium Delayed-Release Capsules USP 20 mg*

Drug Facts

Active ingredient (in each capsule)

*Esomeprazole 20 mg

(Each delayed-release capsule corresponds to 21.75 mg esomeprazole magnesium dihydrate USP)

Purpose

Acid reducer

Uses

- treats frequent heartburn (occurs **2 or more** days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert:

- Do not use if you are allergic to esomeprazole.
- Esomeprazole may cause severe skin reactions.

Symptoms may include: \blacksquare Skin reddening \blacksquare blisters \blacksquare rash. If an allergic reaction occurs, stop use and seek medical help right away.

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss

- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

• taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- may take 1 to 4 days for full effect

14-Day Course of Treatment

- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- swallow whole. Do not crush or chew capsules.
- do not use for more than 14 days unless directed by your doctor

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F)
- Meets USP dissolution test 2

Inactive ingredients

colloidal silicon dioxide, FD&C blue no.1, gelatin, hydroxypropyl cellulose, hypromellose, magnesium carbonate, magnesium oxide, methacrylic acid and ethyl acrylate copolymer dispersion, mono and di glycerides, polysorbate 80, propylene glycol, shellac, sodium lauryl sulfate, strong ammonia solution, sugar spheres (which contains liquid glucose, starch (maize) and sucrose), talc, titanium dioxide, triethyl citrate and yellow iron oxide.

Questions or comments?

call **1-855-274-4122** (Monday – Friday 8:30 AM to 5:00 PM EST)

DISTRIBUTED BY: MIDWOOD BRANDS, LLC 500 VOLVO PKWY, CHESAPEAKE, VA 23320 USA

Made in India

Code: TS/DRUGS/22/2009

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 20 mg (14 Capsule Container Label)

FAMILY Wellness[™]

ESOMEPRAZOLE MAGNESIUM Delayed-Release Capsules USP, 20 mg* Acid Reducer

HOUR CAPSULES

Treats Frequent Heartburn

May take 1 to 4 days for full effect

14 CAPSULES
ONE 14-DAY COURSE OF TREATMENT

NDC 55319-051-05

Top Ply



P1432773

Warnings

Allergy alert:

Do not use if you are allergic to esomeprazole.

Esomeprazole may cause severe skin reactions. Symptoms may include:

Skin reddening bisters rash. If an allergic reaction occurs, stop use and seek medical help right away.

Do not use if you have:

trouble or pain swallowing food, vomiting with blood, or bloody or black stools heartburn with lightheadedness, sweating; pain spreading to arms, neck or shoulders; or lightheadedness frequent chest pain. These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have had heartburn over 3 months. This may be a sign of a more serious condition.

Frequent wheezing, particularly with heartburn unexplained weight loss and use a vomiting stoomer had ask a doctor or pharmacist before use if you are atking a prescription drug.

All of reducers may interact with certain prescription drugs.

You need to take more than 1 course of treatment every 4 months you get diarrhea you develop a rash or joint pain. If pregnant or breast-leeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions and adults 18 years of age and older help.

HNGE

Back of Top Ply (Page #2)

Bottom Ply

HNGE

■ this product is to be used once a day (every 24 hours), every day for 14 days ■ may take 1 to 4 days for full effect. 14-Day Course of Treatment ■ swallow 1 capsule with a glass of water before eating in the morning ■ take every day for 14 days ■ do not take more than 1 capsule a day ■ swallow whole. Do not crush or chew capsules. ■ do not was for more than 14 days unless directed by your doctor. Repeated 14-Day Courses (if needed) ■ you may repeat a 14-day course every 4 months ■ do not take for more than 14 days or more often than every 4 months unless directed by a doctor ■ children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition. Other information ■ read the directions and warnings before use ■ keep the carbon. It contains important information. ■ store at 20-25° (68-77°F) ■ Meets ■ USP dissolution test 2. Inactive ingredients colloidal silicon dioxide, FD&C blue no.1, gelatin, hydroxypropyl cellulose, hypromellose, magnesium carbonate, magnesium oxide, methacrylic acid and ethyl acrylate copolymer dispersion, mono and di glycerides, polysorbate 80, propylene glycol, shellac, sodium lauryl sulfate, strong ammonia solution, sugar spheres (which contains liquid glucose, starch (maize) and sucrose), talc, titanium dioxide, triethyl citrate and yellow iron oxide. Questions or comments? call 1-855-274-4122 (Monday Friday 8:30 AM to 5:00 PM EST)

Base (Page #3) **Bottom Ply**

Carton)

FAMILY
Wellness
See new warning information
COMPARE TO
NEXIUM® 24 HR
ACTIVE INGREDIENT

ESOMEPRAZOLE
MAGNESIUM
24
Delayed-Release Capsules USP, 20 mg* HOUR


Acid Reducer Treats Frequent Heartburn

May take 1 to 4 days for full effect

14 CAPSULES
ONE 14-DAY COURSE OF TREATMENT

__ ACTUAL SIZE

NDC 55319-051-05



ESOMEPRAZOLE MAGNESIUM

esomeprazole magnesium capsule, delayed release

| Product Information | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:55319-051 |
| Route of Administration | ORAL | | |

| Active Ingredient/Active Moiety | | | |
|---|----------------------|----------|--|
| Ingredient Name | Basis of Strength | Strength | |
| ESOMEPRAZOLE MAGNESIUM DIHYDRATE (UNII: 36H71644EQ) (ESOMEPRAZOLE - UNII:N3PA6559FT) | ESOMEPRAZ OLE | 20 mg | |
| | | | |

Inactive Ingredients

| Ingredient Name | Strength | |
|---|----------|--|
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | | |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | | |
| GELATIN, UNSPECIFIED (UNII: 2G86QN327L) | | |
| HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH) | | |
| HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO) | | |
| MAGNESIUM CARBONATE (UNII: 0E53J927NA) | | |
| MAGNESIUM OXIDE (UNII: 3A3U0GI71G) | | |
| METHACRYLIC ACID - ETHYL ACRYLATE COPOLYMER (1:1) TYPE A (UNII: NX76LV5T8J) | | |
| GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4) | | |
| POLYSORBATE 80 (UNII: 60ZP39ZG8H) | | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | | |
| SHELLAC (UNII: 46N107B710) | | |
| SODIUM LAURYL SULFATE (UNII: 368GB5141J) | | |
| AMMONIA (UNII: 5138Q19F1X) | | |
| DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2) | | |
| STARCH, CORN (UNII: O8232NY3SJ) | | |
| SUCROSE (UNII: C151H8M554) | | |
| TALC (UNII: 7SEV7J4R1U) | | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | | |
| TRIETHYL CITRATE (UNII: 8Z96QXD6UM) | | |
| FERRIC OXIDE YELLOW (UNII: EX43802MRT) | | |

| Product Characteristics | | | |
|-------------------------|---------|--------------|----------|
| Color | WHITE | Score | no score |
| Shape | CAPSULE | Size | 14mm |
| Flavor | | Imprint Code | 181 |
| Contains | | | |

| Packaging | | | | |
|-----------|----------------------|---|-------------------------|-----------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:55319-051- 05 | 1 in 1 CARTON | 08/17/2023 | |
| 1 | | 14 in 1 BOTTLE; Type 0: Not a Combination Product | | |
| 2 | NDC:55319-051- 03 | 3 in 1 CARTON | 08/17/2023 | |
| 2 | | 14 in 1 BOTTLE; Type 0: Not a Combination Product | | |

| Marketing Information | | | |
|-----------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| ANDA | ANDA209339 | 08/17/2023 | |
| | | | |

Labeler - Family Dollar Stores, LLC (024472631)

Registrant - Aurohealth LLC (078728447)

| Establishment | | | |
|--------------------------|---------|-----------|---|
| Name | Address | ID/FEI | Business Operations |
| Aurobindo Pharma Limited | | 650381903 | ANALYSIS(55319-051), MANUFACTURE(55319-051) |

Revised: 8/2023 Family Dollar Stores, LLC