NITROGEN- nitrogen gas Praxair Distribution Mid-atlantic, Llc

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Nitrogen

UN166 NITROGEN, COMPRESSED NF

CONTENTS LOT NUMBER

CAUTION! HIGH-PRESSURE GAS. CAN CAUSE RAPID SUFFOCATION. MAY CAUSE DIZZINESS AND

(52°C). Use with equipment rated for cylinder pressure. Use a backflow prevention device in any piping. Close

valve after each use; keep closed even when empty. Always secure cylinder. Install cap, if provided, when not in use. Use per Praxair MSDS form P-4631 and safe practices booklets P-3499 and P-14-153; obtain from your local supplier. FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, qualified personnel may give oxygen. Call a physician. WARNING! Administration of nitrogen may be

hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of nitrogen and is familiar with the indications, effects, dosages, methods and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

Rx ONLY CAS 7727-37-8

IN CASE OF EMERGENCY: CALL 1-800-645-4633 DISTRIBUTED BY PRAXAIR, INC., DANBURY DO NOT REMOVE THIS LABEL PMG-4 (11/07)

Copyright 2002, 2005, 2007, Praxair Technology, inc.

Praxair, the flowing airstream design and Medipure are trademarks of Praxair Technology, Inc. DISTRIBUTED BY PRAXAIR, INC, DANBURY, CT 06810-5113



ALWAYS KEEP CONTINER IN UPRIGHT POSITION. DO NOT CHANGE OR FORCE-FIT CONNECTIONS

LOT#

NET CONTENTS

WARNING! EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE SEVERE FROSTBITE. MAY CAUSE DIZZINESS AND DROWSINESS.

Store and use with adequate ventilation. Do not get liquid in eyes, on skin, or on clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Use piping and equipment adequately designed to

withstand any pressures to be encountered. Use a backflow prevention device in any piping. Container temperature should not exceed 125°F (52°C). Close valve after each use; keep closed even when empty. Always secure container so it cannot be knocked over. Use per Praxair MSDS form P-4630 and safety booklets P-3499 and P-14-153 (obtain from your local supplier), and manufacturer's instructions for this container

RX ONLY

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, qualified personnel may give oxygen. Call a physician. IN CASE OF FROSTBITE, obtain medical treatment immediately.

WARNING: Administration of nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and Administration of nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

DO NOT REMOVE THIS LABEL

Rx ONLY CAS 7727-37-9 PRODUCED BY AIR LIQUEFACTION

IN CASE OF EMERGENCY: CALL 1-800-645-4633 DISTRIBUTED BY PRAXAIR, INC., DANBURY PMG-10 (07/08)

Copyright 1998, 2002, 2008. Praxair Technology, Inc. All rights reserved

Praxair, the flowing airstream design and Medipure are trademarks of Praxair Technology, Inc. DISTRIBUTED BY PRAXAIR, INC, DANBURY, CT 06810-5113



WARNING! EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE SEVERE FROSTBITE. MAY CAUSE DIZZINESS AND DROWSINESS.

Store and use with adequate ventilation. Do not get liquid in eyes, on skin, or on clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Use piping and equipment adequately designed to withstand any pressures to be encountered. Use a backflow prevention device in any piping. Container temperature should not exceed 125°F (52°C). Close valve after each use; keep closed even when empty. Always secure container so it cannot be knocked over. Use per Praxair MSDS form P-4630 and safety booklets P-3499 and P-14-153 (obtain from your local supplier), and manufacturer's instructions for this container.

Rx ONLY

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, qualified personnel may give oxygen. Call a physician. IN CASE OF FROSTBITE, obtain medical treatment immediately.

WARNING: Administration of nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

IN CASE OF EMERGENCY: CALL 1-800-645-4633

DO NOT REMOVE THIS LABEL

PRAXAIR

MADE IN USA PMG-10 (07/08)

Copyright © 1998, 2002, 2008, Praxair Technology, Inc. All rights reserved.

Praxair, the Flowing Airstream design, and Medipure are trademarks of Praxair Technology, Inc.

DISTRIBUTED BY PRAXAIR, INC.
DANBURY, CT 00810-5113

NITROGEN

nitrogen gas

Product Information

 Product Type
 HUMAN PRESCRIPTION DRUG
 Item Code (Source)
 NDC:76133-002

 Route of Administration
 RESPIRATORY (INHALATION)

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NITRO GEN (UNII: N762921K75) (NITROGEN - UNII:N762921K75)	NITROGEN	990 mL in 1 L

Packaging Marketing Start Marketing End Item Code **Package Description** Date Date 13819 L in 1 CYLINDER; Type 0: Not a Combination 1 NDC:76133-002-01 **Product** NDC:76133-002-12176 L in 1 CYLINDER; Type 0: Not a Combination 2 **Product** NDC:76133-002-9656 L in 1 CYLINDER; Type 0: Not a Combination 3 NDC:76133-002-8608 L in 1 CYLINDER; Type 0: Not a Combination **Product** 04 NDC:76133-002-5 7221 L in 1 CYLINDER; Type 0: Not a Combination Product 05 NDC -76 122 002

6	06	6454 L in 1 CYLINDER; Type 0: Not a Combination Product	
7	NDC:76133-002- 07	4021 L in 1 CYLINDER; Type 0: Not a Combination Product	
8	NDC:76133-002- 08	3228 L in 1 CYLINDER; Type 0: Not a Combination Product	
9	NDC:76133-002- 09	2152 L in 1 CYLINDER; Type 0: Not a Combination Product	
10	NDC:76133-002-10	1104 L in 1 CYLINDER; Type 0: Not a Combination Product	
11	NDC:76133-002-11	651 L in 1 CYLINDER; Type 0: Not a Combination Product	
12	NDC:76133-002-12	538 L in 1 CYLINDER; Type 0: Not a Combination Product	
13	NDC:76133-002-13	396 L in 1 CYLINDER; Type 0: Not a Combination Product	
14		198 L in 1 CYLINDER; Type 0: Not a Combination Product	
15		113 L in 1 CYLINDER; Type 0: Not a Combination Product	
	NDC:76133-002-16	7079 L in 1 CYLINDER; Type 0: Not a Combination Product	
17	NDC:76133-002-17	4021 L in 1 CYLINDER; Type 0: Not a Combination Product	
18	NDC:76133-002-18	878 L in 1 CYLINDER; Type 0: Not a Combination Product	
19	NDC:76133-002-19	651 L in 1 CYLINDER; Type 0: Not a Combination Product	
20	NDC:76133-002- 20	566 L in 1 CYLINDER; Type 0: Not a Combination Product	
21	NDC:76133-002-21	396 L in 1 CYLINDER; Type 0: Not a Combination Product	
22	NDC:76133-002-22	142 L in 1 CYLINDER; Type 0: Not a Combination Product	
23	NDC:76133-002-23	87773 L in 1 DEWAR; Type 0: Not a Combination Product	
24	NDC:76133-002-24	92489 L in 1 DEWAR; Type 0: Not a Combination Product	
25	NDC:76133-002-25	102281 L in 1 DEWAR; Type 0: Not a Combination Product	
26	NDC:76133-002- 26	107722 L in 1 DEWAR; Type 0: Not a Combination Product	
27	NDC:76133-002-27	114976 L in 1 DEWAR; Type 0: Not a Combination Product	
28	NDC:76133-002- 28	132023 L in 1 DEWAR; Type 0: Not a Combination Product	
29	NDC:76133-002- 29	137463 L in 1 DEWAR; Type 0: Not a Combination Product	
30	NDC:76133-002- 30	247724 L in 1 DEWAR; Type 0: Not a Combination Product	
31	NDC:76133-002-31	363063 L in 1 DEWAR; Type 0: Not a Combination Product	
32	NDC:76133-002-32	91400 L in 1 DEWAR; Type 0: Not a Combination Product	
33	NDC:76133-002-33	10 1556 L in 1 DEWAR; Type 0: Not a Combination Product	
34	NDC:76133-002-34	124406 L in 1 DEWAR; Type 0: Not a Combination Product	
35	NDC:76133-002-35	143267 L in 1 DEWAR; Type 0: Not a Combination Product	
M	arketing Info	ormation	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		10/01/2007	

Labeler - Praxair Distribution Mid-atlantic, Llc (808461896)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution Mid-atlantic, Llc		808461896	manufacture(76133-002)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		065591187	manufacture(76133-002)
Establishment			
	Address	ID/FEI	Business On sustinus
Name Provoir Distribution Inc.	Address	167418326	Business Operations
Praxair Distribution, Inc.		16/418326	manufacture(76133-002)
Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		063205512	manufacture(76133-002)
Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.	11441633	002246916	manufacture (76133-002)
Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		148052277	manufacture (76 133-002)
Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		879317022	manufacture(76133-002)
Establishmant			
Establishment Name	Address	ID/FEI	Business Operations
	Address	555510726	
Praxair Distribution, Inc.		333310720	manufacture(76133-002)
Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		037432010	manufacture(76133-002)
Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		099430951	manufacture(76133-002)

Revised: 10/2015 Praxair Distribution Mid-atlantic, Llc