MAJOR ARTHRITIS PAIN RELIEF PATCH- menthol, methyl salicylate patch Major Pharmaceuticals

Major Arthritis Pain Relief Patch

Active Ingredients

Active Ingredients Purpose

Menthol 3.0%Topical Analgesic

Methyl Salicylate 10.0% NSAID: nonsteroidal anti-inflammatory drugTopical Analgesic

For External Use Only

Allergy alert: If prone to allergic reaction from asprin or salicylates, consult a doctor before use **Stomach bleeding**

warning: This product contains an NSAID, which may cause stomach bleeding. The chance is small but higher if

you: ■ are age 60 or older ■ have stomach ulcers or bleeding problems ■ take a blood thinning (anticoagulant) or

steroid drug \blacksquare take other drugs containing an NSAID (asprin, ibuprofen, naproxen, or others) \blacksquare have 3 or more

alcoholic drinks every day while using this product ■ take (apply) more or for longer time than directed

Do not use:

on the face or rashes \blacksquare on wounds or damaged skin \blacksquare if allergic to aspirin or other NSAIDs \blacksquare with a

heating pad \blacksquare when sweating (such as from exercise or heat) \blacksquare any patch from a pouch that has be open for 14 or

more days ■ right before or after heart surgery

When using this product

 \blacksquare use only as directed \blacksquare wash hands after applying or removing patch \blacksquare avoid contact with eyes, If eye contact occurs, rinse thoroughly with water \blacksquare Dispose of used patch away from children and pets.

Used patches still contain the drug product which can produce serious adverse effects if a child or pet chews

or ingests the patch ■ the risk of heart attach or stroke may increase if you use more than directed or for longer

than directed

Stop use and consult a doctor

 \blacksquare stomach pain or upset gets worse or lasts \blacksquare you feel faint, vomit blood, or have bloody or black stools. These are a sign of stomach bleeding \blacksquare rash, itchy or skin irritation develops \blacksquare condition

worsens \blacksquare symptoms last for more than 3 days \blacksquare symptoms clear up and occur again within a few days

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Packaging is not child-resistant

Uses

For temporary relief of minor aches and pains of muscles and joints associated with arthritis, simple backache, strains, sprains, and bruises.

Directions

Adults 18 years of age and over: ■ only use 1 patch at a time ■ clean and dry affected area.

- remove patch from backing film and apply to skin (see illustration) leave patch in place for up to 8 to 12 hours
- if pain lasts after using the first patch, a second patch may be applied for up to another 8 to 12 hours remove

used patch from the skin before a new one is applied \blacksquare do not use more than 2 patches per day \blacksquare do not use for

more than 3 days in row ■ properly discard patch after single use ■ reseal pouch after opening.

Children under 18 years of age: do not use this product.

Inactive Ingredients

Hydrogenated Poly, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Petroleum, Styrene / Isoprene Copolymer

Indication and Usage

Temporarily relieves mild to moderate aches and pains of muscles and joints associated with:

 \blacksquare strains \blacksquare sprains \blacksquare simple backache \blacksquare arthritis \blacksquare bruises

If pregnant or breastfeeding

ask a doctor before use while breast-feeding and during the first 6 months of pregnancy. Do not use during the last 3 months of pregnancy because it may cause problems in the unborn child or complications during delivery.

Ask a doctor before use

■ you are allergic to topical products
 ■ the stomach bleeding warning applies to you
 ■ you are taking a diuretic
 ■ you have high blood pressure, heart disease, or kidney disease

Questions or Comments?


Toll Free 1-866-326-1313

Other information

■ store at 20-25°C (68-77°F) ■ avoid storing in direct sunlight ■ protect product from excessive moisture ■ some individuals may not experience pain relief until several hours after applying the patch

Major Arthritis Pain Relief Patch Label





Arthritis Pain Relief Patch

3%/10% Menthol 3%, Methyl Salicylate 10% | Topical Analgesic



MAJOR

Arthritis Pain Relief Patch

Menthol 3%, Methyl Salicylate 10% **Topical Analgesic**



Temporarily relieves aches & pains Stay-put flexible patch Single-use application Apply for 8-12 hours

Do not use more than one patch at a time See directions for proper use









LOT ĐΦ

MAJOR ARTHRITIS PAIN RELIEF PATCH

Rev.04/23 M-163 Re-order No. 301356

menthol, methyl salicylate patch

Drug Facts

 $\begin{tabular}{ll} USe Transporally release mild to moderate whose and pains of muscles and joints associated with ustrains a sprains a simple be deather within a bruisse $$WarningS$ For external use only $$WarningS$ For external use $$WarningS$ For$

Warraing 5 for external use only.

Alter guist in Egyptian to the degree or external to see of the control of the control to degree or external to the control of the contr

union under 18 years of aguit do not widelike product.

Other Information is access to oSCC (GNTF) avoid accing is described, interest production occarbendations acome hiddeline in your acceptance and relief under under linear strategies groups acceptance acceptan

Distributed by
MA JOR PHARMACEUTICALS
MA JOR PHARMACEUTICALS
92-4200.1 04/23
(800 Jolic Cart)
VC510046

Made in China
Made in China

Product Information HUMAN OTC DRUG NDC:0904-7342 **Product Type** Item Code (Source) **Route of Administration TOPICAL**

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	3 g in 100 g		
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:0414PZ4LPZ)	METHYL SALICYLATE	10 g in 100 g		

Inactive Ingredients		
Ingredient Name	Strength	
HYDROGENATED C6-20 POLYOLEFIN (100 CST) (UNII: 39EYQ1W9RB)		
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII:		

STYRENE/ACRYLAMIDE COPOLYMER (MW 500000) (UNII: 5Z4DPO246A)	
LIQUID PETROLEUM (UNII: 6ZAE7X688J)	
255PIF62MS)	

Product Characteristics			
Color		Score	
Shape	RECTANGLE	Size	
Flavor		Imprint Code	
Contains			

Pa	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-7342- 33	5 in 1 BOX	04/01/2023	
1		9 g in 1 PATCH; Type 0: Not a Combination Product		
	NDC:0904-7342- 01	1 in 1 POUCH	05/01/2023	
2		9 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	04/01/2023	

Labeler - Major Pharmaceuticals (191427277)

Establishment					
Name	Address	ID/FEI	Business Operations		
Foshan Agua Gel Biotech Co.,Ltd.		529128763	manufacture(0904-7342)		

Revised: 3/2024 Major Pharmaceuticals