

MAGMEX- magnesium hydroxide liquid
Menper Distributors, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active ingredient (in each 15 mL TBSP)

Magnesium hydroxide 1200 mg

Purpose

Saline laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in ½ to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

Ask a doctor or pharmacist before use if you are

taking any other drug. Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose•for accurate dosing, use dose cup provided
- TBSP = tablespoonful

adults and children 12 years and older

2 to 4 TBSP.

children 6 to 11 years

1 to 2 TBSP.

children under 6 years

ask a doctor

Other information

- each tablespoon (15 mL) contains: calcium 20 mg, magnesium 595 mg, and sodium 2 mg
- does not meet USP requirements for preservative effectiveness
- store at 20-25°C (68-77°F)
- keep tightly closed
- avoid freezing

Inactive ingredients

light mineral oil, peppermint oil, purified water, saccharin sodium

Questions? 1-800-560-5223 Monday-Friday 9 AM - 4 PM EST

Drug Facts

Active ingredient (in each tablespoonful, 15 mL) **Purpose**
 Magnesium hydroxide 1200 mg.....Saline laxative

Uses
 •relieves occasional constipation (irregularity) • generally produces bowel movement in ½ to 6 hours

Warnings
 Ask a doctor before use if you have
 • kidney disease • a magnesium-restricted diet • stomach pain, nausea, or vomiting • a sudden change in bowel habits that lasts more than 2 weeks
 Ask a doctor or pharmacist before use if you are • presently taking a prescription drug. Laxatives may interact with certain prescription drugs.

Stop use and ask a doctor if
 • you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
 • you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children.
 In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
 • shake well before use • do not exceed the maximum recommended daily dose in a 24 hour period
 • dose may be taken once a day preferably at bedtime, in divided doses, or directed by a doctor
 • drink a full glass (8 oz) of liquid with each dose • for accurate dosing, use dose cup provided
 • TBSF = tablespoonful (15 mL) mL = milliliter

Adults and children 12 years and older	2 - 4 TBSF (30 mL - 60 mL)
Children 6 to 11 years	1 - 2 TBSF (15 mL - 30 mL)
Children under 6 years	ask a doctor

Other information
 •each tablespoonful (15 mL) contains: magnesium 500 mg
 • store at 20°-25°C (68°-77°F) • keep lid tightly closed • avoid freezing
 •**Tamper-Evident Feature:** Do not use if imprinted shrinkband is missing or broken.

Inactive ingredients mineral oil, peppermint oil, sodium hypochlorite, sodium saccharin, spearmint flavor, water.

Questions? 1-800-560-5223 Monday-Friday (9 am - 4 pm EST)

Distributed by: **Menper Distributors, Inc.**
 6500 N.W. 35th Avenue Miami, FL 33147 / www.menperdistributors.com

5"

**MAGMEX**

magnesium hydroxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53145-060
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM HYDROXIDE	1200 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SPEARMINT (UNII: J7I2T6IV1N)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	white	Score	
Shape		Size	

Flavor	MINT	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53145-060-04	1 in 1 CARTON		
1		133 mL in 1 BOTTLE		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part334	02/21/2012		

Labeler - Menper Distributors, Inc. (101947166)

Revised: 3/2014

Menper Distributors, Inc.