

**SAPONARIA OFFICINALIS- saponaria officinalis root pellet**  
**Laboratoires Boiron**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**Saponaria officinalis 6X**

**Active Ingredients**

Saponaria officinalis 6X

(\*\*contains 0.443 mg of the active ingredient per pellet)

**Use**

Skin rash with itching\*

**Warnings**

**Stop use and ask a doctor if**

symptoms persist for more than 3 days or worsen.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

**Directions**

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information**

**Do not use** if pellet dispenser seal is broken.  
contains approx. 80 pellets

**Inactive ingredients**

lactose, sucrose

**Questions, Comments?**

1-800-BOIRON-1  
Newtown Square, PA 19073-3267  
info@boironusa.com

\*

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

### Principle Display Panel - Saponaria officinalis HPUS 6X

**Saponaria officinalis** **6<sup>x</sup>**

HPUS NDC 0220-4562-41

**BOIRON®**  
HOMEOPATHIC MEDICINE Made in France

Saponaria officinalis 6 x

Skin rash with itching.\*

Lot: 3 06960 Exp: 65603 6

Contains approx. 80 pellets. US

Peel for Drug Facts and instructions for use.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

**Drug Facts**

## **Drug Facts**

**Active ingredient\*\*:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

**Directions:** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information:** ■ Do not use if pellet dispenser seal is broken.

## **Drug Facts** (continued)

**Inactive ingredients:** lactose, sucrose

### **Questions or comments?**

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.

Newtown Square, PA 19073

How to  
dispense pellets?



1 Turn tube upside  
down



2 Twist until 5 pellets  
are dispensed



3 Carefully remove cap  
and use it to pour pellets

dis

down.

are dispensed into cap.

and use it to pour pellets under the tongue.

# Saponaria officinalis

# 6 x

HPUS NDC 0220-4562-41

**BOIRON®**

**Drug Facts:** *Active ingredient* listed above. *Use* for symptoms listed below. **Warnings:** ■ **Stop use and ask a doctor if** symptoms persist for more than 3 days or worsen. ■ **If pregnant or breast-feeding,** ask a health professional before use. ■ **Keep out of reach of children.** **Directions** 5 pellets 3 times a day until symptoms are relieved. **Other information:** **Do not use** if pellet dispenser seal is broken, contains approx. 80 pellets ■ **Inactive ingredients:** lactose, sucrose. \*These "Uses" have not been evaluated by the FDA.

**Lot:**

**Exp:**

**Skin rash with itching\***

HOMEOPATHIC MEDICINE ■ Made in France  
1-800-BOIRON-1 • Newtown Square, PA 19073 • info@boironusa.com

Turn tube  
upside down  
& twist cap

Pull here ▶▶



US

## SAPONARIA OFFICINALIS

saponaria officinalis root pellet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0220-4562
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
SAPONARIA OFFICINALIS ROOT (UNII: RI2K1BMA8B) (SAPONARIA OFFICINALIS ROOT - UNII:RI2K1BMA8B)	SAPONARIA OFFICINALIS ROOT	6 [hp_X]

### Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE (UNII: J2B2A4N98G)	

### Product Characteristics

Color	white	Score	
Shape	ROUND	Size	4mm
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-4562-41	80 in 1 TUBE; Type 0: Not a Combination Product	03/03/1983	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/03/1983	

**Labeler** - Laboratoires Boiron (282560473)

**Registrant** - Boiron Inc. (014892269)

### Establishment

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-4562)

Revised: 11/2023

Laboratoires Boiron