

EX-LAX MAXIMUM STRENGTH STIMULANT LAXATIVE- sennosides pill
Haleon US Holdings LLC

Drug Facts

Active ingredient

Sennosides 25 mg

Purpose

Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do Not Use

Do not use laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor

Ask Doctor before use if you have

noticed a sudden change in bowel habits that persists over a period of 2 weeks

Ask a doctor or pharmacist before use if you

are taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When Using this product

do not use for a period longer than 1 week

Stop use and ask a doctor if

rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep Out of Reach of Children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- swallow tablet with a glass of water
- swallow tablet whole, do not crush, break or chew

| | |
|---|-------------------------------|
| adults and children 12 years of age and older | 2 tablets once or twice daily |
| children 6 to under 12 years of age | 1 tablet once or twice daily |
| children under 6 years of age | ask a doctor |

Other information

- **each tablet contains:** calcium 40 mg, magnesium 5 mg
- store at controlled room temperature 20-25C (68-77F).

Inactive ingredients

acacia, calcium carbonate, carnauba wax, corn starch dibasic calcium phosphate, FD&C blue no.1 aluminum lake, iron oxide black, magnesium stearate, methyl paraben, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, propylene glycol, propyl paraben, shellac, silicon dioxide, sodium benzoate, sodium lauryl sulfate, sucrose, talc, titanium dioxide

Questions or Comments?

call **1-855-221-5432**

Additional information listed on other panels

The Ex•Lax® Guarantee: When taken as directed, Ex•Lax® is guaranteed to work gently and effectively overnight or your money back. Return product to GSK, attention Consumer Affairs, for full refund.

Tamper Evident Feature: Ex•Lax® Tablets are sealed in blister packets. Use only if the individual seal is unbroken.

Distributed by: **GlaxoSmithKline Consumer Healthcare Holdings (US), LLC.**
Warren, NJ 07059 ©20xx

Principal Display Panel

NDC 0067-8142-01

Maximum Strength

ex•lax®

SENNOSIDES, USP, 25 mg

STIMULANT LAXATIVE

RELIEF GUARANTEED

GENTLE OVERNIGHT RELIEF YOU CAN TRUST

GENTLE OVERNIGHT
RELIEF YOU CAN TRUST

24 TABLETS



Sennosides, 25 mg
Stimulant Laxative

Ex-Lax[®]

MAXIMUM STRENGTH



NDC 0067-8142-01

24 TABLETS



Ex-Lax[®]

MAXIMUM STRENGTH

B-0630-504-08
ORG
6

Drug Facts

Active ingredient (in each tablet)

Sennosides 25 mg

Purpose

Stimulant laxative

Uses • relieves occasional constipation (irregularity) • generally produces bowel movement in 6 to 12 hours

Warnings

Do not use laxative products when abdominal pain, nausea or vomiting are present unless directed by a doctor

Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks

Ask a doctor or pharmacist before use if you are taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When using this product do not use for a period longer than 1 week

Stop use and ask a doctor if rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

• swallow tablet(s) with a glass of water • swallow tablet(s) whole, do not crush, break or chew

adults and children 12 years of age and older | 2 tablets once or twice daily

children 6 to under 12 years of age | 1 tablet once or twice daily


children under 6 years of age | ask a doctor

Other information

• each tablet contains: calcium 40 mg, magnesium 5 mg
• store at controlled room temperature 20-25°C (68-77°F)

Tamper Evident Feature: Ex-Lax[®]
Tablets are sealed in blister packets. Use only if the individual seal is unbroken.

The Ex-Lax[®] Guarantee: When taken as directed, Ex-Lax[®] is guaranteed to work gently and effectively overnight or your money back. Return product to GSK, attention Consumer Affairs, for full refund.



3 00670 01624 1



1-855-221-5432

Distributed by:

GSK Consumer Healthcare

Warren, NJ 07059

Trademarks are owned by or licensed to the GSK group of companies.

©2017 GSK or its licensor. All rights reserved. 13142

Drug Facts (continued)

Inactive ingredients acacia, calcium carbonate, carnauba wax, corn starch, dibasic calcium phosphate, FD&C blue #1 aluminum lake, iron oxide black, magnesium stearate, methylparaben, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, propylene glycol, propylparaben, shellac, silicon dioxide, sodium benzoate, sodium lauryl sulfate, sucrose, talc, titanium dioxide

Questions or comments? call 1-855-221-5432

EX-LAX MAXIMUM STRENGTH STIMULANT LAXATIVE

sennosides pill

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0067-8142 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX) | SENNOSIDES | 25 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|---|-----------------|
| ACACIA (UNII: 5C5403N26O) | |
| CALCIUM CARBONATE (UNII: H0G9379FGK) | |
| CARNAUBA WAX (UNII: R12CBM0EIZ) | |
| STARCH, CORN (UNII: O8232NY3SJ) | |
| ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J) | |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| METHYLPARABEN (UNII: A2I8C7HI9T) | |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | |
| POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) | |
| POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990) | |
| POVIDONE, UNSPECIFIED (UNII: FZ989GH94E) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| PROPYLPARABEN (UNII: Z8IX2SC1OH) | |
| SHELLAC (UNII: 46N107B71O) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | |
| SODIUM LAURYL SULFATE (UNII: 368GB5141J) | |
| SUCROSE (UNII: C151H8M554) | |
| TALC (UNII: 7SEV7J4R1U) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |

Product Characteristics

| | | | |
|-----------------|-------|---------------------|----------|
| Color | BLUE | Score | no score |
| Shape | ROUND | Size | 10mm |
| Flavor | | Imprint Code | ex;lax;1 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:0067-8142-01 | 2 in 1 CARTON | 07/01/2017 | |
| 1 | | 12 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |
| 2 | NDC:0067-8142-02 | 4 in 1 CARTON | 07/01/2017 | |
| 2 | | 12 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M007 | 07/01/2017 | |

Labeler - Haleon US Holdings LLC (079944263)

Revised: 3/2024

Haleon US Holdings LLC