# KIDS SUNSCREEN SPF 70 MEIJER- avobenzone 3.00% homosalate 15.00% octisalate 5.00% octocrylene 10.00% oxybenzone 6.00% spray Meijer

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### **Drug Facts**

## Active ingredients Purpose

Avobenzone 3.00% Homosalate 15.00% Octisalate 5.00% Octocrylene 10.00% Oxybenzone 6.00%

Sunscreen

- helps prevent sunburn
- -higher SPF gives more protection

#### **Warnings**

For external use only

Flammable: do not use near heat

Do not use on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

**Keep out of reach of children**. If product is swallowed, get medical help or contact a Poison Control

Center right away.

#### **Directions**

spray liberally and spread evenly by hand 15 minutes before sun exposure


- reapply: after 80 minutes of swimming or sweating
- immediately after towel drying at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

## **Inactive ingredients**

Acrylates/Dimethicone Copolymer Acrylates/Octylacrylamide Copolymer Alcohol Denat. Ascorbyl Palmitate

Cyclopentasiloxane Dimethicone Fragrance Neopentyl Glycol Diheptanoate Octyldodecyl Citrate Crosspolymer Polyester-7 Polyester-8 Retinyl Palmitate Tocopheryl Acetate





Hammable: Do not use near heat, flame, or while smoking,

Do not use on damaged or broken skin

When using this product . Keep out of eyes, Rinse eyes with water to remove, Keep away from face to avoid breathing it • Do not puncture or incinerate.
Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away,

Directions • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Hold container 4 to 6 inches from the skin to apply • Do not spray directly into face. • Spray on hands then apply to face. • Do not apply in windy conditions • Use in a well-vertilated area • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a,m, - 2 p,m, • wear long-sleeve shirts, pants, hats, and sunglasses • Children under 6 months: Ask a doctor

Other information • protect this product from excessive heat and direct sun. . may stain fabrics

Inactive ingredients Acrylates/Dimethicone Copolymer, Acrylates/Octylacrylamide Copolymer, Alcohol Denat, Ascorbyl Palmitate, Cyclopentasiloxane, Dimethicone Fragrance, Neopentyl Glycol Diheptanoate, Octyldodecyl Citrate Crosspolymer, Polyester-7, Polyester-8, Retinyl Palmitate, Tocopheryl Acetate.



DIST. BY MEIJER DISTRIBUTION, INC. 2929 WALKER, NW, GRAND RAPIDS, MI 49544

# KIDS SUNSCREEN SPF 70 MEIJER

avobenzone 3.00% homosalate 15.00% octisalate 5.00% octocrylene 10.00% oxybenzone 6.00% spray

#### **Product Information** Product Type HUMAN OTC DRUG Item Code (Source) NDC:41250-786 TOPICAL **Route of Administration**

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Avobenzone (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	Avobenzone	3 g in 100 g
Homosalate (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95S)	Ho mo sa la te	15 g in 100 g
Octisalate (UNII: 4X49 Y0596W) (OCTISALATE - UNII:4X49 Y0596W)	Octisalate	5 g in 100 g
Octocrylene (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	Octocrylene	10 g in 100 g
Oxybenzone (UNII: 9500S7VE0Y) (OXYBENZONE - UNII:9500S7VE0Y)	Oxybenzone	6 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
Alcohol (UNII: 3K9958V90M)	
Ascorbyl Palmitate (UNII: QN83US2B0N)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
Dimethicone (UNII: 92RU3N3Y1O)	
Neopentyl Glycol Diheptanoate (UNII: 5LKW3C543X)	
Polyester-7 (UNII: 0841698D2F)	
POLYESTER-8 (1400 MW, CYANO DIPHENYLPRO PENO YL CAPPED) (UNII: T9296U138P)	
VITAMIN A PALMITATE (UNII: 1D1K0 N0 VVC)	
.ALPHATO CO PHERO L ACETATE (UNII: 9E8X80D2L0)	

l	Packaging			
ı	# Item Code	Package Description	Marketing Start Date	Marketing End Date
ı	1 NDC:41250-786-04	142 g in 1 CAN; Type 0: Not a Combination Product	03/07/2013	

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part352	03/07/2013			

# **Labeler** - Meijer (006959555)

# Registrant - Product Quest Mfg (927768135)

Establishment			
Name	Address	ID/FEI	Business Operations
Product Quest Mfg		927768135	manufacture(41250-786), label(41250-786)

Revised: 5/2018 Meijer