DEVROM- bismuth subgallate capsule The Parthenon Co., Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Devrom®

Drug Facts

Active ingredient (in each capsule)

Bismuth subgallate 200 mg

Purpose

Internal Deodorant

Use for eliminating or reducing odor from flatulence (gas) and stool (feces).

Warnings

- If pregnant or breast-feeding, ask a health professional before use.
- When using this product a temporary, but harmless, darkening of the stool and/or tongue may occur.
- In case of overdose, get medical help or contact a Poison Control Center right away.
- Keep out of reach of children.

Directions

- Adults and children 12 years and over: 1 to 2 capsules up to four times daily or as directed by physician.
- Do not exceed 8 capsules in 24 hours.
- Children under 12 years: ask a doctor.

Other Information

- This product cannot be expected to be effective in the reduction of odor due to faulty personal hygiene.
- Does not contain gluten, lactose, or salicylates.
- Store in a cool, dry place. Do not use if outer safety seal or printed inner safety seal is broken.

Inactive ingredients

microcrystalline cellulose, maltodextrine, croscarmellose, silica, magnesium stearate.

Questions?

1-800-453-8898

Manufactured for and distributed by The Parthenon Company, Inc.

Devrom[®] (200 mg bismuth subgallate)

Internal Deodorant 100 capsules

8 66344 0003 1 7 Made in USA	Devrom® (200 mg bismuth subgallate) Unternal Deodorant 100 capsules	Drug Facts	Active ingredient (in each capsule) Purpose Bismuth subgallate 200 mg	Use for eliminating or reducing odor from flatulence (gas) and stool (feces).	Warnings • If pregnant or breast-feeding, ask a health professional before use. • When using this product a temporary, but harmless, darkening of the stool and/or tongue may occur. • In case of overdose, get medical help or contact a Poison Control Center right away. • Keep out of reach of children.	Directions • Adults and children 12 years and over. 1 to 2 capsules up to four times daily or as directed by physician. • Do not exceed 8 capsules in 24 hours. • Children under 12 years: ask a doctor.	Other Information • This product cannot be expected to be effective in the reduction of odor due to faulty personal hygiene. • Does not contain gluten, lactose, or salicy/lates. • Store in a cool, dry place. Do not use if outer safety seal or printed inner safety seal is broken.	Inactive ingredients microcrystalline cellulose, mattodex- trine, croscarmellose, silica, magnesium stearate.	Questions? 1-800-453-8898	Annufactured for and distributed by The Parthenon Company, Inc.
Made in U.S.A.		Q	Bisin	Use and	War Vefc harr Pois Veis		Peee Aggie Cr	trine		• •

DEVROM						
bismuth subgallate cap	sule					
Product Informatio	n					
Product T ype		HUMAN OTC DRUG	Item Code (Source	NDC:49309-002		
Route of Administratio	n	ORAL				
Active Ingredient/A		•				
Ingredient Name Basis of S						Strength
BISMUTH SUBGALLATI	E (UNII: YIW5))3MI7V) (BISMUTH CATION - U	NII:ZS9CD1I8YE)	BISMUTHSU	JBGALLATE	200 mg
)3MI7V) (BISMUTH CATION - U	NII:ZS9CD118YE)	BIS MUTH SU	JBGALLATE	200 mg
		03MI7V) (BISMUTH CATION - U Ingredient Name	'NII:ZS9CD118YE)	BISMUTH SU		200 mg
Inactive Ingredient	S	Ingredient Name	'NII:ZS9CD118YE)	BISMUTH SU		
Inactive Ingredient magnesium stearate (UN	S NII: 70097M61	Ingredient Name	'NII:ZS9CD118YE)	BISMUTH SU		
Inactive Ingredient magnesium stearate (UN microcrystalline cellulo	S NII: 70097M6I se (UNII: OP1	Ingredient Name 30) R32D6 1U)	NII:ZS9CD118YE)	BISMUTH SU		
Inactive Ingredient magnesium stearate (UN microcrystalline cellulo MALTODEXTRIN (UNII:	S NII: 70097M6I se (UNII: OP1 7CVR7L4A2D	Ingredient Name 30) R32D6 1U)))	'NII:ZS9CD118YE)	BISMUTH SU		
Inactive Ingredient magnesium stearate (UN microcrystalline cellulo MALTODEXTRIN (UNII: croscarmellose sodium (S NII: 70097M61 Se (UNII: OP1 7CVR7L4A2D (UNII: M28OL	Ingredient Name 30) R32D61U))) 1HH48)	'NII:ZS9CD118YE)	BISMUTH SU		
Inactive Ingredient magnesium stearate (UN microcrystalline cellulo MALTODEXTRIN (UNII: croscarmellose sodium (S NII: 70097M61 Se (UNII: OP1 7CVR7L4A2D (UNII: M28OL	Ingredient Name 30) R32D61U))) 1HH48)	'NII:ZS9CD118YE)	BISMUTH SU		
Inactive Ingredient magnesium stearate (UN microcrystalline cellulo MALTODEXTRIN (UNII: croscarmellose sodium (SILICON DIO XIDE (UNII	S NII: 70097M6 I se (UNII: OP1 7CVR7L4A2D (UNII: M28OL I: ETJ7Z6 XBU	Ingredient Name 30) R32D61U))) 1HH48)	'NII:ZS9CD118YE)	BISMUTH SU		
Inactive Ingredient magnesium stearate (UN microcrystalline cellulo MALTO DEXTRIN (UNII: croscarmellose sodium (SILICON DIO XIDE (UNII Product Characteri	S NII: 70097M61 Se (UNII: OP1 7CVR7L4A2D (UNII: M280L I: ETJ7Z6XBU	Ingredient Name 30) R32D61U))) 1HH48) 4)		BISMUTH SU	Stre	
Inactive Ingredient magnesium stearate (UN microcrystalline cellulo MALTODEXTRIN (UNII: croscarmellose sodium (SILICON DIO XIDE (UNII	S NII: 70097M6 I se (UNII: OP1 7CVR7L4A2D (UNII: M28OL I: ETJ7Z6 XBU	Ingredient Name 30) R32D61U))) 1HH48) 4)	NII:ZS9CD118YE) Score Size	BISMUTH SU		

Flavor	Imprin	De vro m						
Contains								
Packaging								
# Item Code	Package Description	Marketing Start Date	Marketing End Date					
1 NDC:49309-002- 01	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/0 1/20 18						
Marketing Information								
Marketing Categor	Iarketing Category Application Number or Monograph Citation		Marketing End Date					
OTC monograph final	part357I	12/0 1/20 18						

```
Labeler - The Parthenon Co., Inc. (073014607)
```

Revised: 12/2018

The Parthenon Co., Inc.