

**WAL-ITIN- loratadine tablet, chewable**  
**WALGREENS CO.**

-----  
**Wal-itin**®

**Drug Facts**

**Active ingredient (in each chewable tablet)**

Loratadine USP, 5 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

**Warnings**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**When using this product** do not take more than directed. Taking more than directed may cause drowsiness.

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- chew or crush tablets completely before swallowing.

---

adults and children 6	chew 2 tablets daily; not more than 2
--------------------------	--

years and over	chewable tablets in 24 hours
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 chewable tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

### Other information

- phenylketonurics: contains phenylalanine 1.25 mg per tablet.
- **TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**
- store between 20° to 25°C (68° to 77°F).

### Inactive ingredients

aspartame, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

### Questions?

call toll-free Monday to Friday 8:30 am to 5:00 pm EST at **1-800-406-7984**.

DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015

### PRINCIPAL DISPLAY PANEL - 5 mg Tablet Blister Pack Carton

NDC 0363-9995-30

Walgreens

Compare to the active ingredient in Children's Claritin<sup>®</sup> Chewables<sup>††</sup>

• WALGREENS •  
PHARMACIST RECOMMENDED<sup>†</sup>

Children's  
Allergy Relief

LORATADINE CHEWABLE TABLETS USP, 5 mg / ANTIHISTAMINE

Dye Free  
Non-Drowsy\*

## 24-Hour Relief

- 24-hour relief of sneezing, runny nose, itchy throat or nose, & itchy, watery eyes
- Indoor & outdoor allergies

## AGES

2+

## YEARS

30

## CHEWABLE TABLETS

Chewable tablets are to be chewed before swallowing.

## ACTUAL SIZE

Bubble Gum

flavor

\*WHEN TAKEN AS DIRECTED. SEE DRUG FACTS PANEL.

**Walgreens** Children's Allergy Relief

**Walgreens** Compare to the active ingredient in Children's Claritin<sup>®</sup> Chewables<sup>™</sup>

**Children's Allergy Relief**

LORATADINE CHEWABLE TABLETS USP, 5 mg / ANTIHISTAMINE

Non-Drowsy\* Dye-Free

24-Hour Relief

- 24-hour relief of sneezing, runny nose, itchy throat or nose, & itchy, watery eyes
- Indoor & outdoor allergies

AGES 2+ YEARS

30 CHEWABLE TABLETS

Chewable tablets are to be chewed before swallowing.

ACTUAL SIZE Bubble Gum flavor

\*WHEN TAKEN AS DIRECTED. SEE DRUG FACTS PANEL.

DISTRIBUTED BY: WALGREEN CO. DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED  
walgreens.com ©2023 Walgreen Co.

ITEM 736191 W00000-0000-0

1191704497

W3ORG0124-F REV-0224

5248822

**Drug Facts**

**Active ingredient** (in each chewable tablet) Loratadine USP, 5 mg ..... Antihistamine

**Purpose** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

**Warnings** Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

if pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Drug Facts (continued)**

**Directions** chew or crush tablets completely before swallowing.

adults and children 6 years and over	chew 2 tablets daily; not more than 2 chewable tablets in 24 hours
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 chewable tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**

- phenylketonurics: contains phenylalanine 1.25 mg per tablet.
- TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.
- store between 20° to 25°C (68° to 77°F).

**Inactive ingredients** aspartame, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

**Questions?** call toll-free Monday to Friday 8:30 am to 5:00 pm EST at 1-800-406-7984.

Keep the carton. It contains important information. See end panel for expiration date.

NDC 0363-9995-30

GLUE - NO COATING

## WAL-ITIN

loratadine tablet, chewable

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-9995	
<b>Route of Administration</b>	ORAL			
<b>Active Ingredient/Active Moiety</b>				
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>	
	LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)	LORATADINE	5 mg	
<b>Inactive Ingredients</b>				
	<b>Ingredient Name</b>		<b>Strength</b>	
	ASPARTAME (UNII: Z0H242BBR1)			
	ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)			
	SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
	MAGNESIUM STEARATE (UNII: 70097M6130)			
	MANNITOL (UNII: 3OWL53L36A)			
	MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
	SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)			
	STEARIC ACID (UNII: 4ELV7Z65AP)			
<b>Product Characteristics</b>				
<b>Color</b>	white (white to off-white)	<b>Score</b>	no score	
<b>Shape</b>	ROUND (beveled edge)	<b>Size</b>	10mm	
<b>Flavor</b>	BUBBLE GUM	<b>Imprint Code</b>	112	
<b>Contains</b>				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:0363-9995-30	3 in 1 CARTON	08/01/2020	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
ANDA	ANDA210088	08/01/2020		

**Labeler** - WALGREENS CO. (008965063)

**Registrant** - Ohm Laboratories (184769029)

**Establishment**

Name	Address	ID/FEI	Business Operations
Ohm Laboratories		184769029	manufacture(0363-9995)

Revised: 3/2024

WALGREENS CO.