

SALICYLIC ACID- wart remover gel gel

Foodhold USA

Wart Remover Gel Tube

Active ingredient

Salicylic acid 17%w/w

Purpose

Wart remover

Uses

- for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface.
- Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Warnings

For external use only.

Flammable

keep away from fire and flame

Do not use

- on moles, birth marks and warts with hair growing from them
- on mucous membranes such as nose, anus, genitals and lips
- on irritated, infected or reddened skin
- on genital warts and warts on the face
- if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

When using this product

- if product gets into the eyes, flush with water for 15 minutes
- avoid inhaling vapors

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

if discomfort persists

see your doctor or podiatrist.

Directions

- after washing affected area, soak wart in for 5 minutes in comfortably warm water
- dry area thoroughly
- apply one drop of gel at a time to sufficiently cover each wart
- let dry
- repeat this procedure once or twice daily (until wart is removed) for up to 12 weeks

Other information

store between 59°F to 86°F (15°C to 30°C)

Inactive ingredients

camphor, castor oil, ethyl acetate, hydroxypropyl cellulose, hypophosphorous acid, isopropyl alcohol, nitrocellulose, polysorbate 80, SDA 3C ethyl alcohol

Questions?

call 1-866-964-0939

Principal Display Panel

CAREONE

MAXIMUM STRENGTH

WART REMOVER GEL

SALICYLIC ACID

SAFELY REMOVES COMMON AND PLANTAR WARTS

CONVENIENT & EASY

NO DRIP FORMULA

NET WT 0.25 OZ (7 g)



SALICYLIC ACID

wart remover gel gel

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:41520-567 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|-----------------|-------------------|----------|
|-----------------|-------------------|----------|

| | | | | |
|---|------------------|--|-----------------------------|---------------------------|
| SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ) | | SALICYLIC ACID | 0.17 g in 7 g | |
| | | | | |
| Inactive Ingredients | | | | |
| Ingredient Name | | | Strength | |
| CAMPHOR (NATURAL) (UNII: N20HL7Q941) | | | | |
| ALCOHOL (UNII: 3K9958V90M) | | | | |
| ETHYL ACETATE (UNII: 76845O8NMZ) | | | | |
| HYPOPHOSPHOROUS ACID (UNII: 8B1RL9B4ZJ) | | | | |
| HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P) | | | | |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H) | | | | |
| PYROXYLIN (UNII: KYR8BR2X6O) | | | | |
| CASTOR OIL (UNII: D5340Y2I9G) | | | | |
| | | | | |
| Packaging | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:41520-567-25 | 7 g in 1 TUBE; Type 0: Not a Combination Product | 10/20/2017 | |
| | | | | |
| Marketing Information | | | | |
| Marketing Category | | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | | M028 | 10/20/2017 | |

Labeler - Foodhold USA (809183973)

Revised: 1/2024

Foodhold USA