

**SCAR ZONE BURN TOPICAL ANALGESIC AND ANTISEPTIC- lidocaine,
benzalkonium chloride gel
CCA Industries, Inc.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Scar Zone Burn Gel Topical Analgesic & Antiseptic

Drug Facts

Active Ingredients

Lidocaine 2.00%
Benzalkonium Chloride 0.13%

Purpose

Topical Analgesic/Anesthetic
First Aid Antiseptic

Use

For temporary relief of pain or discomfort, for first degree burns or superficial second degree burns and to help prevent infection in: minor burns, cuts, scrapes.

Warnings

- **For external use only**

Do not use

- for more than 1 week
- in or near eyes
- over an area larger than the palm of your hand

Ask a doctor before use if

burn is severe

Ask a doctor or pharmacist before use if

- you have a history of heart disease or serious burns

Stop use and ask a doctor if

increased redness or weeping or pain persists or clears up and occurs again within a few days

Keep out of reach of children

In case of accidental ingestion, get medical help or contact a Poison Control Center right away.

Directions

adults and children 2 years and over

- clean the affected area
- lightly apply to the affected area 1 to 3 times daily
- may be covered with a sterile bandage
- **Children under 2 years,** consult a doctor.

Inactive Ingredients

allantoin, allium cepa (onion) bulb extract, aloe barbadensis leaf juice, benzyl alcohol, butylene glycol, calophyllum tacamahaca (tamanu) seed oil, camellia sinensis leaf extract, centella asiatica extract, citric acid, glycerin, melaleuca alternifolia (tea tree) leaf oil, methylisothiazolinone, phenoxyethanol, phytonadione, polysorbate 60, propylene glycol, sodium polyacrylate, water (aqua).

Questions or Comments?

- Call 1-800-595-6230

Package Labeling:

FAST PAIN RELIEF REDUCES RISK OF INFECTION

#61748



NDC# 61543-6174-5

ScarZone Burn Gel is specially formulated to treat minor burns. It contains a topical analgesic for fast pain relief and an antiseptic to help reduce bacteria. ScarZone helps to reduce the appearance of scarring and also contains green tea.

Drug Facts

Active ingredients

Lidocaine 2.00%..... Topical analgesic/anesthetic
Benzalkonium chloride 0.13%..... First aid antiseptic

Purpose

Use For temporary relief of pain or discomfort, for first degree burns or superficial second degree burns and to help prevent infection in: minor burns, cuts, scrapes.

Warnings

For external use only

Do not use ■ for more than 1 week ■ in or near eyes ■ over an area larger than the palm of your hand

Ask a doctor before use if ■ burn is severe

Ask a doctor or pharmacist before use if ■ you have a history of heart disease or serious burns

Stop use and ask a doctor if ■ increased redness or weeping or pain persists or clears up and occurs again within a few days

Keep out of reach of children. In case of accidental ingestion, get medical help or contact a Poison Control Center right away.

Directions

■ adults and children 2 years and over ■ clean the affected area ■ lightly apply to the affected area 1 to 3 times daily ■ may be covered with a sterile bandage ■ children under 2 years, consult a doctor.

Inactive ingredients allantoin, allium cepa (onion) bulb extract, aloe barbadensis leaf juice, benzyl alcohol, butylene glycol, calophyllum tacamahaca (tamanu) seed oil, camellia sinensis leaf extract, centella asiatica extract, citric acid, glycerin, melaleuca alternifolia (tea tree) leaf oil, methylisothiazolinone, phenoxyethanol, phytonadione, polysorbate 60, propylene glycol, sodium polyacrylate, water (aqua).

Questions or comments? Call 1-800-595-6230

www.scarzone.com



Manufactured in the USA for: CCA Industries, Inc.
65 Challenger Rd, Suite 340, Ridgefield Park, NJ 07660, USA
FC6174-05 1-800-595-6230 SZ-A-BU



BURN GEL

Topical Analgesic & Antiseptic



Treats burns, skin cuts
and abrasions.

Aids in wound healing
to help reduce the
appearance of scarring.



BURN GEL

Topical Analgesic & Antiseptic

- EXTRA STRENGTH
BURN RELIEF
- HELPS REDUCE THE
APPEARANCE OF
SCARS FROM BURNS



Results Guaranteed!

NET WT
0.5 OZ (14g)

for burns, cuts
and abrasions



Formulated with:

- Topical analgesic
for pain relief
- Powerful antiseptic
to help reduce bacteria
from burns



SCAR ZONE BURN TOPICAL ANALGESIC AND ANTISEPTIC

lidocaine, benzalkonium chloride gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61543-6174
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	2 g in 100 g
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM -	BENZALKONIUM	0.13 g

UNII: 7N6JUD5X6Y)

CHLORIDE

in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALLANTOIN (UNII: 344S277G0Z)	
ONION (UNII: 492225Q21H)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
CENTELLA ASIATICA (UNII: 7M867G6T1U)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	
TEA TREE OIL (UNII: VIF565UC2G)	
METHYLISOTHIAZOLINONE (UNII: 229D0E1QFA)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PHYTONADIONE (UNII: A034SE7857)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61543-6174-5	1 in 1 BOX	03/15/2019	
1		14 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	06/14/2010	

Labeler - CCA Industries, Inc. (106771041)

Revised: 12/2022

CCA Industries, Inc.