

**ENTERIC COATED ASPIRIN REGULAR STRENGTH- aspirin tablet, delayed release
McKesson Corporation dba SKY Packaging**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

331R ASA DR ORANGE TABS 325 MG

Do not use

- if you are allergic to aspirin or any other pain reliever/fever reducer

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma
- you have not been drinking fluids

Ask a doctor or pharmacist before use if you are

- taking a prescription drug for diabetes, gout, or arthritis
- taking any other drug
- under a doctor's care for any serious condition

Stop use and ask a doctor if

- you experience any of the following signs of stomach bleeding
 - ◦ feel faint
 - ◦ have bloody or black stools
 - ◦ vomit blood
 - ◦ have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present in the painful area
- any new symptoms appear
- ringing in the ears or a loss of hearing occurs

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- drink a full glass of water with each dose

- adults and children 12 years and over: take 1 to 2 tablets every 4 hours while symptoms last. Do not take more than 12 tablets in 24 hours unless directed by a doctor
- children under 12 years: consult a doctor

Other information

- store at 25° C (77° F) excursions permitted between 15°-30° C (59°-86° F)
- use by expiration date on package

corn starch, croscarmellose sodium, D-C yellow #10 aluminum lake, FD-C yellow #6 aluminum lake, hypromellose, methacrylic acid copolymer, microcrystalline cellulose, mineral oil, polysorbate 80, simethicone, sodium hydroxide, sodium lauryl sulfate, talc, titanium dioxide, triethyl citrate

Use for the temporary relief of minor aches and pains due to:

headache, colds, muscle pain, menstrual pain, toothache, minor pain of arthritis or as directed by your doctor

Pain Reliever

Warnings:

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction, which may include: hives, facial swelling, shock, asthma (wheezing)

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you are age 60 or older, have had stomach ulcers or bleeding problems, take a blood thinning (anticoagulant) or steroid drug, take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen or others), have 3 or more alcoholic drinks every day while using this product, take more or for a longer time than directed.

In each Tablet Aspirin 325 mg (NSAID*) *non-steroidal anti-inflammatory drug

HOW SUPPLIED

Product: 63739-523

NDC: 63739-523-01 30 TABLET, DELAYED RELEASE in a BLISTER PACK / 25 in a BOX, UNIT-DOSE

Enteric Coated Aspirin Regular Strength Regular Strength



6373952301

NDC 63739-523-01

ASPIRIN DR ENTERIC COATED TABLETS, USP 325mg

UD 750 Tablets (25X30)

Distributed by: McKesson Packaging Services a business unit of McKesson Corporation
7101 Washington Rd, Concord, NC 28027

6373952301

NDC 63739-523-01

ASPIRIN DR ENTERIC COATED TABLETS, USP 325mg

UD 750 Tablets (25X30)

Active Ingredients (in each tablet)Aspirin (C₉H₈O₄)**Proprietary**"Aspirin" (C₉H₈O₄)

*Nonsteroidal anti-inflammatory drug

Know the the response effect of aspirin when used pain due to headache with muscle pain nonsteroidal pain medicine versus

pain of arthritis as directed by your doctor

Warnings**Real-time information:** Children and teenagers who have or are recovering from chicken pox or the like symptoms should not use this

product. When using this product, if changes in behavior with unusual and vomiting occur, consult a doctor because these

symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Alcohol use: Aspirin may cause a variety of side effects, which may include: heart blood vessel, blood vessel, stomach,**Stomach bleeding warning:** This medicine causes an increase in stomach bleeding. The chance is higher if

you are age 60 or older, have had stomach ulcers or bleeding problems while a blood thinner (anticoagulant) or steroid drug.

Take other drugs containing aspirin or nonsteroidal anti-inflammatory drugs, including, naproxen, or other drugs for a

week. Do not use this drug while using this product "take more or for a longer time than directed."

Do not use if you are allergic to aspirin or any other pain reliever or**Use a doctor before use if you have asthma, stomach bleeding warning signs or you have a history of stomach problems,****such as heartburn, ulcers, or have bleeding. Do not use high blood pressure, heart disease, liver problems, or kidney disease.****Do not use if you are pregnant, taking oral or intravenous (injection) drugs for diabetes, pain, or arthritis, taking any other drug,****or taking a drug to treat any serious condition.****Keep use and safe a doctor if you experience any of the following signs of stomach bleeding that last more than 1 week or that occur****more than 3 times: black stools, dark stools, or dark stools,****or dark stools, or dark stools,****ENTERIC COATED ASPIRIN REGULAR STRENGTH**

aspirin tablet, delayed release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63739-523(NDC:49483-331)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	325 mg in 325

Inactive Ingredients

Ingredient Name	Strength
MODIFIED CORN STARCH (1-O CTENYL SUCCINIC ANHYDRIDE) (UNII: 461P5CJN6T)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
METHACRYLIC ACID - ETHYL ACRYLATE COPOLYMER (1:1) TYPE A (UNII: NX76LV5T8J)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
MINERAL OIL (UNII: T5L8T28FGP)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	

Product Characteristics			
Color	orange	Score	no score
Shape	ROUND	Size	11mm
Flavor		Imprint Code	T
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63739-523-01	25 in 1 BOX, UNIT-DOSE	06/28/2013	12/31/2020
1		30 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part343	01/04/2011	

Labeler - McKesson Corporation dba SKY Packaging (140529962)

Establishment			
Name	Address	ID/FEI	Business Operations
Legacy Pharmaceutical Packaging, LLC		143213275	repack(63739-523) , relabel(63739-523)

Revised: 1/2021

McKesson Corporation dba SKY Packaging