# SODIUM CITRATE AND CITRIC ACID- sodium citrate and citric acid monohydrate solution AvPAK

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

#### Sodium Citrate and Citric Acid Oral Solution USP

A Sugar-Free Systemic Alkalizer

#### **DESCRIPTION**

Sodium Citrate and Citric Acid Oral Solution USP is a stable and pleasant-tasting systemic alkalizer containing sodium citrate and citric acid in a sugar-free base. It is a nonparticulate neutralizing buffer.

Sodium Citrate and Citric Acid Oral Solution USP contains in each teaspoonful (5 mL): SODIUM CITRATE Dihydrate 500 mg (0.34 Molar)

CITRIC ACID Monohydrate 334 mg (0.32 Molar)

Each mL contains 1 mEq sodium ion and is equivalent to 1 mEq bicarbonate (HCO3).

INACTIVE INGREDIENTS: Flavoring, purified water, sodium benzoate, and sucralose solution.

#### CLINICAL PHARMACOLOGY

Sodium citrate is absorbed and metabolized to sodium bicarbonate, thus acting as a systemic alkalizer. The effects are essentially those of chlorides before absorption and those of bicarbonates subsequently. Oxidation is virtually complete so that less than 5% of sodium citrate is excreted in the urine unchanged.

#### INDICATIONS AND USAGE

Sodium Citrate and Citric Acid Oral Solution USP is an effective alkalinizing agent. It is useful in those conditions where long-term maintenance of an alkaline urine is desirable, and is of value in the alleviation of chronic metabolic acidosis, such as results from chronic renal insufficiency or the syndrome of renal tubular acidosis, especially when the administration of potassium salts is undesirable or contraindicated. This product is also useful for buffering and neutralizing gastric hydrochloric acid quickly and effectively.

Sodium Citrate and Citric Acid Oral Solution USP is concentrated, and when administered after meals and before bedtime, allows one to maintain an alkaline urinary pH around the clock, usually without the necessity of a 2 A.M. dose. This product alkalinizes the urine without producing a systemic alkalosis in the recommended dosage. This product is

highly palatable, pleasant tasting, and tolerable, even when administered for long periods.

#### CONTRAINDICATIONS

Patients on sodium-restricted diets or with severe renal impairment.

#### **PRECAUTIONS**

Sodium Citrate and Citric Acid Oral Solution USP should be used with caution by patients with low urinary output unless under the supervision of a physician. This product should not be administered concurrently with aluminum-based antacids. Patients should be directed to dilute adequately with water and preferably, to take each dose after meals to avoid saline laxative effect. Sodium salts should be used cautiously in patients with cardiac failure, hypertension, impaired renal function, peripheral and pulmonary edema, and toxemia of pregnancy. Periodic examinations and determinations of serum electrolytes, particularly serum bicarbonate level, should be carried out in those patients with renal disease in order to avoid these complications.

#### **ADVERSE REACTIONS**

Sodium Citrate and Citric Acid Oral Solution USP is generally well tolerated, without any unpleasant side effects, when given in recommended doses to patients with normal renal function and urinary output. However, as with any alkalinizing agent, caution must be used in certain patients with abnormal renal mechanisms to avoid development of alkalosis, especially in the presence of hypocalcemia.

To report SUSPECTED ADVERSE REACTIONS, contact AvKARE at 1-800-361-3993 or FDA at 1-800-FDA-1088 or www.fda.gov/medwatch..

#### **OVERDOSAGE**

Overdosage with sodium salts may cause diarrhea, nausea and vomiting, hypernoia, and convulsions.

#### **DOSAGE AND ADMINISTRATION**

Sodium Citrate and Citric Acid Oral Solution USP should be taken diluted in water, followed by additional water, if desired. SHAKE WELL BEFORE USING.

### For Systemic Alkalization

#### **Usual Adult Dose**

2 to 6 teaspoonfuls (10 to 30 mL), diluted in 1 to 3 ounces of water, after meals and at bedtime, or as directed by a physician.

#### **Usual Pediatric Dose**

1 to 3 teaspoonfuls (5 to 15 mL), diluted in 1 to 3 ounces of water, after meals and at bedtime, or as directed by a physician. For children under two years of age, use is based on consultation with a physician.

#### As a neutralizing buffer

3 teaspoonfuls (15 mL), diluted with 15 mL water, taken as a single dose, or as directed by a physician.

#### **HOW SUPPLIED**

Sodium Citrate and Citric Acid Oral Solution USP (colorless, cherry flavor) is supplied in the following oral dosage forms:

NDC 50268-182-11: 15 mL unit dose cup

NDC 50268-182-15: Case contains 40 unit dose cups of 15 mL

NDC 50268-183-11: 30 mL unit dose cup

NDC 50268-183-30: Case contains 40 unit dose cups of 30 mL

#### STORAGE:

Keep tightly closed. Store at controlled room temperature, 20°-25°C (68°-77°F). Protect from freezing.

#### **Rx ONLY**

Manufactured for:

AvKARE Pulaski, TN 38478 Rev. 04/23

PRINCIPAL DISPLAY PANEL - 15 mL Unit Dose Cup Label

NDC 50268-182-15

# Sodium Citrate and Citric Acid Oral Solution, USP

A Sugar-Free Systemic Alkalizer 1.5 g/1 g per 15 mL

Rx Only 40 x 15 mL cups



#### NDC 50268-182-15

## Sodium Citrate and Citric Acid Oral Solution, USP

A Sugar-Free Systemic Alkalizer 1.5 g/1 g per 15 mL

> Rx Only 40 x 15 mL cups



Sodium Citrate and Citric Acid Oral Solution USP contains in each teaspoonful (5 mL):

SODIUM CITRATE Dihydrate 500 mg (0.34 Molar)

CITRIC ACID Monohydrate 334 mg (0.32 Molar)

Each mL contains 1 mEq sodium ion and is equivalent to 1 mEq bicarbonate (HCO<sub>3</sub>).

Dosage and Administration: Sodium Citrate and Citric Acid Oral Solution USP should be taken diluted in water, followed by additional water, if desired. SHAKE WELL BEFORE USING.

STORAGE: Store at controlled room temperature, 20°-25°C (68°-77°F). Protect from freezing.

#### WARNING: Keep out of reach of children.

For complete product information, see package insert.

Manufactured for: AvKARE Pulaski, TN 38478 www.avkare.com

FG-50





AV 04/23 (P)

PRINCIPAL DISPLAY PANEL - 30 mL Unit Dose Cup Label

NDC 50268-183-30

# Sodium Citrate and Citric Acid Oral Solution, USP

A Sugar-Free Systemic Alkalizer 3 g/2 g per 30 mL

Rx Only 40 x 30 mL cups



NDC 50268-183-30

## Sodium Citrate and Citric Acid Oral Solution, USP

A Sugar-Free Systemic Alkalizer 3 g/2 g per 30 mL

> Rx Only 40 x 30 mL cups



Sodium Citrate and Citric Acid Oral Solution USP contains in each teaspoonful (5 mL):

SODIUM CITRATE Dihydrate 500 mg (0.34 Molar)

CITRIC ACID Monohydrate 334 mg (0.32 Molar)

Each mL contains 1 mEq sodium ion and is equivalent to 1 mEq bicarbonate (HCO<sub>3</sub>).

Dosage and Administration: Sodium Citrate and Citric Acid Oral Solution USP should be taken diluted in water, followed by additional water, if desired. SHAKE WELL BEFORE USING.

STORAGE: Store at controlled room temperature, 20°-25°C (68°-77°F). Protect from freezing.

#### WARNING: Keep out of reach of children.

For complete product information, see package insert.

Manufactured for: AvKARE Pulaski, TN 38478 www.avkare.com

FG-51





AV 04/23 (P)

#### SODIUM CITRATE AND CITRIC ACID

sodium citrate and citric acid monohydrate solution

#### **Product Information**

Product Type HUMAN PRESCRIPTION DRUG Item Code (Source) NDC:50268-182

Route of Administration ORAL

#### **Active Ingredient/Active Moiety**

**.** . .

Ingredient Name	Basis of Strength	Strength
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR) (ANHYDROUS CITRIC ACID - UNII:XF417D3PSL)	SODIUM CITRATE	500 mg in 5 mL
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) (ANHYDROUS CITRIC ACID - UNII:XF417D3PSL)	ANHYDROUS CITRIC ACID	334 mg in 5 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
CHERRY (UNII: BUC5I9595W)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:50268- 182-15	40 in 1 CARTON	06/13/2023		
1	NDC:50268- 182-11	15 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		06/13/2023		

# **SODIUM CITRATE AND CITRIC ACID**

sodium citrate and citric acid monohydrate solution

Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:50268-183
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
SODIUM CITRATE (UNII: 1Q73Q2JULR) (ANHYDROUS CITRIC ACID - UNII:XF417D3PSL)	SODIUM CITRATE	500 mg in 5 mL	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) (ANHYDROUS CITRIC ACID - UNII:XF417D3PSL)	ANHYDROUS CITRIC ACID	334 mg in 5 mL	

# **Inactive Ingredients**

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
CHERRY (UNII: BUC5I9595W)	

F	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:50268- 183-30	40 in 1 CARTON	06/13/2023		
1	NDC:50268- 183-11	30 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product			

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	06/13/2023		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

# **Labeler -** AVPAK (832926666)

Revised: 6/2023 AvPAK