

## **VAMOUSSE LICE PREVENTION- sodium chloride shampoo**

**TyraTech, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

### **Vamousse™ Lice Prevention Shampoo**

#### **Drug Facts**

##### **Active Ingredient**

Natrum muriaticum 1X (Sodium chloride, USP)

##### **Purpose**

Pediculosis remedy and prophylactic

##### **Uses**

For the prevention of head lice infestations

##### **Warnings**

###### **For external use only**

- Ask a doctor before use if you have infestation of eyebrows or eyelashes, or if you are pregnant.
- When using this product:  
do not use in or near the eyes, close eyes while product is being applied.  
do not permit contact with mucous membranes, such as inside the nose as irritation or stinging may occur.
- Stop use and ask a doctor if skin irritation or infection is present or develops.
- Keep out of reach of children.
- If swallowed, get medical help or contact a Poison Control Center right away.

**Stop use and ask a doctor** if eye irritation occurs, skin or scalp irritation continues or infection occurs – **Children under 6 months:** ask a doctor.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

##### **Directions**

###### **Important: Read Warnings before use. Adults and children 6 months and over:**

- Apply a generous amount of shampoo to wet hair, work into a lather and massage into scalp. Rinse thoroughly.
- Repeat process and leave shampoo on hair for at least 3 minutes.
- To treat head lice infestation, use the shampoo daily for at least 2 weeks.
- For best results on an extreme head lice infestation, use Vamousse treatment before using shampoo.

**Product may be used as often as needed.**

**Other Information**

Store between 59-86°F (15-30°C)

**Inactive Ingredients**

Benzyl alcohol, Cocamidopropyl betaine, Caprylic / capric triglycerides, Coconut oil, Disodium EDTA, Fragrances, Purified Water, Sodium laureth sulfate, Tea tree oil.

**Questions?**

1.855.373.7210 or [www.VamousseLice.com](http://www.VamousseLice.com)

Manufactured By:

**TYRATECH**

5151 McCrimmon Parkway, Suite 275

Morrisville, NC 27560

**PRINCIPAL DISPLAY PANEL - 236 ML Bottle Carton**

**DAILY SHAMPOO APPLICATION**

NDC 58962-003-01

HOMEOPATHIC

**PREVENTS**

**LICE INFESTATION**

**IN 1 EASY STEP!**

- **HELPS KEEP YOUR FAMILY LICE FREE**
- **NON-TOXIC**

**VAMOUSSE™**

**LICE PREVENTION**

**SCIENTIFICALLY PROVEN SAFE & EFFECTIVE**

**8 FL OZ (236 ML)**

**GENTLE FOR DAILY USE**

## DAILY SHAMPOO APPLICATION

NDC 58962-003-01

HOMEOPATHIC

### Vamousse Shampoo Is Perfect For:

- A follow up step after using a head lice treatment
- Helping your family prevent the spread of head lice from person to person
- Using as a preventative measure after there has been a head lice outbreak at your child's school
- Teachers and school administrators who may be in contact with students who have head lice

**Vamousse™ works! It prevents infestation by breaking the lice life cycle. Satisfaction guaranteed when used as directed.**

Vamousse™ is a trademark of TyraTech, Inc.  
PATENTS: [www.tyratech.com/legal](http://www.tyratech.com/legal)

Manufactured By:

**TYRATECH** 

5151 McCrimmon Parkway, Suite 275  
Morrisville, NC 27560



**VamousseLice.com**

# PREVENTS LICE INFESTATION IN 1 EASY STEP!

- HELPS KEEP YOUR FAMILY LICE FREE
- NON-TOXIC

**LICE  
PREVENTION**

**VAMOUSSE** 



8 FL OZ (236 ML)

GENTLE FOR DAILY USE

### HOW TO USE

- Apply a generous amount of shampoo to wet hair, work into a lather and massage into scalp. Rinse thoroughly.
- Repeat process and leave shampoo on hair for at least 3 minutes.
- To treat a head lice infestation, use the shampoo daily for at least 2 weeks.
- For best results on an extreme head lice infestation, use Vamousse treatment before using this shampoo.



**VamousseLice.com**

IN 1 EASY STEP!  
KILLS 100% OF LICE & EGGS



## DAILY SHAMPOO APPLICATION

### Drug Facts

#### Active Ingredient

Natrum muriaticum TX (Sodium chloride, USP)

#### Purpose

Pediculosis remedy and prophylactic

**Uses** For the prevention of head lice infestations.

#### Warnings

For external use only

- Ask a doctor before use if you have infestation of eyebrows or eyelashes, or if you are pregnant.
- When using this product:  
do not use in or near the eyes, close eyes while product is being applied.  
do not permit contact with mucous membranes, such as inside the nose as irritation or stinging may occur.
- Stop use and ask a doctor if skin irritation or infection is present or develops.
- Keep out of reach of children.
- If swallowed, get medical help or contact a Poison Control Center right away.

**Stop use and ask a doctor** if eye irritation occurs, skin or scalp irritation continues or infection occurs - **Children under 6 months:** ask a doctor.


**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

**Important: Read Warnings before use. Adults and children 6 months and over:**

- Apply a generous amount of shampoo to wet hair, work into a lather and massage into scalp. Rinse thoroughly.
- Repeat process and leave shampoo on hair for at least 3 minutes.
- To treat a head lice infestation, use the shampoo daily for at least 2 weeks.
- For best results on an extreme head lice infestation, use Vamousse treatment before using this shampoo.

Product may be used as often as needed.



## VAMOUSSE LICE PREVENTION

sodium chloride shampoo

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58962-003
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X) (sodium cation - UNII:LYR4M0NH37, chloride ion - UNII:Q32ZN48698)	SODIUM CHLORIDE	1 [hp_X] in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>CO CAMIDOPROPYL BETAINE</b> (UNII: 5OCF3O11KX)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>COCONUT OIL</b> (UNII: Q9L0O73W7L)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>GERANIOL</b> (UNII: L837108USY)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>SODIUM LAURETH-3 SULFATE</b> (UNII: BPV390UAP0)	
<b>TEA TREE OIL</b> (UNII: VIF565UC2G)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58962-003-01	1 in 1 CARTON		
1		236 mL in 1 BOTTLE, PLASTIC		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED HOMEOPATHIC		01/16/2014	

**Labeler** - TyraTech, Inc. (782845882)**Establishment**

Name	Address	ID/FEI	Business Operations
Tropical Products, Inc.		157469086	MANUFACTURE(58962-003) , LABEL(58962-003)

Revised: 1/2014

TyraTech, Inc.