

**ACETAMINOPHEN- acetaminophen tablet, film coated, extended release**  
**Chain Drug Marketing Association Inc.**

-----  
**Acetaminophen**

***Drug Facts***

**Active ingredient (in each caplet)**

Acetaminophen USP, 650 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - minor pain of arthritis
  - muscular aches
  - backache
  - premenstrual and menstrual cramps
  - the common cold
  - headache
  - toothache
- temporarily reduces fever

**Warnings**

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if you have** liver disease.

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see overdose warning)**

adults	<ul style="list-style-type: none"> <li>▪ take 2 caplets every 8 hours with water</li> <li>▪ swallow whole; do not crush, chew, split or dissolve</li> <li>▪ do not take more than 6 caplets in 24 hours</li> <li>▪ do not use for more than 10 days unless directed by a doctor</li> </ul>
under 18 years of age	<ul style="list-style-type: none"> <li>▪ ask a doctor</li> </ul>

**Other information**

- store at 20 - 25° C (68 - 77° F). Avoid excessive heat 40° C (104° F).
- see end panel for batch number and expiration date
- **TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.**

**Inactive ingredients**

croscarmellose sodium, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, pregelatinized starch, propylene glycol, sodium lauryl sulfate, stearic acid, titanium dioxide

**Questions?**

call **1-800-406-7984**

Distributed by C.D.M.A., Inc.©  
 43157 W. Nine Mile  
 Novi, MI 48376-0995

**PRINCIPAL DISPLAY PANEL - 100 Caplet Bottle Carton**

QC®  
 QUALITY

CHOICE

NDC 63868-089-01

†Compare to  
Active Ingredient in  
TYLENOL® Arthritis Pain

Last up to 8 Hours | Use Only as Directed

Arthritis Pain Relief

Acetaminophen Extended-release Tablets USP, 650 mg

Pain Reliever | Fever Reducer

For the Temporary Relief of Minor Arthritis Pain


DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN

100 CAPLETS\*

(\*capsule-shaped tablets)

EASY TO OPEN BOTTLE



## ACETAMINOPHEN

acetaminophen tablet, film coated, extended release

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63868-089
Route of Administration	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg

**Inactive Ingredients**

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

**Product Characteristics**

Color	white	Score	no score
Shape	OVAL (Capsule shaped)	Size	19mm
Flavor		Imprint Code	cor116
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-089-50	50 in 1 BOTTLE; Type 0: Not a Combination Product	04/30/2002	
2	NDC:63868-089-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	04/30/2002	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076200	04/30/2002	

**Labeler** - Chain Drug Marketing Association Inc. (011920774)**Registrant** - Sun Pharmaceutical Industries Inc. (146974886)**Establishment**

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		184769029	manufacture(63868-089)

