

**EQUI-PHAR COPPERNATE- copper naphthenate liquid
VEDCO**

Equi-Phar CopperNate™

WATER-RESISTANT PROTECTION WITHOUT BANDAGING

RECOMMENDED as an Aid in Treating Horses and Ponies with Thrush Due to Organisms Susceptible to Copper Naphthenate.

DO NOT USE IN HORSES INTENDED FOR HUMAN CONSUMPTION.

FOR EXTERNAL USE ONLY

CAUTION: COMBUSTIBLE MIXTURE

FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

ANADA 200-304, Approved by FDA

INDICATIONS:

CopperNate™ is indicated in the treatment of thrush in horses and ponies.

GENERAL DIRECTIONS:

Clean the hoof thoroughly, removing debris and necrotic material prior to application of CopperNate™. Apply daily to affected hoofs with a narrow paint brush (about 1") until fully healed. Caution: Do not allow runoff of excess CopperNate™ onto hair since contact with CopperNate™ may cause some hair loss. Do not contaminate feed.

NOTE: CopperNate™ is easily removed from hands, clothing and surfaces with light grade fuel oil or any type of lighter fluid.

CONTAINS FOIL SEAL – REMOVE BEFORE USE.

SHAKE WELL BEFORE USE.

To report suspected adverse reactions or to obtain technical assistance, call 1-800-650-4899.

INGREDIENTS:

Copper Naphthenate37.5% w/w
Inert Ingredients.....62.5% w/w
Total..... 100.0%

CAUTION: Do not use in horses intended for human consumption.

CAUTION:

COMBUSTIBLE MIXTURE. Use in a well-ventilated place. Avoid fire, flame, sparks or heaters.

If swallowed, do not induce vomiting, call physician immediately. Avoid breathing vapor. Avoid contact with skin and eyes.

KEEP OUT OF REACH OF CHILDREN AND PETS.

STORAGE:

Store at controlled room temperature 15° to 30°C (59° to 86°F). Keep container tightly closed when not in use.

Manufactured by:

FIRST PRIORITY, INC.

Elgin, IL 60123-1146

Distributed by:

VEDCO, INC.

ST. Joseph, MO 64507

Net Contents:

8 oz (236 mL) rev. 10-13 (VINV-COPP-08OZ)

16 oz (473 mL) rev. 10-13 (VINV-COPP-16OZ)

Image of 236 mL bottle/case label (rev. 10-13)

INDICATIONS: CopperNate™ is indicated in the treatment of thrush in horses and ponies.

GENERAL DIRECTIONS: Clean the hoof thoroughly, removing debris and necrotic material prior to application of CopperNate™. Apply daily to affected hoofs with a narrow paint brush (about 1") until fully healed. Caution: Do not allow runoff of excess CopperNate™ onto hair since contact with CopperNate™ may cause some hair loss. Do not contaminate feed.

NOTE: CopperNate™ is easily removed from hands, clothing and surfaces with light grade fuel oil or any type of lighter fluid.

CONTAINS FOIL SEAL - REMOVE BEFORE USE.

SHAKE WELL BEFORE USE.

To report suspected adverse reactions or to obtain technical assistance, call 1-800-650-4899.

Rev. 10-13
Manufactured by
FIRST PRIORITY, INC.
Elgin, IL 60123-1146



NDC 50989-685-24

EQUI-PHAR

CopperNate™

WATER-RESISTANT PROTECTION WITHOUT BANDAGING

Recommended as an Aid in Treating Horses and Ponies with Thrush Due to Organisms Susceptible to Copper Naphthenate.

DO NOT USE IN HORSES INTENDED FOR HUMAN CONSUMPTION.

NET CONTENTS: 8 oz (236 mL)

VEDCO

FOR EXTERNAL USE ONLY
CAUTION: COMBUSTIBLE MIXTURE

FOR ANIMAL USE ONLY
KEEP OUT OF REACH OF CHILDREN

ANADA 200-304, Approved by FDA

INGREDIENTS:
Copper Naphthenate.....37.5% w/w
Inert Ingredients.....62.5% w/w
Total.....100.0%

CAUTION: Do not use in horses intended for human consumption.


CAUTION: COMBUSTIBLE MIXTURE. Use in a well-ventilated place. Avoid fire, flame, sparks or heaters.

If swallowed, do not induce vomiting, call physician immediately. Avoid breathing vapor. Avoid contact with skin and eyes.

KEEP OUT OF REACH OF CHILDREN AND PETS.

STORAGE: Store at controlled room temperature 15° to 30°C (59° to 86°F). Keep container tightly closed when not in use.

Lot No. Exp. Date



3 50989 68524 9

Image of 473 mL bottle/case label (rev. 10-13)

INDICATIONS:

CopperNate™ is indicated in the treatment of thrush in horses and ponies.

GENERAL DIRECTIONS:

Clean the hoof thoroughly, removing debris and necrotic material prior to application of CopperNate™. Apply daily to affected hoofs with a narrow paint brush (about 1") until fully healed. Caution: Do not allow runoff of excess CopperNate™ onto hair since contact with CopperNate™ may cause some hair loss. Do not contaminate feed.

NOTE: CopperNate™ is easily removed from hands, clothing and surfaces with light grade fuel oil or any type of lighter fluid.

CONTAINS FOIL SEAL - REMOVE BEFORE USE.

SHAKE WELL BEFORE USE.

To report suspected adverse reactions or to obtain technical assistance, call 1-800-650-4899.



Rev. 10-13

WNV-COPP-160Z

Manufactured by
FIRST PRIORITY, INC.
Eggen, IL 60129-1146

Distributed by
VEDCO, INC.
St. Joseph, MO 64507

NDC 50989-685-26



EQUI-PHAR
CopperNate™

**WATER-RESISTANT PROTECTION
WITHOUT BANDAGING**

*Recommended as an Aid in Treating Horses
and Ponies with Thrush Due to Organisms
Susceptible to Copper Naphthenate.*

**DO NOT USE IN HORSES INTENDED
FOR HUMAN CONSUMPTION.**

NET CONTENTS: 16 oz (473 mL)

VEDCO

**FOR
EXTERNAL
USE ONLY**

**CAUTION: COMBUSTIBLE
MIXTURE**

**FOR ANIMAL USE ONLY
KEEP OUT OF REACH OF CHILDREN**

ANADA 200-304, Approved by FDA

INGREDIENTS:

Copper Naphthenate...37.5% w/w
Inert Ingredients.....62.5% w/w
Total.....100.0%


CAUTION: Do not use in horses intended for human consumption.

**CAUTION:
COMBUSTIBLE MIXTURE.**
Use in a well-ventilated place. Avoid fire, flame, sparks or heaters.

If swallowed, do not induce vomiting, call physician immediately. Avoid breathing vapor. Avoid contact with skin and eyes.

**KEEP OUT OF REACH OF
CHILDREN AND PETS.**

STORAGE: Store at controlled room temperature 15° to 30°C (59° to 86°F). Keep container tightly closed when not in use.



Lot No.

Exp. Date

No Varnish

EQUI-PHAR COPPERNATE

copper naphthenate liquid

Product Information

Product Type	OTC ANIMAL DRUG LABEL	Item Code (Source)	NDC:50989-685
Route of Administration	TOPICAL	DEA Schedule	

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
COPPER NAPHTHENATE (COPPER)	COPPER NAPHTHENATE	0.825 g in 1 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50989-685-24	12 in 1 CASE		
1		236 mL in 1 BOTTLE, DISPENSING		
2	NDC:50989-685-26	12 in 1 CASE		
2		473 mL in 1 BOTTLE, DISPENSING		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANADA	ANADA200304	03/01/2006	

Labeler - VEDCO (021634266)

Establishment

Name	Address	ID/FEI	Business Operations
FIRST PRIORITY INCORPORATED		179925722	manufacture

Revised: 1/2015

VEDCO